



TEST REPORT

Report No. 010224110053

DATED: 09 JANUARY 2025

Client : PLAN CREATIONS CO., LTD.
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG 92140 THAILAND

Buyer : /

Sample Description : PLAY GYM

Item No. : 5288

SKU No. : /

Model / Style : /

Client Specified Age Grade : 0M+

Manufacturer : /

Country of Origin : THAILAND

Country of Destination : /

Test Sample Received : RECEIVED 30/12/2024

Test Period : FROM 30/12/2024 TO 09/01/2025

TEST REQUESTED	CONCLUSION	REMARK
EN 71-1:2014+A1:2018 – PHYSICAL AND MECHANICAL PROPERTIES	PASS	-
EN 71-2:2020 – FLAMMABILITY	PASS	-
EN 71-3:2019+A1:2021 – MIGRATION OF CERTAIN ELEMENTS	PASS	-

Remark:

1. The sample is tested "0M+" as per client requested.
2. The Labeled Age Grade is 0M+.

For technical enquiries or any other concerns,
please contact:

GIC TESTING & INSPECTION SERVICES PTE LTD

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

WONG KOK LEONG

Laboratory Supervisor

APPROVED BY:


SUZEN CHONG

Senior Vice President

GIC Testing & Inspection Services Pte Ltd

158 Kallang Way #08-01
Singapore 349245

SAMPLE PHOTO



Page 3 of 8



Report No. 010224110053

DATED: 09 JANUARY 2025

REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

Item Description: 5288 PLAY GYM

Components

EN 71-3:2019+A1:2021 Migration of Certain Elements

- | | |
|----|-----------------------|
| 1 | SOLID WOOD |
| 2 | CLEAR ACRYLIC |
| 3 | 5280197 COTTON CORD |
| 4 | WHITE ELASTIC |
| 5 | CLEAR COATING ON WOOD |
| 6 | WHITE COATING ON WOOD |
| 7 | RED COATING ON WOOD |
| 8 | GRAY COATING ON WOOD |
| 9 | BLACK COATING ON WOOD |
| 10 | BROWN COATING ON WOOD |

Report Number

010224060099
010224030239
010224020056
010224020099
010224060179
010224040095
010223120128
010223120129
010224080055
010223120130

Date of Issue

28-Jun-24
5-Apr-24
7-Mar-24
5-Mar-24
16-Jul-24
7-May-24
22-Jan-24
22-Jan-24
11-Sep-24
22-Jan-24

GICG - ENABLING TRUST IN A CHANGING WORLD



Report No. 010224110053

DATED: 09 JANUARY 2025

TEST RESULT(S):

EN 71-1:2014+A1:2018 – Physical and Mechanical Properties

Test Method : Reference to EN 71-1:2014+A1:2018.

Clause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	M
4.8	Points and metallic wires	M
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cord of toy kites and other flying toys	NA
4.14	Toys which a child can enter	NA
4.15	Toys propelled by child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps	NA
4.20	Acoustics	M 4.20.2.6
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	M
5.1	General requirements	M
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chain and electrical cables in toys	M 5.4.4
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	M
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warning, instructions for use	M 7.1

Note:

M = Meet

NR = Not Requested

NM = Not Meet

NT = Not Tested

NA = Not Applicable

NP = Not Present

R = Refer to Comment Section



Report No. 010224110053

DATED: 09 JANUARY 2025

TEST RESULT(S): (Continued)

Sound-Producing Toys

Test Item(s)	5288 Play Gym		
Clause 4.20.2.6	Permissible Limit	Unit	Result
A-weighted time-averaged emission sound pressure level (L_{pA})	85	dB	67
C-weighted peak emission sound pressure level (L_{pCpeak})	110	dB	74
Conclusion	-	-	PASS

EN 71-2:2020 - Flammability

Test Method : Reference to EN 71-2:2020.

Test Item(s)	Item / Component Description(s)
1	5288 Play Gym

Subclause	Requirement	Result
4.1	General requirement	PASS
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Note:

M = Meet

NR = Not Requested

NM = Not Meet

NT = Not Tested

NA = Not Applicable

NP = Not Present

R = Refer to Comment Section

DNI = Did Not Ignite



Report No. 010224110053

DATED: 09 JANUARY 2025

TEST RESULT(S): (Continued)

EN 71-3:2019+A1:2021 – Migration of Certain Elements

Test Method : Reference to BS EN 71-3:2019+A1:2021 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)
1	SOLID WOOD
2	CLEAR ACRYLIC
3	5280197 COTTON CORD
4	WHITE ELASTIC
5	CLEAR COATING ON WOOD
6	WHITE COATING ON WOOD
7	RED COATING ON WOOD
8	GRAY COATING ON WOOD
9	BLACK COATING ON WOOD
10	BROWN COATING ON WOOD

See Soluble Element and its corresponding Maximum Allowable Limit in Result Table	Category I	Pliable modelling materials or other solid materials intended to leave a trace appearing in the toy
	Category II	Liquid paints/inks and other similar materials appearing as such in the toy (e.g. bubble solution), and glue sticks
	Category III	Coatings, polymeric materials (e.g. plastics), paper, textiles, glass, ceramic, metallic, wood and other solid materials

Test Item(s)	Unit	Permissible Limit	Result				
			1	2	3	4	5
Category Type	-	III	III	III	III	III	III
Aluminum (Al)	mg/kg	28130	ND	ND	ND	67.3	ND
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	ND	ND	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	ND	0.024	0.25	0.08	0.32
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	ND
Manganese (Mn)	mg/kg	15000	18.6	ND	ND	ND	14.6
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	10.5	ND	ND	904	1890
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS



Report No. 010224110053

DATED: 09 JANUARY 2025

TEST RESULT(S): (Continued)

Test Item(s)	Unit	Permissible Limit	Result				
			6	7	8	9	10
Category Type	-	III	III	III	III	III	III
Aluminum (Al)	mg/kg	28130	1230	119	156	14.8	135
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	8.6	ND	ND	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	0.75	0.71	0.32	0.124	0.73
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	1.2
Manganese (Mn)	mg/kg	15000	ND	5.8	ND	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	ND	6.6	ND	47.3	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS

Note:

- mg/kg = milligram per kilogram
- ND = Not Detected
- Reporting limit for Cr (III), Cr (VI) = 0.02 mg/kg, and for Tin and Organic Tin = 0.9 mg/kg
- Reporting limit for Pb = 1.0 mg/kg, for As, Cd = 0.5 mg/kg
- Reporting limit for Al, Sb, Ba B, Co, Hg, Cu, Mn, Ni, Se, Sr, Zn = 10.0 mg/kg
- Confirmation test of chromium (III) is not required in case of chromium does not exceed their requirements as specified in EN 71-3:2019+A1:2021.

Remark:

- Test Item(s) was (were) tested according to European Standard EN 71-3: 2019 + A1: 2021, Section 8.
- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.