

TEST REPORT

Report No. 010224030163R1

DATED: 07 JULY 2025

Client : PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG 92140 THAILAND

Buyer : /

Sample Description : PIRATE SHIP

Item No. : 6114

SKU No. : /

Model / Style : /

Client Specified Age Grade : 3Y+

Manufacturer : /

Country of Origin : THAILAND

Country of Destination : /

Test Sample Received : RECEIVED 20/09/2024

Test Period : FROM 20/09/2024 TO 30/09/2024

Report was revised as per client request and shall supersede Report # 010224030163, dated 30 September 2024

TEST REQUESTED	CONCLUSION	REMARK
EN 71-1:2014+A1:2018 – PHYSICAL AND MECHANICAL PROPERTIES	PASS	-
EN 71-2:2020 – FLAMMABILITY	PASS	•
EN 71-3:2019+A2:2024 – MIGRATION OF CERTAIN ELEMENTS	PASS	-

Remark:

1. The sample is tested "3Y+" as per client requested.

2. The Labeled Age Grade is 3Y+.

For technical enquiries or any other concerns,

please contact:

GIC TESTING & INSPECTION SERVICES PTE LTD

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

APPROVED BY:

LUKMAN YUSOFF

TESTING ENGINEER

ALEX LAU

TECHNICAL DIRECTOR

GIC Testing & Inspection Services Pte Ltd

158 Kallang Way #08-01 Singapore 349245



DATED: 07 JULY 2025

SAMPLE PHOTO









DATED: 07 JULY 2025

SAMPLE PHOTO











DATED: 07 JULY 2025

REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

Item Description: 6114 PIRATE SHIP

Comp	ponents_	Report Number	Date of Issue
EN 7	I-3:2019+A2:2024 Migration of Certain Elements		
1	SOLID WOOD	010224060099	28-Jun-24
2	PLYWOOD	010224060098	28-Jun-24
3	MDF WOOD	010224030202	28-Mar-24
4	5080272 RED FABRIC	010224050029	16-May-24
5	5082041 BROWN FRIEZE	010224060059	24-Jun-24
6	5083894 DARK BLUE MESH FABRIC	010224030203	28-Mar-24
7	5260030/5260031 WHITE-CREAM PLASTIC JOINT	010223120092	8-Jan-24
8	5280206 BLACK FABRIC	010224030093	28-Mar-24
9	5282277 WHITE CORD	010224020059	7-Mar-24
10	5283031 BLACK CORD	010224030091	28-Mar-24
11	BLACK ELASTIC	010224010351	28-Feb-24
12	WHITE COATING ON WOOD	010224040095	7-May-24
13	BLUE COATING ON WOOD	010224030212	5-Apr-24
14	YELLOW COATING ON WOOD	010223120131	22-Jan-24
15	CLEAR COATING ON WOOD	010224060179	16-Jul-24
16	RED COATING ON WOOD	010223120128	22-Jan-24
17	BROWN COATING ON WOOD	010223120130	22-Jan-24
18	GRAY COATING ON WOOD	010223120129	22-Jan-24
19	BLACK COATING ON WOOD	010224080055	11-Sep-24
20	LIGHT BLUE COATING ON WOOD	010224020092	7-Mar-24
21	ORANGE COATING ON WOOD	010223120127	22-Jan-24
22	LIGHT BROWN COATING ON WOOD	010224030219	1-Apr-24



DATED: 07 JULY 2025

TEST RESULT(S):

EN 71-1:2014+A1:2018 - Physical and Mechanical Properties

Test Method : Reference to EN 71-1:2014+A1:2018.

Clause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	M
4.8	Points and metallic wires	M
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cord of toy kites and other flying toys	NA
4.14	Toys which a child can enter	NA
4.15	Toys propelled by child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	NA
6	Packaging	NA
7	Warning, instructions for use	M

Note:

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

NR = Not Requested NT = Not Tested NP = Not Present

EN 71-2:2020 - Flammability

Test Method: Reference to EN 71-2:2020.

Test Item(s)	Item / Component Description(s)
1	6114 Pirate Ship

Subclause	Requirement	Result
4.1	General requirement	PASS
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Note:

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

NR = Not Requested NT = Not Tested NP = Not Present DNI = Did Not Ignite



DATED: 07 JULY 2025

TEST RESULT(S): (Continued)

EN 71-3:2019+A2:2024 - Migration of Certain Elements

Test Method: Reference to BS EN 71-3:2019+A2:2024 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)
1	SOLID WOOD
2	PLYWOOD
3	MDF WOOD
4	5080272 RED FABRIC
5	5082041 BROWN FRIEZE
6	5083894 DARK BLUE MESH FABRIC
7	5260030/5260031 WHITE-CREAM PLASTIC JOINT
8	5280206 BLACK FABRIC
9	5282277 WHITE CORD
10	5283031 BLACK CORD
11	BLACK ELASTIC
12	WHITE COATING ON WOOD
13	BLUE COATING ON WOOD
14	YELLOW COATING ON WOOD
15	CLEAR COATING ON WOOD
16	RED COATING ON WOOD
17	BROWN COATING ON WOOD
18	GRAY COATING ON WOOD
19	BLACK COATING ON WOOD
20	LIGHT BLUE COATING ON WOOD
21	ORANGE COATING ON WOOD
22	LIGHT BROWN COATING ON WOOD

	Category I	Pliable modelling materials or other solid materials intended to leave a trace
See Soluble Element	Category	appearing in the toy
and its corresponding Maximum Allowable	Category II	Liquid paints/inks and other similar materials appearing as such in the toy (e.g. bubble solution), and glue sticks
Limit in Result Table	Category III	Coatings, polymeric materials (e.g. plastics), paper, textiles, glass, ceramic, metallic, wood and other solid materials



DATED: 07 JULY 2025

TEST RESULT(S): (Continued)

Toot Itom(s)	Unit	Permissible			Re	sult		
Test Item(s)	Oilit	Limit	1	2	3	4	5	6
Category Type	-	III	III	III	III	III	III	III
Aluminum (AI)	mg/kg	28130	ND	ND	12.0	ND	ND	ND
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	10.7	10.5	ND	ND
Boron (B)	mg/kg	15000	ND	36.7	24.1	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	ND	ND	ND	0.21	ND	ND
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	mg/kg	15000	18.6	21.6	61.7	ND	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	8.8	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	5.4	ND	ND	1.03
Organic tin	mg/kg	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	10.5	11.0	8.0	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Toot Itom(a)	Unit	Permissible	Result					
Test Item(s)	Onit	Limit	7	8	9	10	11	12
Category Type	-	III	III	III	III	III	III	III
Aluminum (AI)	mg/kg	28130	ND	ND	ND	ND	6.1	1230
Antimony (Sb)	mg/kg	560	ND	ND	ND	23	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	ND	ND	ND	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	ND	0.09	0.12	0.3	0.21	0.75
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	1.6	ND	ND
Manganese (Mn)	mg/kg	15000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	1.1	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	ND	ND	ND	ND	968.7	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS



DATED: 07 JULY 2025

TEST RESULT(S): (Continued)

Test Item(s)	Unit	Permissible			Re	sult		
rest item(s)	Oilit	Limit	13	14	15	16	17	18
Category Type	-	III	III	III	III	II	III	III
Aluminum (AI)	mg/kg	28130	748	118	ND	119	135	156
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	122	ND	8.6	ND	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	0.07	0.83	0.32	0.71	0.73	0.32
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	1.2	ND
Manganese (Mn)	mg/kg	15000	6.2	ND	14.6	5.8	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	38.1	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	2.1	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	ND	ND	1890	6.6	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Toot Itom/o)	l lmi4	Permissible		sult		
Test Item(s)	Unit	Limit	19	20	21	22
Category Type	-	III	III	III	III	III
Aluminum (Al)	mg/kg	28130	14.8	737	114	ND
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	ND	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	0.124	0.16	0.18	ND
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND
Manganese (Mn)	mg/kg	15000	ND	ND	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	8.1	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	47.3	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS



DATED: 07 JULY 2025

TEST RESULT(S): (Continued)

Note:

mg/kg = milligram per kilogram

- ND = Not Detected
- Reporting limit for Cr (III), Cr (VI) = 0.02 mg/kg, and for Organic Tin = 0.9 mg/kg
- Reporting limit for Pb = 1.0 mg/kg, for As, Cd = 0.5 mg/kg
- Reporting limit for Al, Sb, Ba B, Co, Hg, Cu, Mn, Ni, Se, Sr, Zn, Sn = 5.0 mg/kg
- Confirmation test of chromium (III) is not required in case of chromium does not exceed their requirements as specified in EN 71-3:2019+ A2: 2024.

Remark:

- Test Item(s) was (were) tested according to European Standard EN 71-3:2019+ A2: 2024, Section 8.
- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.