



TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

Client : PLAN CREATIONS CO., LTD.
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG 92140
ATTN: MS RATCHADA KONGTHON

Buyer : /

Test Sample Received : RECEIVED ON 29/12/2020

Test Period : FROM 29/12/2020 TO 05/01/2021

Sample Description : OVAL XYLOPHONE – ORCHARD COLLECTION

Product Code : 6441

Age Grade : 12M+

Manufacturer : /

Country of Destination : /

Country of Origin : THAILAND

**Report was revised as per client request and shall supersede Report# 010121010013R3, dated 11 Feb 2021.*

| TEST REQUESTED | CONCLUSION | REMARK |
|---|------------|--------|
| EN 71-1:2014+A1:2018 – PHYSICAL AND MECHANICAL PROPERTIES | PASS | - |
| ISO 8124-8:2016 AGE DETERMINATION GUIDELINES | DATA | - |
| EN 71-2:2020 – FLAMMABILITY | PASS | - |
| EN 71-3:2019+A1:2021 – MIGRATION OF CERTAIN ELEMENTS | PASS | - |

For technical enquiries or any other concerns, please contact:

GIC TESTING & INSPECTION SERVICES
Tel: +65 6741 2260
Email: services.sg@gicgrp.com


PREPARED BY:

EDMUND YAP
LABORATORY MANAGER

APPROVED BY:

SUZEN CHONG
SENIOR VICE PRESIDENT

SAMPLE PHOTO





TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

SAMPLE PHOTO





TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

TEST RESULT(S):

EN 71-1:2014+A1:2018 – Physical and Mechanical Properties

Test Method : Reference to EN 71-1:2014+A1:2018.

| Clause | Requirement | Result |
|--------|--|--------|
| 4.1 | Material cleanliness | M |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 | Edges | M |
| 4.8 | Points and metallic wires | NA |
| 4.8 e) | Splinters | M |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cord of toy kites and other flying toys | NA |
| 4.14 | Toys which a child can enter | NA |
| 4.15 | Toys propelled by child | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectiles | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps | NA |
| 4.20 | Acoustics | M* |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 5 | Toys intended for children under 36 months | M |
| 6 | Packaging | NA |
| 7 | Warning, instructions for use | M |

| Clause | Requirement | Result |
|-----------|------------------------------------|--------|
| 4.20 | Acoustics | M* |
| 4.20.2.2 | Close-to-the-ear toys | NA |
| 4.20.2.3 | Table-top or floor toys | NA |
| 4.20.2.4 | Hand-held toys | NA |
| 4.20.2.5 | Toys using headphones or earphones | NA |
| 4.20.2.6 | Rattles | NA |
| 4.20.2.7 | Squeeze toys | NA |
| 4.20.2.8 | Pull-along or push toys | NA |
| 4.20.2.9 | Percussion toys | M |
| 4.20.2.10 | Wind toys | NA |
| 4.20.2.11 | Cap-firing toys | NA |
| 4.20.2.12 | Voice toys | NA |

Note:

M = Meet

NR = Not Requested

NM = Not Meet

NT = Not Tested

NA = Not Applicable

NP = Not Present

R = Refer to Comment Section



TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

TEST RESULT(S): (Continued)

| Test Item(s) | 6441 Oval Xylophone – Orchard Collection | | |
|---|--|------|--------|
| | Req. | Unit | Result |
| A-weighted time-averaged emission sound pressure level (L_{pA}) | 85 | dB | |
| C-weighted peak emission sound pressure level (L_{pCpeak}) | 130 | dB | |
| Conclusion | - | - | PASS |

ISO 8124-8:2016 Age Determination Guidelines

Test Method : Reference to ISO 8124-8.

| Claimed Age Grade | Recommended Age Grade |
|-------------------|-----------------------|
| 12M+ | 12M+ |

EN 71-2:2020 - Flammability

Test Method : Reference to EN 71-2:2020.

| Test Item(s) | Item / Component Description(s) |
|--------------|--|
| 1 | 6441 Oval Xylophone – Orchard Collection |

| Subclause | Requirement | Result |
|-----------|-------------------------------|--------|
| 4.1 | General requirement | PASS |
| | Celluloid (cellulose nitrate) | NP |

Note:

M = Meet

NR = Not Requested

NM = Not Meet

NT = Not Tested

NA = Not Applicable

NP = Not Present

R = Refer to Comment Section

DNI = Did Not Ignite

EN 71-3:2019+A1:2021 – Migration of Certain Elements

Test Method : Reference to EN 71-3:2019+A1:2021 Analysis by ICP-MS.

| Test Item(s) | Item / Component Description(s) |
|--------------|---------------------------------|
| 1 | Solid wood |
| 2 | Plywood |
| 3 | Lacquer coating on wood |
| 4 | Brown coating on wood |
| 5 | Light gray coating on wood |
| 6 | White elastic |
| 7 | White coating on wood |
| 8 | Light orange coating on wood |
| 9 | Dark yellow coating on wood |
| 10 | Light blue coating on wood |
| 11 | Dark blue coating on wood |

| | | |
|---|--------------|--|
| See Soluble Element and its corresponding Maximum Allowable Limit in Result Table | Category I | Pliable modelling materials or other solid materials intended to leave a trace appearing in the toy |
| | Category II | Liquid paints/inks and other similar materials appearing as such in the toy (e.g. bubble solution), and glue sticks |
| | Category III | Coatings, polymeric materials (e.g. plastics), paper, textiles, glass, ceramic, metallic, wood and other solid materials |



TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

TEST RESULT(S): (Continued)

| - | Unit | Req. | Result | | | | | |
|-----------------------|-------|--------|--------|------|------|------|------|------|
| Test Item(s) | - | - | 1 | 2 | 3 | 4 | 5 | 6 |
| Category Type | - | III | III | III | III | III | III | III |
| Aluminium (Al) | mg/kg | 28130 | ND | ND | ND | 25 | 184 | ND |
| Antimony (Sb) | mg/kg | 560 | ND | ND | ND | ND | ND | ND |
| Arsenic (As) | mg/kg | 47 | ND | ND | ND | ND | ND | ND |
| Barium (Ba) | mg/kg | 18750 | ND | ND | ND | ND | ND | ND |
| Boron (B) | mg/kg | 15000 | ND | ND | ND | ND | ND | ND |
| Cadmium (Cd) | mg/kg | 17 | ND | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | mg/kg | 460 | 0.22 | 0.25 | 0.11 | 0.20 | 2.32 | 0.02 |
| Chromium VI (Cr VI) | mg/kg | 0.053 | ND | ND | ND | ND | ND | ND |
| Cobalt (Co) | mg/kg | 130 | ND | ND | ND | ND | ND | ND |
| Copper (Cu) | mg/kg | 7700 | ND | ND | ND | ND | ND | ND |
| Lead (Pb) | mg/kg | 23 | ND | ND | ND | 1.50 | ND | ND |
| Manganese (Mn) | mg/kg | 15000 | 26 | 32 | ND | 30 | ND | ND |
| Mercury (Hg) | mg/kg | 94 | ND | ND | ND | ND | ND | ND |
| Nickel (Ni) | mg/kg | 930 | ND | ND | ND | ND | ND | ND |
| Selenium (Se) | mg/kg | 460 | ND | ND | ND | ND | ND | ND |
| Strontium (Sr) | mg/kg | 56000 | ND | ND | ND | ND | ND | ND |
| Tin (Sn) | mg/kg | 180000 | 3.75 | 0.96 | ND | ND | ND | ND |
| Organic tin | mg/kg | 12 | ND | ND | ND | ND | ND | ND |
| Zinc (Zn) | mg/kg | 46000 | 10 | 15 | ND | ND | ND | 23 |
| Conclusion | - | - | PASS | PASS | PASS | PASS | PASS | PASS |

| - | Unit | Req. | Result | | | | |
|-----------------------|-------|--------|--------|------|------|------|------|
| Test Item(s) | - | - | 7 | 8 | 9 | 10 | 11 |
| Category Type | - | III | III | III | III | III | III |
| Aluminium (Al) | mg/kg | 28130 | 732 | ND | 276 | 929 | 2116 |
| Antimony (Sb) | mg/kg | 560 | ND | ND | ND | ND | ND |
| Arsenic (As) | mg/kg | 47 | ND | ND | ND | 0.60 | 0.60 |
| Barium (Ba) | mg/kg | 18750 | ND | ND | ND | ND | ND |
| Boron (B) | mg/kg | 15000 | ND | 31 | ND | ND | ND |
| Cadmium (Cd) | mg/kg | 17 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | mg/kg | 460 | 0.25 | ND | 0.56 | 1.38 | 1.10 |
| Chromium VI (Cr VI) | mg/kg | 0.053 | ND | ND | ND | ND | ND |
| Cobalt (Co) | mg/kg | 130 | ND | ND | ND | ND | ND |
| Copper (Cu) | mg/kg | 7700 | ND | ND | ND | ND | ND |
| Lead (Pb) | mg/kg | 23 | ND | ND | ND | ND | 2.73 |
| Manganese (Mn) | mg/kg | 15000 | ND | 21 | ND | ND | ND |
| Mercury (Hg) | mg/kg | 94 | ND | ND | ND | ND | ND |
| Nickel (Ni) | mg/kg | 930 | ND | ND | ND | ND | ND |
| Selenium (Se) | mg/kg | 460 | ND | ND | ND | ND | ND |
| Strontium (Sr) | mg/kg | 56000 | ND | ND | ND | ND | ND |
| Tin (Sn) | mg/kg | 180000 | 1.7 | ND | 1.30 | 1.65 | ND |
| Organic tin | mg/kg | 12 | ND | ND | ND | ND | ND |
| Zinc (Zn) | mg/kg | 46000 | 47 | ND | ND | ND | 13 |
| Conclusion | - | - | PASS | PASS | PASS | PASS | PASS |

Note:

- mg/kg = milligram per kilogram
- ND = Not Detected
- Reporting limit for Cr (III), Cr (VI) = 0.02 mg/kg, and for Tin and Organic Tin = 0.9 mg/kg
- Reporting limit for Pb = 1.0 mg/kg, for As, Cd = 0.5 mg/kg
- Reporting limit for Al, Sb, Ba B, Co, Hg, Cu, Mn, Ni, Se, Sr, Zn = 10.0 mg/kg
- Confirmation test of chromium (III) is not required in case of chromium does not exceed their requirements as specified in EN 71-3:2019.



TEST REPORT

Report No. 010121010013R4

Dated DEC 28, 2021

END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.

