


HAS YOUR SEAWALL BEEN DAMAGED BY NATURAL FORCES?



THIS IS YOUR GUIDE TO REPAIR AND PERMANENT PRESERVATION!



CONSEQUENCES OF SEAWALL NEGLECT



YOUR GUIDE TO REPAIR & PERMANENT PRESERVATION







YOU HAVE OPTIONS:

DO NOTHING

The problem will grow and the longer you wait, the more expensive the repair.

REPLACE

Rebuilding a seawall (or even a section of a seawall) can be messy, time consuming and expensive.

REPAIR WITH INFERIOR METHODS

Outdated repair materials such as hydraulic cement, slurry, crushed seashells, and sodium silicate do not address the underlying soil instability that puts unsustainable pressure on the seawall. The methods are similar to putting a band-aid on an infection. The problem will simply continue to get worse until the seawall fails completely.

REPAIR WITH ADVANCED PROPRIETARY TECHNOLOGY

- Install Proprietary SW-RP1 Repair Material
 - · Repairs leaking cracks in the seawall
 - Stabilization of surrounding soil
 - Permanently strengthens and repairs soil damage
 - Prevents future erosion
- Stronger than crystalline bedrock

• Install Proprietary Pressure Release Technology

- Automatically removes any future water that builds up behind seawall (Unchecked water build up causes hydrostatic pressure which cracks and damages even the strongest seawalls.)
- Repair Structural Damage to Seawall Caps and Panels
 - Employ high-strength epoxy and concrete repair materials.
 Restores strength and integrity to the structure.
- Install Advanced Permanent Anchoring System
 - Retrofitted to improve on outdated and failed systems.

GET A FREE ESTIMATE



Call 877-726-5225 Visit RamJackWest.com



LEARN ABOUT THE NETWORK



Call 470-204-2368 Visit SeawallRepairNetwork.com



ANY WATER BEARING WALL



WE WILL EVALUATE ANY SEAWALL OR RETAINING WALL THAT IS LEAKING OR UNSTABLE.



Contact Us Today for a Free Estimate 877-726-5225 RamJackWest.com