HOUSE COMMITTEE OF REFERENCE REPORT

<u>April 12, 2022</u>
Chair of Committee Date
Committee on Public & Behavioral Health & Human Services.
After consideration on the merits, the Committee recommends the following:
HB22-1358 be amended as follows, and as so amended, be referred to the Committee on Appropriations with favorable recommendation:
Amend printed bill, page 2, strike line 10 and substitute "SECTION 26-6-102 (5); EXCEPT THAT "CHILD CARE CENTER" DOES NOT INCLUDE: (a) A SUMMER CAMP; OR (b) A CHILDREN'S RESIDENT CAMP, AS DEFINED IN SECTION 26-6-102 (8).".
Page 5, line 27, strike "WITHIN" and substitute "EXCEPT AS DESCRIBED IN SUBSECTION (3) OF THIS SECTION, WITHIN".
Page 6, after line 19 insert:
"(3) IF THE FAUCETS OF A FAMILY CHILD CARE HOME ARE INCOMPATIBLE WITH A FAUCET-MOUNTED FILTRATION SYSTEM, THE FAMILY CHILD CARE HOME MAY PROVIDE DRINKING WATER USING A PITCHER THAT COMPLIES WITH NSF/ANSI STANDARD 53 FOR LEAD REDUCTION AND NSF/ANSI STANDARD 42 FOR PARTICULATE REMOVAL IN LIEU OF SATISFYING THE REQUIREMENT DESCRIBED IN SUBSECTION (1)(a) OF THIS SECTION.".
Page 8, line 9, strike "Annually." and substitute "Annually, the timing of which testing the department shall determine in accordance with the "3 Ts for Reducing Lead in Drinking Water" manual of the federal environmental protection agency.".
Page 12, after line 19 insert:
"(c) On or before December 1, 2023, and on or before

DECEMBER 1 EACH YEAR THEREAFTER, EACH CHILDREN'S RESIDENT CAMP,

- 1 AS DEFINED IN SECTION 26-6-102 (8), SHALL REPORT TO THE DEPARTMENT
- 2 THE RESULTS OF THE CHILDREN'S RESIDENT CAMP'S TESTING OF ITS
- 3 DRINKING WATER. THE DEPARTMENT SHALL MAKE EACH SUCH REPORT
- 4 AVAILABLE ON THE DEPARTMENT'S PUBLIC WEBSITE.".

** *** ** *** **