SENATE COMMITTEE OF REFERENCE REPORT

		N. 1.12.2025
Chair of Cor	mmittee	March 12, 2025 Date
Committee on <u>Transportation & Energy</u> .		
After consideration on the merits, the Committee recommends the following:		
SB25-182	be amended as follows, and as so the Committee on <u>Appropr</u> recommendation:	*
Amend printed bill, page 2, after line 1 insert: "SECTION 1. Legislative declaration. (1) The general assembly finds and declares that nothing in Senate Bill 25-182 impacts the ability of a local governmental entity to review or approve eligible materials for installations or modifications to real property.". Renumber succeeding sections accordingly.		
Page 2, strike lines 7 through 10 and substitute "INSTALLATIONS OR MODIFICATIONS TO REAL PROPERTY USING ELIGIBLE MATERIALS, AS DEFINED IN SECTION 24-92-118 (2)(b), THAT RESULT IN THE REDUCTION OF THE INSTALLATION'S OR MODIFICATION'S EMBODIED EMISSIONS AS ESTABLISHED IN POLICIES CREATED BY THE COLORADO ENERGY OFFICE, CREATED IN SECTION 24-38.5-101, AND IN CONSULTATION WITH THE OFFICE OF THE STATE ARCHITECT.".		
Page 2, line 18, before "(2)(e)(XVIII);" insert "(2)(e) introductory portion and".		
Page 3, line 2, strike "and retrofits:" and substitute "and retrofits RETROFITS, OR INVESTMENTS:".		

- Page 3, strike lines 7 through 16 and substitute "JANUARY 1, 2026,
- EMBODIED CARBON INVESTMENTS, WHICH ARE INVESTMENTS IN THE
- PRODUCTION OF ELIGIBLE MATERIALS, AS DEFINED IN SECTION 24-92-118
- (2)(b), THAT RESULT IN THE REDUCTION OF THE ELIGIBLE MATERIALS' CRADLE-TO-GATE EMBODIED EMISSIONS, AS ESTABLISHED IN POLICIES
- CREATED BY THE COLORADO ENERGY OFFICE, CREATED IN SECTION

- 1 24-38.5-101, AND IN CONSULTATION WITH THE OFFICE OF THE STATE
- 2 ARCHITECT. TO QUALIFY AS AN EMBODIED CARBON INVESTMENT, AN
- 3 INVESTMENT MUST RESULT IN A FIFTEEN PERCENT OR GREATER REDUCTION
- 4 IN CRADLE-TO-GATE EMBODIED EMISSIONS OF THE ELIGIBLE MATERIALS
- 5 WHEN COMPARED TO THE ELIGIBLE MATERIALS' CRADLE-TO-GATE
- 6 BASELINE AS ESTABLISHED IN STANDARDS AND GUIDELINES CREATED BY
- 7 THE COLORADO ENERGY OFFICE AND IN CONSULTATION WITH THE OFFICE
- 8 OF THE STATE ARCHITECT. A CRADLE-TO-GATE MEASUREMENT OR
- 9 BASELINE CONSIDERS THE LIFE CYCLE STAGES FOR A PRODUCT INCLUDING,
- 10 BUT NOT LIMITED TO, THE RAW MATERIAL EXTRACTION AND PROCESSING
- 11 RELATED TO THE PRODUCT, AND THE TRANSPORT TO THE MANUFACTURER
- 12 AND MANUFACTURING OF THE PRODUCT.".

** *** ** *** **