### **BODYBUILDER™ GRIPPER MOUNTS**

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications



GPC-150-30BBS 30mm Swivel 150 Series Parallel Gripper Mount

**Specifications:** 


Max. Static Clamp Load: 271 Nm [200 ft-lb] Material:

Body: Aluminum Swivel Ball: Steel


#### **Features:**


- Removable grip mount lock allows gripper to be adjusted while continuing to holding it in place.
- Swivel ball allows for ±25° adjustment of swivel rotation.











Model Number	Weight
CPI-GPC-150-30BBS-DC	.33 kg [.73 lb]






# **BODYBUILDER™ GRIPPER MOUNTS**

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

RJM-150-30BBS 30mm End Gripper Mount for 150 Series Gripper




#### **Features:**

 Swivel ball allows for ±25° adjustment of swivel rotation. Specifications:
Max. Static Clamp Load:
271 Nm [200 ft-lb]
Material:


Housing:

Machined Aluminum

Swivel: Steel







Model Number
CPI-RJM-150-30BBS .3

Weight .33 kg [.74 lb]



# **BODYBUILDER™ GRIPPER MOUNTS**

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications



### RJM-150-45BBS 45mm End Gripper Mount for 150 Series Gripper

**Specifications:** 

Max. Static Clamp Load: 475 Nm [350 ft-lb]


Material: Housing:


Machined Aluminum


Swivel: Steel


#### **Features:**

 Swivel ball allows for ±22° adjustment of swivel rotation.









FOR SWIVEL OPTION INSERT
BOOM 40 MM [1.57 IN] OR
UNTIL BOOM IS INSERTED
ENOUGH TO ALLOW
ROTATION WITHOUT
OBSTRUCTION

[2.36]
60.0

[3.15]
80.0

[1.57]

40.0

TO USE AS A FIXED MOUNT

**INSERT BOOM COMPLETELY** 

UNTIL IT COMES INTO CONTACT WITH GRIPPER



