

All you need to clean & protect your tile & grout is in the kit!



**125ml EnduroClean
Pre-Cleaner**



Tile Cleaning Pad (for older tiles only)



Instructions



**125ml EnduroShield
Tile & Grout Treatment**



Application Cloth



Shower Tiles



Ceramic Baths & Basins



Kitchen Splashback



Bathroom Walls & Floor

How to apply EnduroShield®?

Each pack contains everything you need including cleaner, polishing pad and application cloth.

Simply clean the tile & grout with the pre-treatment cleaner included, apply the EnduroShield treatment, wait for it to dry and you're protected for 3 years!

How does EnduroShield work?

The invisible coating works by lining the tiny hills and valleys on the surface it's applied to. The result is an invisible coating that repels water, grime and stains to make cleaning super easy!

What is the best way to clean tile & grout once they have been treated with EnduroShield®?

To keep your tiles and grout looking new, clean each week using a damp microfibre cloth and a mild detergent to remove any soap scum, dirt or grime from the tiled surface.

Will the coating crack, peel or discolour over time?

No the coating is only 2 molecules thick and is transparent. It will not crack or discolour over time. It is not like a lacquer or varnish.

Will the coating crack, peel or discolour over time?

No the coating is only 2 molecules thick and is transparent. It will not crack or discolour over time.

Can EnduroShield be applied over tiles that have already been sealed with a product?

No, the product needs to be applied to untreated tiles and grout in order to bond with the surface. Please ensure that no existing sealer remains before applying EnduroShield.

Can EnduroShield be applied to floor tiles?

Yes, testing has shown that the coating will not make the surface slippery. As the tile is sealed, and protected from water soaking into the surface, the water beads, and the conditions that cause slipperiness are reduced. Abrasion will limit the durability of the coating in high traffic areas.