

V2

Please check actual product in box for bracket type used

SPHERE 600D PRODUCT CODE S60D LED MIRROR SPECIFICATIONS FEATURES WIDTH 600mm Copper Free Mirror LED Lighting (Adjustable Colour Temperature) HEIGHT 600mm 35mm Backlit DEPTH 9kg Touch Sensor WEIGHT Demister with 1 Hour Auto Cut-off Demister Pad LIGHTING SPECIFICATIONS 2700K - 6500K CCT CRI >80 13 208 INSTALLATION Wall mount Hardwire Input voltage: 220-240v 50Hz Ø 600 35 • Ø 530 C E 🖄 崎



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





PRODUCT CODE S60D

Please check actual product in box for bracket type used

SPHERE 600D

LED MIRROR

SPECIFICATIONS	
WIDTH	600mm
HEIGHT	600mm
DEPTH	35mm
WEIGHT	9kg


LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80


INSTALLATION

Hardwire

Input Voltage: 220-240v 50Hz

FEATURES
Copper Free Mirror
LED Lighting
(Adjustable Colour Temperature)
Touch Sensor
Demister with 1 Hour Auto Cut-off





C E 🖄 崎



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





Please check actual product in box for bracket type used

SPHERE 600D

LED MIRROR WITH ALUMINIUM FRAME


SPECIFICATIONS	
WIDTH	610mm
HEIGHT	610mm
DEPTH	40mm
WEIGHT	10kg

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80


INSTALLATION

Hardwire

Input voltage: 220-240v 50Hz











Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.





BRACKET TYPE 2

V2

Please check actual product in box for bracket type used

SPHERE 600D

LED MIRROR

SPECIFICATI	ONS	
WIDTH	605mm	
HEIGHT	605mm	I
DEPTH	40mm	(
WEIGHT	9kg	1

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80


INSTALLATION

Wall n


Hardwire

Input voltage: 220-240v 50Hz

FEATURES	
Copper Free Mi	irror
LED Lighting	
(Adjustable Col	our Temperature)
Touch Sensor	
Demister with 1	Hour Auto Cut-off







CE 🖄 (P44) 🚔



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

