

La Crosse®


Analog Dial Barometer



Model: 138-611B or 138-611W

Barometer Calibration

1. Find your local relative barometric pressure from a trusted weather source or online service.
2. On the back of the unit, use a flat-head screwdriver to turn the Calibration Screw in small increments until the Black Pressure Indicator matches your local reading.
3. Use the front knob to set the static Brass Reference Marker to the same pressure number, allowing you to track pressure changes over time.



Weather Forecast

Air pressure changes as warm and cold air masses move through your area. By watching how the pressure rises or falls, you can get a sense of the weather ahead.

Pressure Trends and What They Mean

- **Pressure Increase** — Improving or fair weather
- **Rapid Increase** — A brief period of fair weather
- **Pressure Decrease** — Deteriorating or unsettled weather
- **Rapid Decrease** — Likely thunderstorms or severe conditions

Installation

- Use the integrated Hanging Hole on the back to mount the barometer on an interior wall.
- Avoid placing near heat sources and out of direct sunlight.

Specifications

Atmospheric Pressure Range: 980-1040 hPa

Inches of Mercury Range: 28.7 to 30.9 inHg

Lens Type: Glass

Construction: Metal, Glass, Plastic

Dimensions: 4.02-in L x 1.38-in W x 4.45-in H
(10.2 cm L x 3.50 cm W x 11.3 cm H)

Let's Be Social!

Ask questions, watch set up videos, and provide feedback on our social media outlets. Follow La Crosse Technology on YouTube, Facebook, and Instagram.



⚠ WARNING: This product can expose you to chemicals including acrylonitrile, 1, 3-butadiene, and styrene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov

Warranty & Support

This product is warranted to be free from defects in material and workmanship under normal use and service for a period of two years. Per the Song-Beverly Act, in the state of California, the warranty on this item becomes effective on the date of delivery. The warranty will not apply to defects resulting from abuse, accidents, or misuse. If a defect that is covered by this warranty arises during the warranty period, promptly return the clock (postage prepaid) with proof of purchase showing the date the clock was purchased to the following address and such defects will be repaired, or the products will be replaced at La Crosse Clock Company option without charge.

La Crosse Clock Company
Warranty Department
2830 South 26th Street.
La Crosse, WI 54601

Contact Us for Online Support:

bit.ly/contact_techsupport

Patents:

www.lacrossetechnology.com/pages/patents

Scan for Support

