HYDRAULIC BATTERY-POWERED UTILITY LINEMAN TOOLS

EPIMER TEGINSE



Huskie TOOLS

LINEMAN PROVEN
UTILITY APPROVED

SINCE 1976

HUSKIETOOLS.COM

BUILT FOR EVERYTHING THAT'S ON THE LINE.™

SERIES

SERIES

REVLG101023

A HALF-CENTURY OF PROVEN HIGH-PERFORMANCE UTILITY LINEMAN TOOLS & EQUIPMENT.

Born and Raised in Chicago nearly 50 years

ago, Huskie Tools was started because of an industry need for better-engineered, longer-lasting, and safer linemen tools. Over the years, Huskie Tools has benchmarked itself as a category leader in providing the utility industry with an unmatched range of product solutions, including battery-powered cutting and crimping tools, presses, pumps, dies, manual tools, the TiiGER™ pole puller, and the Bulldog Bender™ for men & women working in all facets of the energy industry.

"Lineman, engineers, and facility managers are always interested in what Huskie Tools is working on next, be it our materials selection, product concepts, equipment engineering, training, or safety process controls; they are all important to the linemen community we proudly serve." said Charlie Kelly, VP of Sales for Huskie Tools.

Whether above the ground or below the road, Huskie Tools is the top-tier North American manufacturer of crimping, cutting, bending, and pulling tools for the lineman industry and has been supplying state-of-the-art technology to these warriors of the weather & wire for many

years. Whether it's standard installation, repairs & maintenance, grid upgrades, or cleaning up after a disaster, they have what it takes to get the job done right. Huskie Tools, industry-wide, is known for providing tool options that give you "The Power to Choose."

From the Back of the Yards to the Monsters of the Midway, Chicago has always been a "City of Big Shoulders," and Huskie Tools have been the tool of choice for the linemen and linewomen that "Get the Job Done!". Huskie Tools was born and raised in the Windy City and continues to supply linemen in their quest to keep the power on!

BUILT FOR EVERYTHING THAT'S ON THE LINE.™

POWER□CHOOSE









EVS POWER SYSTEM PG. 11

LED Light Ring & Changeable Jaws

PG. 16	SL-MK7ND 6 Ton Inline Crimping Tool with Changeable Jaws	PG. 19	CRIMPING & CUTTING JAWS FOR SLC-MK7ND & SLC-RL7ND 6 Ton Inline
PG. 16	SL-RL7ND 6 Ton Inline Crimping Tool with		Crimping & Cutting Jaws
	Changeable Jaws	PG. 20	REC-MK7NDSL 6 Ton Pistol Grip Crimping
PG. 17	CRIMPING & CUTTING JAWS FOR		Tool with Changeable Jaws
	SL-MK7ND & SL-RL7ND & Ton Inline Crimping & Cutting Jaws	PG. 20	REC-RL7NDSL 6 Ton Pistol Grip Crimping Tool with Changeable Jaws
PG. 18	SLC-MK7ND 6 Ton Inline Crimping Tool with LED Light Ring & Changeable Jaws	PG. 21	CRIMPING & CUTTING JAWS FOR REC-MK7NDSL & REC-RL7NDSL & Ton
PG. 18	SLC-RL7ND 6 Ton Inline Crimping Tool with		Pistol Grip Crimping & Cutting Jaws



CABLE & GROUND ROD BENDING TOOLS PG. 23

PG. 24 BULLDOG BENDER Cable Bending Tools PG. 25 REC-RL7NDGRB Gear-Drive Ground
PG. 25 REC-MK7NDGRB Gear-Drive Ground
Rod Bender
Rod Bender



CUTTING TOOLS PG. 27

CUTTING TOOL REFERENCE GUIDE

- U. LU	OUTTING TOOL KEI EKENDE GOIDE	F 0. 07	DIE MINIOUTO 10 TOTT EUTICIT DOX
PG. 30	SLC-MK760YC 6 Ton Inline 60MM Cutting Tool with LED Light Ring	PG. 37	Soft Metal Cable Cutter S7L-RL105YC 13 Ton Lunch Box
	3 3	PU. 3/	Soft Metal Cable Cutter
PG. 30	SLC-RL760YC 6 Ton Inline 60MM Cutting Tool with LED Light Ring	PG. 38	SL-MK795YC 12 Ton Inline
PG. 31	RCC-MK754ACM Remote Gear-Driven Soft Metal Cable Cutter	PG. 38	Soft Metal Cutting Tool SL-RL795YC 12 Ton Inline
PG. 32	REC-MK754ACM Gear-Driven Cable Cutter		Soft Metal Cutting Tool
	[ACSR/AL/CU]	PG. 39	S7L-MK132 13 Ton Lunch Box Soft Metal Cable Cutter
PG. 32	REC-RL754ACM Gear-Driven Cable Cutter (ACSR/AL/CU)	PG. 39	S7L-RL132 13 Ton Lunch Box
PG. 33	REC-MK765ACM Gear-Driven Cable Cutter		Soft Metal Cable Cutter
	[ACSR/AL/CU]	PG. 40	REC-MKY733M Gear-Driven Cable Cutter [ACSR/AL/CU]
PG. 33	REC-RL765ACM Gear-Driven Cable Cutter [ACSR/AL/CU]	PG. 40	REC-RLY733M Gear-Driven Cable Cutter
PG. 34	REC-MK734YC 6.6 Ton Pistol Grip	FG. 40	[ACSR/AL/CU]
PU. 34	Soft Metal Cutting Tool	PG. 41	REC-MK754M Gear-Driven Cable Cutter
PG. 34	REC-RL734YC 6.6 Ton Pistol Grip		(ACSR/AL/CU)
	Soft Metal Cutting Tool	PG. 41	REC-RL754M Gear-Driven Cable Cutter
PG. 35	REC-MK760YC 6.6 Ton Pistol Grip		[ACSR/AL/CU]
	Soft Metal Cutting Tool	PG. 42	SL-MKS720 6 Ton Inline Hard Metal Cutting Tool
PG. 35	REC-RL760YC 6.6 Ton Pistol Grip	PG. 42	SL-RLS720 6 Ton Inline Hard Metal Cutting Tool
	Soft Metal Cutting Tool	PG. 43	SL-MKS740L 8 Ton Inline Hard Metal Cutting Tool
PG. 36	REC-MK7105YC 12 Ton Pistol Grip Soft Metal Cutting Tool	PG. 43	SL-RLS740L 8 Ton Inline Hard Metal Cutting Tool
PG. 36	REC-RL7105YC 12 Ton Pistol Grip Soft Metal Cutting Tool	PG. 44	REC-MKS724H 8 Ton Pistol Grip Hard Metal Cutting Tool

PG. 37

S7L-MK105YC 13 Ton Lunch Box





PG. 46

CUTTING TOOLS CONT.

PG. 44	REC-RLS724H 8 Ton Pistol Grip Hard Metal Cutting Tool	PG. 47	REC-MKS740L 8 Ton Pistol Grip Hard Metal Cutting Tool
PG. 45	REC-MKS724CC 8 Ton Pistol Grip Hard Metal Cutting Tool	PG. 47	REC-RLS740L 8 Ton Pistol Grip Hard Metal Cutting Tool
PG. 45	REC-RLS724CC 8 Ton Pistol Grip Hard Metal Cutting Tool	PG. 48	S7L-MK55 13 Ton Lunch Box Hard Metal Cable Cutter
PG. 46	REC-MK730Y 6.6 Ton Pistol Grip Hard Metal Cutting Tool	PG. 48	S7L-RL55 13 Ton Lunch Box Hard Metal Cable Cutter



CRIMPING TOOLS PG. 49

PG. 50 CRIMPING TOOL REFERENCE GUIDE

REC-RL730Y 6.6 Ton Pistol Grip Hard

Metal Cutting Tool

	OKIMI ING TOOL KEI EKENGE GOIDE		RES REFERENCE TOTAL ISOTOTIO
PG. 52	REC-MK758U 6 Ton Pistol Grip Crimping Tool		Crimping Tool
PG. 52	REC-RL758U 6 Ton Pistol Grip Crimping Tool	PG. 63	REC-MK71000 12 Ton Pistol Grip Dieless Crimpina Tool
PG. 53	REC-MKCN758 6 Ton Pistol Grip Crimping Tool	PG. 63	REC-RL71000 12 Ton Pistol Grip Dieless Crimping Tool
PG. 53	REC-RLCN758 6 Ton Pistol Grip Crimping Tool	PG. 64	SL-MK71000 12 Ton Inline Dieless
PG. 54	SL-MK7630 6.2 Ton Inline Dieless Crimping Tool		Crimping Tool
PG. 54	SL-RL7630 6.2 Ton Inline Dieless Crimping Tool	PG. 64	SL-RL71000 12 Ton Inline Dieless
PG. 55	SL-MK7750 6.2 Ton Inline Dieless Crimping Tool		Crimping Tool
PG. 55 PG. 56	SL-RL7750 6.2 Ton Inline Dieless Crimping Tool REC-MK7630 6.2 Ton Pistol Grip Dieless	PG. 65	SL-MKC71000 12 Ton Inline Dieless Crimping Tool
PG. 30	Crimping Tool	PG. 65	SL-RLC71000 12 Ton Inline Dieless Crimping Tool
PG. 56	REC-RL7630 6.2 Ton Pistol Grip Dieless Crimping Tool	PG. 66	S7L-MK510 12 Ton Lunch Box Crimping Tool
PG. 57	REC-MK7750 6.2 Ton Pistol Grip Dieless Crimping Tool	PG. 66 PG. 67	S7L-RL510 12 Ton Lunch Box Crimping Tool S7L-MK510K 12 Ton Lunch Box Crimping Tool
PG. 57	REC-RL7750 6.2 Ton Pistol Grip	PG. 67	S7L-RL510K 12 Ton Lunch Box Crimping Tool
	Dieless Crimping Tool	PG. 68	, ,
PG. 58	SL-MKC7510 12 Ton Inline Crimping Tool		SL-MK7610 15 Ton Inline Crimping Tool
PG. 58	SL-RLC7510 12 Ton Inline Crimping Tool	PG. 68	SL-RL7610 15 Ton Inline Crimping Tool
PG. 59	SL-MK7510K 12 Ton Inline Crimping Tool	PG. 69	SL-MKC7610 15 Ton Inline Crimping Tool
PG. 59	SL-RL7510K 12 Ton Inline Crimping Tool	PG. 69	SL-RLC7610 15 Ton Inline Crimping Tool
PG. 60	REC-MK7430 12 Ton Pistol Grip	PG. 70	REC-MKC7610 15 Ton Pistol Grip Crimping Tool
	Crimping Tool	PG. 70	REC-RLC7610 15 Ton Pistol Grip Crimping Tool
PG. 60	REC-RL7430 12 Ton Pistol Grip	PG. 71	S7L-MK610 15 Ton Lunch Box Crimping Tool
	Crimping Tool	PG. 71	S7L-RL610 15 Ton Lunch Box Crimping Tool
PG. 61	REC-MK7510 12 Ton Pistol Grip Crimping Tool	PG. 72 PG. 72	S7L-MK610TB 15 Ton Lunch Box Crimping Tool
PG. 61	REC-RL7510 12 Ton Pistol Grip	PU. /2	S7L-RL610TB 15 Ton Lunch Box Crimping Tool



BATTERIES & CHARGERS PG. 74

Crimping Tool

Crimping Tool

REC-MK7510K 12 Ton Pistol Grip

PG. 62



PG. 62 REC-RL7510K 12 Ton Pistol Grip

UTILITY-GRADE



UTILITY GRADE

Durable, dependable, built to last LIVE LINE RATED

Tested to 75kV without damage to internal circuitry COMPLETE LINE

6 to 15 ton power

OPTIMIZED HYDRAULICS

Fast advance & retract speeds

RAPID CHARGING

Full charge in 45 minutes or less

CONSTANT POWER

Longer run times, consistent charge

FEATURES & TECHNOLOGY



CHOOSE YOUR POWER 18V LITHIUM-ION BATTERY PLATFORM

Featuring consistent power and extended runtimes, these fast charging Milwaukee® or Makita® batteries include an integrated LED battery charge level indicator for easy monitoring.



PERFORMANCE, GUARANTEED

5-Year Tool Warranty on all SL, REC and SLC Series tools. Milwaukee® & Makita® batteries and chargers are warranted for 3 years by Huskie Tools.



LED WORKLIGHT

Built-in white LED light aimed at tool jaws for working in low light conditions.



LIVE LINE RATED

Tested up to 75kV for use on live line applications without damage to internal circuitry.



ACSR CABLE CUTTING

Specially designed jaws for strength and durability when cutting ACSR.

BUILT FOR EVERYTHING THAT'S ON THE LINE.™

INNOVATION.

Since introducing the industry's first battery-powered hydraulic tools in 1989, Huskie Tools remains dedicated to developing product solutions that help ensure linemen safely and efficiently perform some of the most dangerous and demanding jobs on the planet.

DURABILITY.

Over the years we've developed a bit of a reputation; we like to think legendary. Huskie Tools hydraulics combine the highest quality materials with advanced technology to provide ultimate reliability. Simply put, Huskie Tools are the safest, most durable, dependable, and longest lasting lineman tools in the industry.

EXPERIENCE.

We've spent almost 50-years doing one thing, building the best hydraulic cutting and crimping tools in the utility industry. We live, eat, and breathe lineman tools. At Huskie Tools they're not just tools, they're our business—our ONLY business.

FULL LINE.

No other competitor comes close to the breadth of line and complete range of product solutions available from Huskie Tools. When it's on the line, linemen count on Huskie Tools for all their distribution, substation, transmission, overhead and underground projects.

SERVICE & SUPPORT.

We take pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support and product service.





YOUR JOB IS TOUGH. YOUR TOOL CHOICE IS EASY.

THE POWER TO CHOOSE: SERIES 7R
MILWAUKEE® BATTERY PLATFORM & THE
SERIES 7M MAKITA® BATTERY PLATFORM

Huskie Tools is the #1 choice of experienced linemen who know and trust the brand that invented battery-powered hydraulic tools.

For nearly 50 years we have been developing and building the broadest, most durable and dependable line of battery-powered hydraulic cutting and crimping tools in the utility industry.

Huskie Tools delivers batterypowered hydraulic tools with compatibility across the two leading battery platforms: Makita® and Milwaukee®. The Power to Choose.

ENGINEERED PERFORMANCE:

- OPTIMIZED HYDRAULICS—
 20% FASTER ADVANCE AND
 30% FASTER RETRACTION
- PATENT-PENDING SELECTABLE ON/OFF AUTO-RETRACT
- FORGED JAWS WITH PROTECTIVE BRUSH GUARDS
- WEATHER RESISTANT, NON-VENTED HOUSINGS
- CHOICES: INLINE, GEAR DRIVE, PISTOL-GRIP, AND LUNCH BOX

SERIES 7R 64 TOOLS ON THE MILWAUKEE® BATTERY PLATFORM!

SL-RL7ND

UTILITY APPROVED

LEARN MORE ABOUT HOW HUSKIE TOOLS OUTPERFORM, OUTLAST & OUTWORK AT HUSKIETOOLS.COM



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



THE POWER TO CHOOSE.

S7R & S7M CRIMPING TOOLS







REC-MK7510 12 TON PISTOL-GRIP



SL-RL7610

S7R & S7M CUTTING TOOLS



REC-RLS740L 8 TON PISTOL-GRIP AL/CU UP TO 1.5" DIA. ACSR UP TO 1590 MCM



REC-MK754M GEAR DRIVE AL UP TO 1500 MCM CU UP TO 750 MCM ACSR UP TO 1590 MCM



S7L-RL105YC 12 TON LUNCH BOX AL/CU UP TO 4" DIA. COMM. CABLES UP TO 4" DIA.

129+ 2

12

PRODUCT CATEGORIES

GENERATIONS OF BATTERY POWERED TOOLS

BATTERY POWERED TOOLS BATTERY PLATFORMS: SERIES 7R SERIES 7M SERIES 7M
65 TOOLS
ON THE MAKITA®
BATTERY
PLATFORM.

SL-MK7ND

makita.

50.5618V

9



THE INDUSTRY'S BEST JAWS + THE POWER TO CHOOSE™

THE PERFECT COMBINATION.

Copper, aluminum, & ACSR don't stand a chance. The new battery-powered SLC Evolution Cutting & Compression tools available on the Milwaukee® & Makita® battery platforms

AND the changeable EVS Cutting & Compression

Jaws make the SLC line UNBEATABLE.





NEW EVS-GWJAW
Cuts EHS Guy Wire up
to 1/2" diameter & copper,
aluminum, & ACSR up to 4/0.



NEW EVS-ACSRJAW
Cuts EHS Guy Wire up to 3/8"
diameter & copper, aluminum up to
350 MCM, & ACSR up to 556 MCM.



NEW EVS-CUALJAW Cuts copper up to 750 MCM & aluminum up to 1" O.D.



NEW EVS-D3JAW Crimps lugs 6 splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



NEW EVS-BGJAW Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.




NEW EVS-DJAW Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.



NEW EVS-KJAW Crimps lugs & splices #8 to 500 MCM copper, #8 to 350 MCM aluminum, and H-Taps up to 4/0-4/0.





EVS POWER SYSTEM

- Interchangeable jaws for bending, cutting & crimping compatible with inline & pistol grip cutting & crimping tools
- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- INLINE style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

POWER 型CHOOSE



We let you decide what jaws and dies you need, what tool style you like, and on what battery platform you want your power to come from. Choices — it's all about choices, functionality, and customization for your project with the widest and deepest array of product solutions for the needs of your above or below-ground application.

INTERCHANGEABLE CUTTING JAWS



INTERCHANGEABLE CABLE BENDING JAW

ENGINEERED PERFORMANCE:

- 8 INTERCHANGABLE JAWS FOR BENDING, CUTTING & CRIMPING
- COMPATIBLE WITH YOUR
 CHOICE OF INLINE & PISTOL
 GRIP HYDRAULIC TOOLS
- THE PERFECT SOLUTION FOR OVERHEAD, UNDERGROUND & SUBSTATION APPLICATIONS
- FORGED JAWS WITH PROTECTIVE BRUSH GUARDS
- THE POWER TO CHOOSE:

 COMPATIBLE WITH THE

 SERIES 7R MILWAUKEE®

 BATTERY PLATFORM & THE

 SERIES 7M MAKITA®

 BATTERY PLATFORM



PISTOL GRIP STYLE
6T HYDRAULIC TOOLS



DIES



INTERCHANGEABLE CRIMPING JAWS



SERIES 7R
MILWAUKEE® BATTERY
& SERIES 7M MAKITA®
BATTERY PLATFORMS

INTRODUCING THE EVS POWER SYSTEM. EVERYTHING YOU NEED TO BEND, CUT & CRIMP.



LARGE HANDLE FOR EASE OF OPERATION AND PROPER LOCATING ON CABLE

LARGE RADIUS BENDING SHOE PREVENTS DAMAGE TO CABLE

ADJUSTABLE ROLLER LOCATIONS TO FINE TUNE THE BEND RADIUS ON CABLES UP TO 1000MCM

BEVELED ROLLERS ALIGN CABLE IN THE CENTER OF THE JAW

CABLE BENDING JAWS

The patented cable bending jaw for the EVS tool system was designed to put a proper bend radius in underground copper and aluminum cables up to 1000MCM, assisting installations in tight quarters underground and in vaults and other hard to access areas.

LEARN MORE ABOUT THE EVS POWER SYSTEM AT HUSKIETOOLS.COM



THE EVS POWER SYSTEM: CUTTING JAWS



JAW MARKINGS WITH CUTTING CAPACITIES FOR EASY FIELD ID

REPLACEABLE BLADES FOR EASY FIELD & CONVENIENT REPLACEMENT WITH NO DOWNTIME

NEW CENTER BUSHING FOR ADDED STRENGTH & ALIGNMENT EASE

REDESIGNED AND HEAT TREATED ROLLER SURFACE FOR IMPROVED WEAR RESISTANCE & LONGER JAW LIFE EVS 6-ton quick-change cutting jaws are forged for exceptional long-life resulting in precise, professional cuts through a wide variety of soft & hard wire and metal each & every time. These essential jaws are part of the EVS system and interchangeable with our SLC, SL & REC series pistol grip and inline ND tools. Huskies' proprietary blade geometry with anti-spread design delivers precise, install-ready cuts in seconds within the tightest work areas. EVS Cutting Jaws features include easy-alignment center bushing and clear, easy-to-read jaw ID marks that ensure you are using the correct jaw/ tool combination. Long life, fast-change replaceable blades that deliver precision results and improved productivity with no down-time. EVS is more than a jaw, it's a system. Huskie Tools delivers "tools for life".





LEARN MORE
ABOUT THE
EVS POWER
SYSTEM AT
HUSKIETOOLS.COM



EVS-ACSRJAW
REPLACEMENT BLADE: EVS-ASCR-8

CUTS EHS GUY WIRE UP TO 3/8" DIAMETER & COPPER, ALUMINUM UP TO 350 MCM, & ACSR UP TO 556 MCM.



EVS-CUALJAW
REPLACEMENT BLADE: EVS-CUAL-8

CUTS COPPER UP TO 750 MCM & ALUMINUM UP TO 1" O.D.



EVS-GWJAW
REPLACEMENT BLADE: EVS-GW-8

CUTS EHS GUY WIRE UPTO 1/2" DIAMETER & COPPER, ALUMINUM, & ACSR UP TO 4/0.

JAW CUTTING CAPACITIES				
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW	
COPPER	350 MCM	750 MCM	Up to 4/0	
ALUMINUM	350 MCM	1" O.D.	Up to 4/0	
ACSR	556 MCM	Do Not Cut	Up to 4/0	
EHS GUY WIRE, SOFT STEEL BOLTS, SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"	

THE EVS POWER SYSTEM: CRIMPING JAWS



BRUSH GUARDS HELP PREVENT ACCIDENTAL CONTACT WITH ENERGIZED LINES

NEW CENTER BUSHING FOR ADDED STRENGTH & ALIGNMENT EASE

REDESIGNED AND HEAT TREATED ROLLER SURFACE FOR IMPROVED WEAR RESISTANCE & LONGER JAW LIFE EVS 6-ton quick-change crimping jaws are forged for exceptional long-life that result in precise, professional crimps every time. These essential jaws are part of the EVS system and interchangeable with Huskies' SLC, SL & REC series pistol grip and inline ND tools. EVS is the most dependable way to crimp with features like easy-alignment center bushing and clear, easy to read die ID marks that ensure you are using the correct jaw/die combination. Long life, fast changeover with wide connector range capabilities make this the only tool/jaw/die system you need for improved productivity and precision results.

CONNECTOR RANGE

LUGS & SPLICES #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0



EVS-D3JAW

CRIMPS LUGS & SPLICES #8 TO 500 MCM COPPER, #8 TO 350 MCM ALUMINUM, & H-TAPS UP TO 4/0-4/0.



EVS-BGJAW

CRIMPS LUGS & SPLICES #8 TO 500 MCM COPPER, #8 TO 350 MCM ALUMINUM, & H-TAPS UP TO 4/0-4/0.



EVS-OJAW

CRIMPS LUGS & SPLICES #8 TO 500 MCM COPPER, #8 TO 350 MCM ALUMINUM, & H-TAPS UP TO 4/0-4/0.



EVS-KJAW

CRIMPS LUGS & SPLICES #8 TO 500 MCM COPPER, #8 TO 350 MCM ALUMINUM, & H-TAPS UP TO 4/0-4/0.

EVS DIE SYSTEM



HT-58 SERIES:

MATCHES BURNDY
"W" TYPE DIES FOR
EVS-D3JAW, EVSBGJAW, & EVS-OJAW





HT SERIES:







MATCHES KEARNEY
"O" TYPE DIES
FOR EVS-KJAW

6 TON INLINE CRIMPING TOOL WITH CHANGEABLE JAWS

SL-MK7ND & SL-RL7ND

CONNECTOR RANGE

LUGS 8 SPLICES #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0



Accepts all "W", "X" &
"O" type dies, depending
on jaw selected — see Die
Finder at huskietools.com/
die-finder/

FEATURES

Ergonomic design for easy one-hand operation

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



Tool kits are available with & without batteries. See tables on the next page for more details.







TOOL





ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING

SL-RL7ND*



MAKITA® BATTERY PLATFORM COMPATIBILITY

SPECIFICATIONS		
CRIMP FORCE	6 Ton	
WEIGHT	7.2 lbs. (3.2 kg)	
DIMENSIONS (H X L X W)	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm	

CONNECTOR RANGE		
#8 to 500 MCM Cu #8 to 350 MCM AI		
Up to 4/0-4/0		

*Tool images are shown with EVS-BGJAW Crimping Jaws.



CUTTING CAPACITIES				
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW	
COPPER	350 MCM	750 MCM	Up to 4/0	
ALUMINUM	350 MCM	1" O.D.	Up to 4/0	
ACSR	556 MCM	Do Not Cut	Up to 4/0	
EHS GUY WIRE	Up to 3/8"	Do Not Cut	Up to 1/2"	
SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"	
SOFT STEEL BOLTS	Up to 3/8"	Do Not Cut	Up to 1/2"	

MATERIAL CUTTING APPLICATIONS*

 COPPER
 ALUM.
 ACSR
 EHS GUY WIRE

 750 MCM
 1" DIA.
 N/A
 1/2" DIA.

*Reference the Cutting Capacities chart below for details on cutting specifications for each jaw type.

6 TON INLINE CRIMPING & CUTTING JAWS

FOR SL-MK7ND & SL-RL7ND

LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC CHARGER	INCLUDED INCLUDED INCLUDED TOOL BAG	
LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED INCLUDED	
KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED INCLUDED	
LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED INCLUDED	
KEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED	
LXT® LITHIUM-ION 5.0Ah 120VAC KEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED	
KEE REDLITHIUM™ 2.0Ah 120VAC		
CHARGER	TOOL BAG	
TA LXT® LITHIUM-ION 5.0Ah 120VAC		
AUKEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED	
TA LXT® LITHIUM-ION 5.0Ah 120VAC		
AUKEE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED	
LXT® LITHIUM-ION 5.0Ah 120VAC	INCLUDED	
ILWAUKEE REDLITHIUM™ 2.0Ah 120VAC		
CHARGER	TOOL BAG	
KT® LITHIUM-ION 5.0Ah 120VAC		
EE REDLITHIUM™ 2.0Ah 120VAC	INCLUDED	
SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CHARGER		
× ×	AUKEE REDLITHIUM™ 2.0Ah 120VAC TA LXT® LITHIUM-ION 5.0Ah 120VAC AUKEE REDLITHIUM™ 2.0Ah 120VAC LXT® LITHIUM-ION 5.0Ah 120VAC UKEE REDLITHIUM™ 2.0Ah 120VAC CHARGER KT® LITHIUM-ION 5.0Ah 120VAC EE REDLITHIUM™ 2.0Ah 120VAC	

6 TON INLINE CRIMPING TOOL WITH LED LIGHT RING & CHANGEABLE JAWS

CONNECTOR RANGE

LUGS & SPLICES #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0

SLC-MK7ND & SLC-RL7ND



Accepts all "W", "X" &
"O" type dies, depending
on jaw selected — see Die
Finder at huskietools.com/
die-finder/

FEATURES

360° LED light ring

180° rotating head with forged jaws and protective brush guards

Pull-pin head design allows quick change of available jaws

Ergonomic design for easy one-hand operation

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated









TOOL





SLC-RL7ND*

ALWAYS MAKE SURE PULL PIN IS SECURE BEFORE OPERATING



MAKITA® BATTERY PLATFORM COMPATIBILITY

SPECIFICATION	SPECIFICATIONS		
CRIMP FORCE	6 Ton		
WEIGHT	7.2 lbs. (3.2 kg)		
DIMENSIONS (H X L X W)	15.80" x 4.50" x 3.30", 401 x 115 x 84 mm		

CONNECTOR RANGE		
#8 to 500 MCM Cu #8 to 350 MCM AI		
Up to 4/0-4/0		

^{*}Tool images are shown with EVS-BGJAW Crimping Jaws.



MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

CUTTING CAPACITIES					
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW		
COPPER	350 MCM	750 MCM	Up to 4/0		
ALUMINUM	350 MCM	1" O.D.	Up to 4/0		
ACSR	556 MCM	Do Not Cut	Up to 4/0		
EHS GUY WIRE	Up to 3/8"	Do Not Cut	Up to 1/2"		
SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"		
SOFT STEEL BOLTS	Up to 3/8"	Do Not Cut	Up to 1/2"		



18

MATERIAL CUTTING APPLICATIONS*

 COPPER
 ALUM.
 ACSR
 EHS GUY WIRE

 750 MCM
 1" DIA.
 N/A
 1/2" DIA.

*Reference the Cutting Capacities chart below for details cutting specifications for each jaw type.

6 TON INLINE CRIMPING & CUTTING JAWS

FOR SLC-MK7ND & SLC-RL7ND

CRIMPING TOOL PRODUCT NO.		JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7ND	EVS-D3JAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	MCLUBER
SLC-RL7ND			6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
SLC-MK7NDBG	EVS-BGJAW	6.3	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	- INCLUDED
SLC-RL7NDBG	EVS-B	-	6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
SLC-MK7NDO	EVS-DJAW	6.3	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLLIDED
SLC-RL7NDO	EVS-C	-	6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
SLC-MK7NDK	КЛАМ	()	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	- INCLUDED
SLC-RL7NDK	EVS-KJAW		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
SUTTING TOOL PRODUCT NO.		JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7NDCUAL	ALJAW	WELJAW .	6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
LC-RL7NDCUAL	EVS-CUALJAW		6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
LC-MK7NDACSR	SRJAW	41.16	6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
SLC-RL7NDACSR	EVS-AGSRJAW	9	6 TON TOOL, EVS-ACSRJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
SLC-MK7NDGW	NJAW	al Ja	6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
SLC-RL7NDGW	EVS-GWJAW	4	6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
BENDING TOOL PRODUCT NO.		JAW	KIT INCLUDES	CHARGER	TOOL BAG
SLC-MK7NDCB	JAW	١	6 TON TOOL, SL-CBJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
C-RL7NDCB		1	6 TON TOOL, SL-CBJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
PRODUCT NO. OPTIONS	.		KIT INCLUDES		
ADD SUFFIX DC FOR 12v DC CHARGER		RGER	SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CHARGER		
ADD SUFFIX X FOR TOOL ONLY			TOOL WITH JAW ONLY AND CARRYING BAG , NO BATTERIES OR CHARGER		

6 TON PISTOL GRIP CRIMPING TOOL WITH CHANGEABLE JAWS

CONNECTOR RANGE

LUGS & **SPLICES** #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0

REC-MK7NDSL & REC-RL7NDSL





MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

Optimized hydraulics for faster advance and retract speeds vs. previous generation Patent-pending selectable **SPECIFICATIONS** auto-retract switch CRIMP FORCE 180° rotating head with forged jaws and protective WEIGHT 9 lbs (4.08 kg) brush guards DIMENSIONS 13.7" x 10.6" x 3.3" Pull-pin head design 349 x 269 x 85 mm (HXLXW) allows quick change of available jaws

5-year tool, 3-year battery Huskie Tools® limited	CONNECTOR RA	NGE
warranty	LUGS & SPLICES	#8 to 500 MCM Cu #8 to 350 MCM Al
75kV live line rated	H-TAPS	Up to 4/0-4/0

CUTTING CAPACITIES			
	EVS-ACSRJAW	EVS-CUALJAW	EVS-GWJAW
COPPER	350 MCM	750 MCM	Up to 4/0
ALUMINUM	350 MCM	1" O.D.	Up to 4/0
ACSR	556 MCM	Do Not Cut	Up to 4/0
EHS GUY WIRE	Up to 3/8"	Do Not Cut	Up to 1/2"
SOFT LOCKS	Do Not Cut	Do Not Cut	Up to 1/2"
SOFT STEEL BOLTS	Up to 3/8"	Do Not Cut	Up to 1/2"

^{*}Tool images are shown with EVS-BGJAW Crimping Jaws.





MATERIAL CUTTING APPLICATIONS*

 COPPER
 ALUM.
 ACSR
 EHS GUY WIRE

 750 MCM
 1" DIA.
 N/A
 1/2" DIA.

*Reference the Cutting Capacities chart below for details cutting specifications for each jaw type.

6 TON PISTOL GRIP CRIMPING & CUTTING JAWS

REC-MK7NDSL & REC-RL7NDSL

Jajaw	1 5			
EVS-D3JAW		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	- INCLUDED
		6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	
WALE TO THE		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
EVS-B	-	6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
JAW	63	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	INCLUDED
EVS-(6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
МАСХ		6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	- ואוכן דוטבט
EVS-	-	6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
	JAW	KIT INCLUDES	CHARGER	TOOL BAG
NFT I W	6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC		
EVS-CUV		6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
EVS-AGSRJAW	6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC		
	6 TON TOOL, EVS-ACSRJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED	
WJAW	at Ja	6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
EVS-G	4	6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
	WAL	KIT INCLUDES	CHARGER	TOOL BAG
MAC	1	6 TON TOOL, SL-CBJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah	120VAC	
SI-CB		6 TON TOOL, SL-CBJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah	120VAC	INCLUDED
		KIT INCLUDES		
DC CHAR	GER	SAME AS ABOVE BUT REPLACES 120V AC CHARGER WITH 12V DC CH	HARGER	
	SL-CBJAW EVS-GWJAW	EVS-GWJAW EVS-GUALJAW EVS-GUALJAW EVS-GJAW EVS-G	6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-D3JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah 6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-D3JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-CUALJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-CUALJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah 6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-ACSRJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-GWJAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah 6 TON TOOL, EVS-GWJAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah KIT INCLUDES KIT INCLUDES KIT INCLUDES	120VAC 1



CAPACITY

COPPER GROUND ROD

up to 5/8 in.

GEAR-DRIVE GROUND ROD BENDER

REC-MK7NDGRB & REC-RL7NDGRB



Easily bends up to 130° degrees



75KV





MEASURE TWICE AND BEND ONCE ALWAYS US SUPPORT BASE FOR BEST RESULTS

Ergonomic handle design

Comfortable operation position

One hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7NDGRB	6 Ton Inline Cable Bender Tool, SLCB-JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger
REC-MK7NDGRBDC	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VDC Charger
REC-MK7NDGRBX	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (Tool Only)

SPECIFICATIONS		
CUTTING FORCE	6 Ton	
WEIGHT	12.7 lbs (2.9 kg)	
DIMENSIONS (H X L X W)	16" x 9" x 5.5" (406.4 x 228.6 x 139.7 mm)	



PRODUCT NO.	KIT INCLUDES
REC-RL7NDGRB	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger
REC-RL7NDGRBDC	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VDC Charger
REC-RL7NDGRBX	6 Ton Pistol Grip Cable Bender Tool, SLCB-JAW, (Tool Only)

CAPACITY		
COPPER GROUND ROD	up to 5/8 in.	



ENEXT EXECUTED THE CIPTURE CHAPTER STORY CREATER STORY CONTRIBUTION CO

Our SLC Line of battery-powered cutting & crimping tools are designed and built with a new compact, lighter and ergonomic body and industry-only selectable 360° LED light ring. Linemen now have the cutting & crimping tools that can handle any job under any conditions. SLC cuts copper, aluminum, ACSR, and EHS Guy Wire with ease using an ultra-efficient brushless motor. Whether it's underground, high above, or in the dark, SLC weathers the storm and delivers maximum reliability, durability, and safety. We've made it our mission to deliver industry-leading innovative tools that are BUILT FOR EVERYTHING THAT'S ON THE LINE.

360° LED LIGHT RING

20% FASTER ADVANCE

180° HEAD TURN RADIUS



TOOL







UTILITY APPROVED

SINCE 1976

LEARN MORE AT **HUSKIETOOLS.COM.**


For questions, or a quote, call us at 800.860.6170 or email us at info@huskietool.com.



CUTTING TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, GEAR DRIVE, PISTOL-GRIP, and LUNCH BOX style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

CUTTING TOOL REFERENCE GUIDE







CUTTING TOOL REFERENCE GUIDE

ASCR	GUY WIRE	WIRE ROPE	REBAR / GROUND ROD / BOLTS	TELECOM CABLE / LEAD SHEATH
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
				UP TO 2.5" DIA
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
				UP TO 2.5" DIA
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
UP TO 556 MCM	3/8" STANDARD		UP TO 3/8"	
UP TO 556 MCM	3/8" STANDARD	DO NOT CUT	UP TO 3/8"	
UP TO 4/0	1/2" EHS	DO NOT COT	UP TO 1/2"	DO NOT CUT
UP TO 4/0	1/2"EHS		UP TO 1/2"	DO NOT CUT
UP TO 477 MCM	3/8" EHS	UP TO 5/8"	UP TO 1/2"	
UP TO 1590 MCM	5/8" STANDARD - 1/2" EHS	UP TO 3/4"	UP TO 5/8"	
UP TO 477 MCM	5/8" STANDARD - 9/16" EHS	UP TO 7/8"		
UP TO 477 MCM	5/8" STANDARD - 9/16" EHS	DO NOT CUT	UP TO 5/8"	N/A
UP TO 1590 MCM	5/8" STANDARD - 1/2" EHS	UP TO 3/4"		
DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT	DO NOT CUT
UP TO 2515MCM	UP TO 3/4"	UP TO 1"	UP TO 3/4"	DO NOT CUT



6 TON INLINE 60MM CUTTING TOOL WITH LED LIGHT RING

SLC-MK760YC & SLC-RL760YC

MATERIAL CUTTING APPLICATIONS			
ALUM.	COPPER	ACSR	
1500MCM up to 60mm (2.35") dia.	1000MCM up to 60mm (2.35") dia.	N/A	



Designed for underground cable up to 2.35" diameter and has a 360 degree light ring for visibility

FEATURES

Ergonomic design for easy one-hand operation

Precision machined blades for ultra clean cuts with minimal distortion

NEW 18v brushless motor

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated









TOOL





ALWAYS CU MATERIAL A 90 DEGREES TO THE BLADES FOR BEST RESULTS



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SLC-MK760YC	6 Ton Compact Streamline 60MM Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger
SLC-MK760YCDC	6 Ton Compact Streamline 60MM Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VDC Charger
SLC-MK760YCX	6 Ton Compact Streamline 60MM Cutting Tool, (Tool Only)

SPECIFICATIONS		
CUTTING FORCE	6 Ton	
WEIGHT	6.4 lbs (2.9 kg)	
DIMENSIONS (H X L X W)	18.75" x 5.25" x 3.25" (476 x 127 x 83 mm)	



PRODUCT NO.	KIT INCLUDES
SLC-RL760YC	6 Ton Streamline 60MM Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger
SLC-RL760YCDC	6 Ton Streamline 60MM Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VDC Charger
SLC-RL760YCX	6 Ton Streamline 60MM Cutting Tool, (Tool Only)

CUTTING CAPACITIES		
COPPER	1000MCM up to 60mm (2.35") diameter	
ALUMINUM	1500MCM up to 60mm (2.35") diameter	
ACSR	Do Not Cut	

MATERIAL CUTTING APPLICATIONS ALUM. COPPER ACSR 1500 MCM up to 2.125" dia. N/A

REMOTE CONTROLLED GEAR-DRIVEN SOFT METAL CABLE CUTTER

RCC-MK754ACM

Operation requires remote control for safe use



75KV

TOOI

FEATURES

Closed jaw design ensures only desired cable is cut

LED lights indicate power, blade engagement, pairing, and complete cut

RF remote control operates tool up to 300 feet away

Dual button action prevents inadvertent tool operation

Grounding stud provides extra layer of safety

Reliable gear-drive tool delivers proven performance

Inserts for tripod, eye bolts, or other rigging hardware supports hand-free operation

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES		
RCC-MK754ACM	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VAC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case		
RCC-MK754ACMDC	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) MAKITA LXT® LITHIUM-ION 5.0Ah, (1) MAKITA LXT® LITHIUM-ION 2.0Ah, 120VDC Charger, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case		
RCC-MK754ACMX	Remote Control Gear-Drive Cable Cutter, (1) RF Remote with 9V Battery, (1) Tripod, (1) Grounding Stud and Screw, (2) Eye bolts, (1) Tool Case		

SPECIFICATIONS		
WEIGHT	7.5 lbs (3.4 kg)	
DIMENSIONS (H X L X W)	14.5 " x 6.5" x 4.5"	



CUTTING ESTIMATES (5.0Ah BATTERY)		
1500 MCM ALUMINUM 125 Cycles/Charge		
1000 MCM Copper	100 Cycles/Charge	

CUTTING CAPACITIES			
MAX O.D. CABLE	2 1/8"		



GEAR-DRIVEN CABLE CUTTER (AL/CU)

REC-MK754ACM & REC-RL754ACM

MATERIAL CUTTING APPLICATIONS			
ALUM.	COPPER	ACSR	
1500 MCM up to 2.125" dia.	1000MCM up to 2.125" dia.	N/A	



Blade design optimized for clean cuts for AL and CU

FEATURES

2-1/8" jaw opening

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated











HOLD
MATERIAL AT
90 DEGREES
TO THE
CUTTING
BLADES
FOR BEST
RESULTS





PRODUCT NO.	KIT INCLUDES	
REC-MK754ACM	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
REC-MK754ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK754ACMX	Gear-Drive Cable Cutter, AI/Cu, Bare Tool with Tool Bag	

PECIFICATIONS		CUTTING CAPACITIES	
VEIGHT	6.2 lbs (2.8 kg)	ALUMINUM	2500 MCM up to 2.5" dia.
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm	COPPER	1000 MCM up to 2.5"
		ACSR	DO NOT CUT



PRODUCT NO.	KIT INCLUDES		
REC-RL754ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag		
REC-RL754ACMDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag		
REC-RL754ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag		

CUTTING ESTIMATES (5.0Ah BATTERY)		
1500 MCM ALUMINUM	125 Cycles/Charge	
1000 MCM COPPER	100 Cycles/Charge	

MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
2500 MCM up to 2.5" dia.	1000 MCM up to 2.5"	N/A

GEAR-DRIVEN CABLE CUTTER (AL/CU)

REC-MK765ACM & REC-RL765ACM





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
REC-MK765ACM	Gear-Drive Cable Cutter, AI/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
REC-MK765ACMDC	Gear-Drive Cable Cutter, Al/Cu, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK765ACMX	Gear-Drive Cable Cutter, AI/Cu, Bare Tool with Tool Bag	

SPECIFICATIONS	
WEIGHT	7.5 lbs (3.4 kg)
DIMENSIONS (H X L X W)	14.5" x 6.5" x 4.5", 368 x 165 x 114 mm

CUTTING CAPACITIES	
ALUMINUM	2500 MCM up to 2.5" dia.
COPPER	1000 MCM up to 2.5"
ACSD	DO NOT CUT

SERIES 7	

PRODUCT NO.	KIT INCLUDES
REC-RL765ACM-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL765ACM- DC-1 Gear-Drive Cable Cutter, Al/Cu, (1) MILWAU REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool I	
REC-RL765ACMX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

CUTTING ESTIMATES (5.0Ah BATTERY)		
1500 MCM ALUMINUM 125 Cycles/Charge		
1000 MCM COPPER 100 Cycles/Charge		



6.6 TON PISTOL GRIP SOFT METAL CUTTING TOOL

REC-MK734YC & REC-RL734YC

MAI ENIAE GOTTING ALT EIGATIONG		
ALUM.	COPPER	ACSR
1.3" DIA.	800 MCM up to 1.3" DIA	N/A

MATERIAL CUITTING APPLICATIONS



Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK734YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK734YCDC 6.6 Ton Cutting Tool, (2) MAKITA LXT® LITH 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	9.1 lbs (4.1 kg)
DIMENSIONS (H X L X W)	15.6" x 10.6" x 3.3", 396 x 269 x 85 mm



PRODUCT NO.	KIT INCLUDES	
REC-RL734YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag	
REC-RL734YCDC 6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIU 2.0Ah, 12VDC Charger, Tool Bag		
REC-RL734YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag	

	CUTTING CAPAC	CUTTING CAPACITIES	
	ALUMINUM	1.3" Dia.	
x 269 x 85 mm	COPPER	800 MCM up to 1.3" dia.	
7 200 X 00 Hilli	ACSR	Do Not Cut	

CUTTING ESTIMATES (5.0Ah BATTERY)		
500 MCM CU	200 (Cycles/Charge)	





MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
2" DIA.	500 MCM	N/A

6.6 TON PISTOL GRIP SOFT METAL CUTTING TOOL

REC-MK760YC & REC-RL760YC



SERIES

MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO. KIT INCLUDES	
REC-MK760YC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK760YCDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK760YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS		
CUTTING FORCE	6.6 Ton	
WEIGHT	9.4 lbs (4.2 kg)	
DIMENSIONS (H X L X W)	10.6" x 16.7" x 3.3", 69 x 424 x 85 mm	



PRODUCT NO. KIT INCLUDES	
REC-RL760YC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL760YCDC	6.6 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL760YCX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES		
ALUMINUM 2" Dia.		
COPPER 500 MCM		
ACSR	Do Not Cut	

CUTTING ESTIMATES (5.0Ah BATTERY)		
500 MCM CU	200 (Cycles/Charge)	



12 TON PISTOL GRIP SOFT METAL CUTTING TOOL

REC-MK7105YC & REC-RL7105YC

MAIERIA	IL COTTINO	APPLICATIO	13
ALUM.	TELECOMM	LEAD SHEATH	ASCR
4 1" DIA	4 1" DIA	2 E" DIA	NI /A





PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
REC-MK7105YC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
REC-MK7105YCDC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK7105YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CUTTING FORCE	12 Ton
WEIGHT	18.7 lbs (8.5 kg)
DIMENSIONS (H X L X W)	13.7" x 23.6" x 3.9", 48 x 600 x 100 mm

5	Ε	R	IE:	5	7.
			PRO L	INE A	

PRODUCT NO.	KIT INCLUDES
REC-RL7105YC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7105YCDC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7105YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

CUTTING CAPACITIES	
ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	150 Cycles/Charge





MATERIAL CUTTING APPLICATIONS

 ALUM.
 TELECOMM
 LEAD SHEATH
 ASCR

 4.1" DIA
 4.1" DIA
 2.5" DIA
 N/A

12 TON LUNCH BOX SOFT METAL CABLE CUTTER

S7L-MK105YC & S7L-RL105YC







FEATURES

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

270° rotating head for ease-ofuse and tool maneuverability

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



20% FASTER ADVANCE





270° HEAD TURN RADIUS



MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK105YC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK105YCDC	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	12 Ton
WEIGHT	21.7 lbs (9.8 kg)
DIMENSIONS V (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm
JAW OPENING	4.1" / 105 mm

SERIES

PRODUCT NO.	KIT INCLUDES
S7L-RL105YC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL105YCDC-2	12 Ton Cutting Tool (4" Scissor Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL105YCX	12 Ton Cutting Tool (4" Scissor Head) Bare Tool with Tool Bag

CUTTING CAPACITIES	
ALUMINUM	4.1" Dia.
TELECOMMUNICATION	4.1" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)	
1000 MCM COPPER/ ALUMINUM	150 Cycles



12 TON INLINE SOFT METAL CUTTING TOOL

SL-MK795YC & SL-RL795YC



Open scissor type cutting blades allow for easy cable insertion and positioning without the need to latch the head closed prior to cutting

FEATURES

Sidebar style handles for stability and ergonomic two-hand grip

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOL

180° HEAD TURN RADIUS





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK795YC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHI- UM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK795YCDC	12 Ton Cutting Tool, (2) MAKITA LXT® LITHI- UM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK795YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	12 Ton
WEIGHT	19.8 lbs (8.9 kg)
DIMENSIONS (H X L X W)	26.1" x 9.8" x 4.7", 633 x 250 x 120 mm

SERIES

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
SL-RL795YC-1	12 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag	
SL-RL795YCDC-1 12 Ton Cutting Tool, (1) MILWAUKEE REDLIT 5.0Ah, 12VDC Charger, Tool Bag		
SL-RL795YCX	12 Ton Cutting Tool, Bare Tool with Tool Bag	

CUTTING CAPACITIES	
ALUMINUM	3.7" Dia.
TELECOMMUNICATION	3.7" Dia.
LEAD SHEATH	2.5" Dia.
ACSR	Do Not Cut

CUTTING ESTIMATES (5.0Ah BATTERY)		
1000 MCM CU	150 Cycles/Charge	





38

MATERIAL CUTTING APPLICATIONS

CU/AL	COMMUNICATIONS	ACSR
5"	5"	N/A

13 TON LUNCH BOX SOFT METAL CABLE CUTTER

S7L-MK132 & S7L-RL132





Cuts up to 5" dia. CU or AL cables



FEATURES

Auto-retract ram increases productivity and provides faster tool reset after completed cycle. Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain and debris

Handle-forward case design and auxiliary handle provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

Genuine high-capacity Milwaukee Red Lithium or Makita LXT® 18V lithium-ion batteries provide increased cycles per charge

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated Warranty



20% FASTER ADVANCE





TOOL

180° HEAD TURN RADIUS



MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK132	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK132DC	13 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK132X	13 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CUTTING FORCE	13 Ton
WEIGHT	36.6 lbs (16.6 kg)
DIMENSIONS (H X L X W)	10.5" × 31" × 3.5"
JAW OPENING	5"



PRODUCT NO.	KIT INCLUDES
S7L-RL132-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL132DC-2	13 Ton Cutting Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL132X	13 Ton Crimping Tool and Tool Bag

CUTTING CAPACITIES		
CU/AL CABLE	5"	
COMMUNICATIONS	5"	
ACSR	DO NOT CUT	

GEAR-DRIVEN CABLE CUTTER (ACSR/AL/CU)

REC-MKY733M & REC-RLY733M

MAI ERIAL C	OITING APPLICATION	JNS
ALUM.	COPPER	ACS

Up to 1.25" dia. 500 MCM up to 1.25" dia. 636 MCM



Cuts up to 636 MCM ACSR

FEATURES

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

















PRODUCT NO.	KIT INCLUDES
REC-MKY733M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag
REC-MKY733MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag
REC-MKY733MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag

SPECIFICATIONS	
WEIGHT	6.6 lbs (3.0 kg)
DIMENSIONS (H X L X W)	14.5" x 4.6" x 5.5", 368 x 117 x 140 mm

CUTTING CAPACITIES	
ALUMINUM	Up to 1.25" dia.
COPPER	500 MCM up to 1.25" dia.
ACSR	636 MCM

PRODUCT NO.	KIT INCLUDES
REC-RLY733M-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLY733MDC-1	Gear-Drive Cable Cutter, Al/Cu, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLY733MX	Gear-Drive Cable Cutter, Al/Cu, Bare Tool with Tool Bag

CUTTING ESTIMATES (5.0Ah BATTERY)		
477 ACSR	250 Cycles/Charge	
500 MCM Copper	100 Cycles/Charge	





MATERIAL CUTTING APPLICATIONS

ALUM.	COPPER	ACSR
1500 MCM up to 2" dia.	750 MCM up to 2" dia.	2156 ACSR BLUEBIRD

GEAR-DRIVE CABLE CUTTER (ASCR/AL/CU)

REC-MK754M & REC-RL754M



Cuts up to 2156 ACSR

FEATURES

Blade notch for cutting steel core on ACSR cable

Improved ergonomic handle

2-1/8" jaw opening

One-hand operation

Safety lockout switch

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



75KV



TOOL



PROTIP

ALWAYS
CHECK GEAR
GUIDES
FOR PROPER
BLADE
ENGAGEMENT
BEFORE
OPERATING





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	DOUCT NO. KIT INCLUDES	
REC-MK754M	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC CHARGER, & Tool Bag	
REC-MK754MDC	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC CHARGER, & Tool Bag	
REC-MK754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag	

SPECIFICATIONS	
WEIGHT	7.1 lbs (3.2 kg)
DIMENSIONS (H X L X W)	14.0" x 6.5" x 4.5",

SERIES
PRO LINE

PRODUCT NO.	KIT INCLUDES	
REC-RL754M-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, AC CHARGER, & Tool Bag	
REC-RL754MDC-1	Gear-Drive Cable Cutter Kit (ACSR/AL/CU), (1) MILWAUKEE REDLITHIUM™ 5.0Ah, DC CHARGER, & Tool Bag	
REC-RL754MX	Gear-Drive Cable Cutter (ACSR/AL/CU) & Tool Bag	

CUTTING CAP	CUTTING CAPACITIES		
ALUMINUM	1500 MCM up to 2" dia.		
COPPER	750 MCM up to 2" dia.		
ACSR	2156 ACSR Bluebird		

CUTTING ESTIMATES (5.0Ah BATTERY)		
1590 MCM ACSR	100 Cycles/Charge	
750 MCM Copper	100 Cycles/Charge	



6 TON INLINE HARD METAL CUTTING TOOL

SL-MKS720 & SL-RLS720

MATERIAL CUTTING APPLICATIONS

WIRE ROPE

5/8" DIA.

REBAR (SC 40) 1/2" DIA. REBAR (SC 60) 3/8" DIA. GROUND ROD 5/8" DIA.

ACSR

477 MCM

GUY WIRE 3/8" DIA.

FE He op in 1. 5-ba lim
75:
SL-MKS720

Latched cutting head for superior shear strength on tough materials

FEATURES

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOL





ALWAYS
MAKE SURE
LATCH IS
SECURE
BEFORE
OPERATING
OR TOOL
DAMAGE
WILL OCCUR



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
SL-MKS720	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
SL-MKS720DC	6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
SL-MKS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag	



PRODUCT NO.	KIT INCLUDES
SL-RLS720	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
SL-RLS720DC	6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
SL-RLS720X	6 Ton Cutting Tool, Bare Tool with Tool Bag

n

CUTTING CAPACITIES		
WIRE ROPE	5/8" Dia.	
REBAR (SC 40)	1/2" Dia.	
REBAR (SC 60)	3/8" Dia.	
GROUND ROD	5/8" Dia.	
ACSR	477 MCM	
GUY WIRE	3/8" Dia.	

CUTTING ESTIMATES (5.0AH BATTERY)			
336 ACSR	200 Cycles/Charge		
1/2" WIRE ROPE	200 Cycles/Charge		
1/2" REBAR	200 Cycles/Charge		
1/2" GROUND ROD	200 Cycles/Charge		
3/8" GUY WIRE	200 Cycles/Charge		

MATERIAL CUTTING APPLICATIONS

WIRE ROPE		REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
3/4" DIA.	5/8" DIA.	5/8" DIA.	5/8" DIA.	1590 MCM	5/8" DIA.	1.5" DIA.

8 TON INLINE HARD METAL CUTTING TOOL

SL-MKS740L & SL-RLS740L



Powerful, large capacity head cuts up to 1590 ACSR and a wide variety of materials

FEATURES

Latched cutting head for superior shear strength on tough materials

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated













ALWAYS
SECURE
LATCH
BEFORE
OPERATING
OR TOOL
DAMAGE
WILL OCCUR



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag



PRODUCT NO.	KIT INCLUDES
SL-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	12.0 lbs (5.4 kg)
DIMENSIONS (H X L X W)	20.1" x 5.2" x 4.0", 12 x 134 x 103 mm

CUTTING CAPACITIES	
WIRE ROPE 3/4" Dia.	
REBAR (SC 40) 5/8" Dia.	
REBAR (SC 60) 5/8" Dia.	
GROUND ROD 5/8" Dia.	
ACSR	1590 MCM
GUY WIRE 5/8" Dia.	
CU/AL CABLE	1.5" Dia.

CUTTING ESTIMATES (5.0Ah BATTERY)	
797 ACSR	135 Cycles/Charge
3/4" WIRE ROPE	95 Cycles/Charge
5/8" REBAR	165 Cycles/Charge
5/8" GROUND ROD	165 Cycles/Charge
3/8" GUY WIRE	200 Cycles/Charge

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS724H & REC-RLS724H

MAIL	KIAL GU	I I ING A	PPLICA	INN2		
WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
7/8" DIA.	5/8" DIA.	1/2" DIA.	5/8" DIA.	477 MCM	5/8" DIA.	7/16" DIA.



Optimized hydraulics for faster advance and retract speeds vs. previous generation

PENDING AUTO RETRACT

20% FASTER ADVANCE





TOOL

180° HEAD TURN RADIUS

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated





PRODUCT NO.	KIT INCLUDES
REC-MKS724H	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724HDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag



MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
REC-RLS724H-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag	
REC-RLS724H- DC-1	8 Ton Cutting Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag	
REC-RLS724HX	8 Ton Cutting Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	14.7" x 13.2" x 3.3", 375 x 335 x 85 mm

REC-RLS724H

CUTTING CAPACITIES	
WIRE ROPE 7/8" Dia.	
REBAR (SC 40) 5/8" Dia.	
REBAR (SC 60) 1/2" Dia.	
GROUND ROD 5/8" Dia.	
ACSR 477 MCM	
GUY WIRE 5/8" Dia.	
CU/AL CABLE	7/16" Dia.

CUTTING ESTIMATES (5.0Ah BATTERY)	
1/2" WIRE ROPE	200 Cycles/Charge
1/2" REBAR	200 Cycles/Charge
1/2" GROUND ROD	200 Cycles/Charge
GUY WIRE	200 Cycles/Charge
	1



MATERIAL CUTTING APPLICATIONS

 ACSR
 GUY WIRE
 EHS GUY WIRE
 GROUND ROD
 REBAR [SC 40]

 477 MCM
 5/8" DIA.
 9/16" DIA.
 5/8" DIA.
 5/8" DIA.
 5/8" DIA.

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS724CC & REC-RLS724CC



Optimized hydraulics for faster advance and retract speeds vs. previous generation



PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE





TOOL

180° HEAD TURN RADIUS

FEATURES

Patent-pending selectable auto-retract switch

Latched cutting head for superior shear strength on tough materials Specifically designed anvil blades made to cut EHS guy wire up to 9/16"

Head rotates 180° for optimum maneuverability in tight workspaces 5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKS724CC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS724CCDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag



PRODUCT NO.	KIT INCLUDES
REC-RLS724CC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS724C- CDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS724CCX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	13" x 11" x 3.3", 334 x 280 x 85 mm

CUTTING CAPACITIES		
ACSR 477 MCM		
GUY WIRE	5/8" Dia.	
EHS GUY WIRE	9/16" Dia.	
GROUND ROD	5/8" Dia.	
REBAR (SC 40)	5/8" Dia.	

CUTTING ESTIMATES (5.0Ah BATTERY)		
200 Cycles/Charge		

6.6 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MK730Y & REC-RL730Y

MATERIAL CUTTING APPLICATIONS

•	ACSR	COPPER	ALUM.	STD. GUY WIRE	REBAR
	336MCM	500 MCM	1.18" DIA.	3/8" DIA.	N/A



Optimized hydraulics for faster advance and retract speeds vs. previous generation









TOOL

HEAD TURN RADIUS

FEATURES

Blade keeper prevent jaws from spreading apart when cutting ACSR

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
REC-MK730Y	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
REC-MK730YDC	6.6 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag	



MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES		
REC-RL730Y	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag		
REC-RL730YDC	6.6 Ton Cutting Tool, (2) MILWAUKEE RED-LITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag		
REC-RL730YX	6.6 Ton Cutting Tool, Bare Tool with Tool Bag		

SPECIFICATIONS	
CUTTING FORCE	6.6 Ton
WEIGHT	9.5 lbs (4.3 kg)
DIMENSIONS (H X L X W)	13.3" x 10.6" x 3.3", 339 x 269 x 85 mm

CUTTING CAPACITIES		
ACSR	336 MCM	
COPPER	500 MCM	
ALUMINUM	1.18" O.D.	
STANDARD GUY WIRE	3/8" Dia.	
REBAR	Do Not Cut	

REC-RL730Y

CUTTING ESTIMATES (5.0Ah BATTERY)		
336 ACSR	200 Cycles/Charge	



MATERIAL CUTTING APPLICATIONS

WIRE ROPE	REBAR (SC 40)	REBAR (SC 60)	GROUND ROD	ACSR	GUY WIRE	Cu/Al CABLE
3/4" DIA.	5/8" DIA.	5/8" DIA.	5/8" DIA.	1590 MCM	5/8" DIA.	1.5" DIA.

8 TON PISTOL GRIP HARD METAL CUTTING TOOL

REC-MKS740L & REC-RLS740L



PATENT PENDING AUTO RETRACT

20% FASTEI ADVANC





TOOL WARRANTY

180° HEAD TURN RADIUS



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKS740L	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKS740LDC	8 Ton Cutting Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag



PRODUCT NO.	KIT INCLUDES
REC-RLS740L-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLS740LDC-1	8 Ton Cutting Tool, (1) MILWAUKEE RED-LITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLS740LX	8 Ton Cutting Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CUTTING FORCE	8 Ton
WEIGHT	14.1 lbs (6.4 kg)
DIMENSIONS (H X L X W)	11.5" x 17" x 3.6", 293 x 445 x 91 mm

CUTTING CAPACITIES		
WIRE ROPE 3/4" Dia.		
REBAR (SC 40) 5/8" Dia.		
REBAR (SC 60) 5/8" Dia.		
GROUND ROD 5/8" Dia.		
ACSR 1590 MCM		
GUY WIRE 5/8" Dia.		
CU/AL CABLE 1.5" Dia.		

CUTTING ESTIMATES (5.0Ah BATTERY)			
797 ACSR	135 Cycles/Charge		
3/4" WIRE ROPE	95 Cycles/Charge		
5/8" REBAR	165 Cycles/Charge		
5/8" GROUND ROD	165 Cycles/Charge		
3/8" GUY WIRE	200 Cycles/Charge		

13 TON LUNCH BOX HARD METAL CABLE CUTTER

S7L-MK55 & S7L-RL55

MATERIAL CUTTING APPLICATIONS					
SOFT STEEL BOLTS	REBAR, GROUND & ANCHOR ROD	CU & AL CABLE	ACSR	STANDARD GUY CABLE	WIRE ROPE
1-1/4"	3/4"	2"	Up to 2515	3/4"	1"





FEATURES

Improved hydraulics deliver up to 2x faster cutting speeds compared to previous generation tools

 $180\,^{\circ}$ rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity & provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics & tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated









TOOL WARRANTY





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK55	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK55DC	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

SPECIFICATIONS		
CUTTING FORCE	13 Ton	
WEIGHT	21.5 lbs (9.7 kg)	
DIMENSIONS (H X L X W)	10.5" x 24" x 3.5", 266 x 609 x 88 mm	
JAW OPENING	2" / 55 mm	

CUTTING CAPACITIES	
SOFT STEEL BOLTS	1-1/4"
REBAR, GROUND & ANCHOR ROD	3/4"
CU & AL CABLE	2"
ACSR	Up to 2515
STANDARD GUY CABLE	3/4"
WIRE ROPE	1"

PRODUCT NO.	KIT INCLUDES
S7L-RL55-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL55DC-2	13 Ton Cutting Tool (2" Guillotine Head) Kit, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL55X	13 Ton Cutting Tool (2" Guillotine Head) Bare Tool with Tool Bag

CUTTING ESTIMATES (5.0Ah BATTERY)		
CU & AL CABLE 150 Cycles		
ACSR	125 Cycles	







CRIMPING TOOLS

- Ergonomic design for easy one-hand operation
- Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools
- Patent pending Auto-Retract feature on pistol grip models provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction
- Choices include INLINE, PISTOL-GRIP, and LUNCH BOX style tools
- 5-year tool/3-year battery Huskie Tools limited warranty

CRIMPING TOOL REFERENCE GUIDE

	6 TON			
CONNECTOR RANGE	Lugs and Splices: up to 500MCM Copper up to 350MCM Aluminum H-Taps: 4/0-4/0 Aluminum	Lugs and Splices: up to 750MCM* Copper up to 750MCM* Aluminum H-Taps: N/A		
DIES	W $/$ X $/$ O Type Dies Huskie HT58 and HT series	DIELESS		
	SL-MK7ND / SL-RL7ND pg. 16	SL-MK7630 / SL-RL7630 pg. 54		
INLINE	SLC-MK7ND / SLC-RL7ND pg. 18	SL-MK7750* / SL-RL7750* pg. 55		
PISTOL GRIP	REC-MK7NDSL / REC-RL7NDSL pg. 20 REC-MK758U / REC-RL758U pg. 52	REC-MK7630 / REC-RL7630 pg. 56		
	REC-MKCN758 / REC-RLCN758 pg. 53	REC-MK7750* / REC-RL7750* pg. 57		
LUNCHBOX	N/A	N/A		





CRIMPING TOOL REFERENCE GUIDE

12 TON			15 TON			
Lugs and Splices: up to 750MCM Copper up to 750MCM Aluminum H-Taps: #8 - 500 MCM Aluminum		Lugs and Splices: up to 1000MCM Copper up to 1000MCM Aluminum H-Taps: N/A		Lugs and Splices: up to 1500MCM Copper up to 1250MCM Aluminum H-Taps: 750/750 MCM Aluminum		
	U / WH-2 / WH-3 Type Dies Huskie HT41 and HTK series		DIELESS		P Type Dies Huskie HT61 series	
G.	SL-MKC7510 / SL-RLC7510 pg. 58		SL-MK71000 / SL-RL71000 pg. 64		SL-MK7610 / SL-RL7610 pg. 68	
	SL-MK7510K / SL-RL7510K pg. 59	ł	SL-MKC71000 / SL-RLC71000 pg. 65		SL-MKC7610 / SL-RLC7610 pg. 69	
7	REC-MKR430 / REC-RL7430 pg. 60		REC-MK71000 / REC-RL71000		REC-MKC7610/	
7	REC-MK7510 / REC-RL7510 pg. 61 REC-MK7510K / REC-RL7510K pg. 62		pg. 63		REC-RLC7610 pg. 68	
-0-	S7L-MK510 / S7L-RL510 pg. 66		N/A	00	S7L-MK610 / S7L-RL610 pg. 71	
	S7L-MK510K / S7L-RL510K pg. 67		N/A		S7L-MK610TB / S7L-RL610TB pg. 72	



6 TON PISTOL GRIP CRIMPING TOOL

REC-MK758U & REC-RL758U

CONNECTOR RANGE

LUGS & **SPLICES** #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0



Patent pending Auto-Retract feature provides a user-selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped mid-cycle to speed repeat operation













FEATURES

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Head rotates 180° for optimum maneuverability in tight workspaces 5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



PRODUCT NO.

REC-MK758U

REC-MK758UDC

REC-MK758UX



LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag

6 Ton Crimping Tool, Bare Tool with Tool Bag

KIT INCLUDES
6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
6 Ton Crimping Tool, (2) MAKITA LXT®

CRIMPING ESTIM (5.0Ah BATTERY)	ATES	
4/0-4/0 H-TAP 200 Cycles/Charge		

CRIMPING ESTIMATES		CONNECTOR RANGE		
(5.0Ah BATTERY)			LUGS &	#8 to 500 MCM Cu
4/0-4/0 H-TAP	200 Cycles/Charge		SPLICES	#8 to 350 MCM AI
500 MCM CU	200 Cycles/Charge	-	H-TAPS	Up to 4/0-4/0



MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

REC-RL758U

PRODUCT NO.	KIT INCLUDES
REC-RL758U	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RL758UDC	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RL758UX	6 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	7.3 lbs (3.3 kg)
DIMENSIONS (H X L X W)	13.7" x 10.6" x 3.3", 349 x 269 x 85 mm





LUGS 8 SPLICES #8 to 500 MCM Cu #8 to 350 MCM Al

H-TAPS

Up to 4/0

6 TON PISTOL GRIP CRIMPING TOOL

REC-MKCN758 & REC-RLCN758



AUTO RETRACT

PATENT

20% FASTER ADVANCE





TOOL WARRANTY

180° HEAD TURN RADIUS

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MKCN758	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MKCN758DC	6 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MKCN758X	6 Ton Crimping Tool, Bare Tool with Tool Bag

SERIES T

75kV live line rated

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-RLCN758	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-RLCN758DC	6 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-RLCN758X	6 Ton Crimping Tool, Bare Tool with Tool Bag

Patent pending Auto-Retract feature provides a user-

mid-cycle to speed repeat operation

selectable ON/OFF switch to enable or disable automatic cycle retraction. Auto-Retract can also be stopped

CRIMPING ESTIMATES (5.0Ah BATTERY)		
4/0-4/0 H-TAP	200 Cycles/Charge	
500 MCM CU 200 Cycles/Charge		

CONNECTOR RANGE		
LUGS & SPLICES	#8 to 500 MCM Cu, #8 to 350 MCM AI	
H-TAPS	Up to 4/0-4/0	

SPECIFICATIONS	
CRIMP FORCE	6 Ton
WEIGHT	9.7 lbs (4.4 kg)
DIMENSIONS (H X L X W)	15.4" x 10.6" x 3.3", 391 x 269 x 85 mm



6.2 TON INLINE DIELESS CRIMPING TOOL

SL-MK7630 & SL-RL7630

CONNECTOR RANGE

LUGS & **SPLICES**

#10 to 500 MCM



Four integrated crimping nibs eliminate need for multiple die sets

FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOL







MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
SL-MK7630	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
SL-MK7630DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
SL-MK7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	9.9 lbs (4.5 kg)
DIMENSIONS (H X L X W)	17.8" x 5.5" x 3.0", 454 x 140 x 70 mm



PRODUCT NO.	KIT INCLUDES	
SL-RL7630 6.2 Ton Dieless Crimping Tool, (2) MILWAUK REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool		
SL-RL7630DC 6.2 Ton Dieless Crimping Tool, (2) MILWAUK REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool B		
SL-RL7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag	

PECIFICATIONS		C	CONNECTOR RANGE		
RIMP FORCE	6.2 Ton	L	.UGS &	#10 TO 500 MCM	
EIGHT	9.9 lbs (4.5 kg)	S	PLICES	#10 10 300 MCM	
IMENSIONS (H X L X W)	17.8" x 5.5" x 3.0", 454 x 140 x 70 mm				

CRIMPING ESTIMATES (5.0Ah BATTERY)		
500 MCM Cu	200 Cycles/Charge	

LUGS & **SPLICES**

#10 to 750 MCM AL/CU

6.2 TON INLINE DIELESS CRIMPING TOOL

SL-MK7750 & SL-RL7750



Four integrated crimping nibs eliminate need for multiple die sets

FEATURES

Crimps Anderson connectors and others manufactured to ANSI C119.4

Head rotates 360° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOL





BE SURE TO SECURE LATCH AND CENTER THE CONNECTOR BEFORE CRIMPING



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES		
SL-MK7750 6.2 Ton Dieless Crimping Tool, (2) MAKITA L LITHIUM-ION 5.0Ah, 120VAC Charger, Tool E			
SL-MK7750DC 6.2 Ton Dieless Crimping Tool, (2) MAKITA LX LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Ba			
SL-MK7750X 6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag			

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	10.3 lbs (4.6 kg)
DIMENSIONS (H X L X W)	18.2" x 5.5" x 3.0", 463 x 140 x 78 mm



PRODUCT NO.	KIT INCLUDES		
SL-RL7750	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag		
SL-RL7750DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.OAh, 12VDC Charger, Tool Bag		
SL-RL7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag		

PECIFICATIONS		CONNECTO	IR RANGE	
RIMP FORCE	6.2 Ton	LUGS &	#10 TO 750 MCM	
/EIGHT	10.3 lbs (4.6 kg)	SPLICES	AL/CU	
	10.0"			

CRIMPING ESTIMATES (5.0Ah BATTERY)		
500 MCM Cu	200 Cycles/Charge	

6.2 TON PISTOL GRIP DIELESS CRIMPING TOOL

CONNECTOR RANGE

LUGS & **SPLICES**

#10 to 500 MCM

REC-MK7630 & REC-RL7630





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7630	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC CHARGER, TOOL BAG
REC-MK7630DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

4	
PRODUCT NO.	KIT IN

SERIES 7

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES		PRODUCT NO.	KIT INCLUDES
REC-MK7630	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC CHARGER, TOOL BAG	REC-RL7630		6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag
REC-MK7630DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	REC-RL7630DC		6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag
REC-MK7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag		REC-RL7630X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS		
CRIMP FORCE	6.2 Ton	
WEIGHT	10.8 lbs (4.9 kg)	
DIMENSIONS (H X L X W)	15.6" x 11.6" x 3.3", 397 x 297 x 85 mm	

CONNECTOR RANGE	
LUGS & SPLICES	#10 TO 500 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM Cu	200 Cycles/Charge





56

LUGS & **SPLICES**

#10 to 750 MCM AL/CU

6.2 TON PISTOL GRIP DIELESS CRIMPING TOOL

REC-MK7750 & REC-RL7750



PENDING **AUTO** RETRACT







hydraulics for faster advance and retract speeds vs. previous generation

Huskie Tools® limited warranty

75kV live line rated





PRODUCT NO.	KIT INCLUDES	
REC-MK7750	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
REC-MK7750DC	6.2 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
REC-MK7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CRIMP FORCE	6.2 Ton
WEIGHT	11 lbs (4.9 kg)
DIMENSIONS (H X L X W)	11.6" x 16" x 3.3", 296 x 406 x 85 mm



PRODUCT NO.	KIT INCLUDES	
REC-RL7750	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 120VAC Charger, Tool Bag	
REC-RL7750DC	6.2 Ton Dieless Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 2.0Ah, 12VDC Charger, Tool Bag	
REC-RL7750X	6.2 Ton Dieless Crimping Tool, Bare Tool with Tool Bag	

CONNECTOR RANGE	
LUGS &	#10 TO 750 MCM
SPLICES	AL/CU

CRIMPING ESTIMATES (5.0Ah BATTERY)	
200 Cycles/Charge	

12 TON INLINE CRIMPING TOOL

SL-MKC7510 & SL-RLC7510

CONNECTOR RANGE

LUGS

750 MCM Al/Cu

SPLICES

600 MCM Al/Cu



Accepts all "U" type industry standard die sets

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

Inline tool design for easy use in underground applications

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOO!

180° HEAD TURN RADIUS



DO NOT OPERATE TOOL WITH-OUT DIES IN PLACE



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MKC7510	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MKC7510DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MKC7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	14.1 lbs (6.4 kg)
DIMENSIONS (H X L X W)	19.7" x 6.4" x 4.0", 510 x 162 x 103 mm
JAW OPENING	1.65"



PRODUCT NO.	KIT INCLUDES	
SL-RLC7510-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag	
SL-RLC7510DC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag	
SL-RLC7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag	

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM AI/Cu

CRIMPING ESTIMATES (5.0AH BATTERY)	
500 MCM Cu	140 Cycles/Charge
750 MCM Cu	135 Cycles/Charge





LUGS

1033 ACSR

SPLICES

477 ACSR

12 TON INLINE CRIMPING TOOL

SL-MK7510K & SL-RL7510K



SL-MKC7510K accepts all WH-2, WH-3 and PH-2 Kearney style die sets

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated











SECURE CRIMPING DIES WITH SET SCREW BEFORE OPERATING



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
SL-MK7510K	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
SL-MK7510KDC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
SL-MK7510KX	12 Ton Crimping Tool, Bare Tool with Tool Bag	

SPECIFICATIONS		
CRIMP FORCE	12 Ton	
WEIGHT	13.6 lbs (6.2 kg)	
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm	



PRODUCT NO.	KIT INCLUDES
SL-RL7510K-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7510KDC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7510KX	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS		CONNECTOR RANGE		
RIMP FORCE	12 Ton	LUGS	1033 ACSR	
WEIGHT	13.6 lbs (6.2 kg)	SPLICES	477 ACSR	
MENCIONE ALVI VIII	10.11 6.51 411. 406 166 107			

CRIMPING ESTIMATES (5.0AH BATTERY)		
750 MCM Cu 125 Cycles/Charge		
500 MCM Cu	135 Cycles/Charge	



12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7430 & REC-RL7430



750 MCM AI/Cu

SPLICES

600 MCM Al/Cu



PENDING AUTO RETRACT





RADIUS

Designed for use in single-handed operation in overhead line applications

Head rotates 180° for optimum maneuverability in tight workspaces 5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

KIT INCLUDES



auto-retract switch

Protective rubber boot on "C" head helps prevent accidental

contact with energized circuits

MAKITA® BATTERY PLATFORM COMPATIBILITY



PRODUCT NO.

REC-RL7430-1

REC-RL7430DC-1

REC-RL7430X

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

12 Ton Crimping Tool, (1) MILWAUKEE

12 Ton Crimping Tool, (1) MILWAUKEE

REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag

REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag

12 Ton Crimping Tool, Bare Tool with Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-MK7430	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7430DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7430X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.4 lbs (6.9 kg)
DIMENSIONS (H X L X W)	16.2" x 11.5" x 3.6", 413 x 291 x 91mm
JAW OPENING	1.2"

CONNECTOR RANGE		
LUGS 750 MCM AI/Cu		
SPLICES 600 MCM AI/Cu		

CRIMPING ESTIMATES (5.0AH BATTERY)		
750 MCM Cu	145 Cycles/Charge	



60



LUGS

750 MCM Al/Cu

SPLICES

600 MCM Al/Cu

12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7510 & REC-RL7510



PENDING AUTO RETRACT



RADIUS

speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Designed for use in single-handed operation in overhead line applications

Head rotates 180° for optimum maneuverability in tight workspaces 5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

KIT INCLUDES



MAKITA® BATTERY PLATFORM COMPATIBILITY



PRODUCT NO.

REC-RL7510-1

REC-RL7510DC-1

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag

REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag

12 Ton Crimping Tool, Bare Tool with Tool Bag

12 Ton Crimping Tool, (1) MILWAUKEE

PRODUCT NO.	KIT INCLUDES
REC-MK7510	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510DC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510X	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.6 lbs (7.1 kg)
DIMENSIONS (H X L X W)	17.0" x 11.3" x 3.6", 432 x 287 x 91mm
JAW OPENING	1.65"

CONNECTOR RANGE		
LUGS & SPLICES	750 MCM Al/Cu	

REC-RL7510X

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu 145 Cycles/Charge	
500 MCM Cu	155 Cycles/Charge



12 TON PISTOL GRIP CRIMPING TOOL

REC-MK7510K & REC-RL7510K



PATENT PENDING

AUTO RETRACT

FASTER ADVANCE

75KV

HEAD TURN RADIUS



Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces 5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
REC-MK7510K	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
REC-MK7510KDC	12 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK7510KDC	12 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	15.6 lbs (7.1 kg)
DIMENSIONS (H X L X W)	16.4" x 11.5" x 3.6", 418 x 293 x 91 mm



PRODUCT NO.	KIT INCLUDES
REC-RL7510K-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RL7510KDC-1	12 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RL7510KDC	12 Ton Crimping Tool, Bare Tool with Tool Bag

CONNECTOR RANGE	
LUGS	1033 ACSR
SPLICES 477 ACSR	

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	145 Cycles/Charge





LUGS & SPLICES

#8 AWG - 1000 MCM Cu #8 AWG - 1000 MCM AI

12 TON PISTOL GRIP DIELESS CRIMPING TOOL

REC-MK71000 & REC-RL71000



PATENT PENDING AUTO RETRACT

20% FASTER ADVANCE





TOOL

180° HEAD TURN RADIUS

Optimized hydraulics offer 20% faster advance and 30% faster retraction speeds than previous generation tools

Patent-pending selectable auto-retract switch

Head rotates 180° for optimum maneuverability in tight workspaces

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated

KIT INCLUDES

with Tool Bag



MAKITA® BATTERY PLATFORM COMPATIBILITY



PRODUCT NO.

REC-RL71000-1

REC-RL71000DC-1

REC-RL71000X

MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

12 Ton Dieless Crimping Tool, (1) MILWAUKEE

REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag

12 Ton Dieless Crimping Tool, (1) MILWAUKEE

12 Ton Dieless Crimping Tool, Bare Tool

REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag

PRODUCT NO.	KIT INCLUDES
REC-MK71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
REC-MK71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
REC-MK71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM AI

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	12.5 lbs (5.6 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm



12 TON INLINE DIELESS CRIMPING TOOL

SL-MK71000 & SL-RL71000

CONNECTOR RANGE

LUGS & SPLICES

#8 AWG - 1000 MCM Cu #8 AWG - 1000 MCM Al



Dieless indent-style crimping

FEATURES

Head rotates 180° for optimum maneuverability in tight workspaces

Bright White, LED Lights for Working in Low Light Conditions

Audible Bypass when Predetermined Pressure is Achieved

Latched Head Design

Eliminates the Need for Dies

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOL





MAKE SURE CONNECTOR IS RATED FOR DIE-LESS TOOL APPLICATIO



MAKITA® BATTERY
PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VAC Charger, Tool Bag
SL-MK71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SERIE	S_INE R

PRODUCT NO.	KIT INCLUDES
SL-RL71000-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VAC Charger, Tool Bag
SL-RL71000DC-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	11.5 lbs (5.2 kg)
DIMENSIONS (H X L X W)	21" x 5.6" x 4", 533 x 142 x 103 mm
JAW OPENING	1.95" / 49.5 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 AWG - 1000 MCM Cu
	#8 AWG - 1000 MCM AI

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles





#8 AWG - 1000 MCM Cu #8 AWG - 1000 MCM AI

12 TON INLINE DIELESS CRIMPING TOOL

SL-MKC71000 & SL-RLC71000



Dieless indent style crimping nib eliminates the need for multiple die sets

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOO!





MAKE SURE THE CONNECTOR IS RATED FOR DIE-LESS TOOL CRIMP APPLICATION



MAKITA® BATTERY PLATFORM COMPATIBILITY

PLATFURM CUMPATIBILITY	
LUDES	

PRODUCT NO.	KIT INCLUDES	
SL-MKC71000	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
SL-MKC71000DC	12 Ton Dieless Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	
SL-MKC71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT	21.7 lbs (9.8 kg)
DIMENSIONS (H X L X W)	19.1" x 6.5" x 4", 486 x 166 x 103 mm

PRODUCT NO.	KIT INCLUDES
SL-RLC71000-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC71000DC-1	12 Ton Dieless Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC71000X	12 Ton Dieless Crimping Tool, Bare Tool with Tool Bag

CONNECTOR RANGE	
LUCE & CDUICES	#8 AWG - 1000 MCM Cu
LUGS & SPLICES	#8 AWG - 1000 MCM AI

CRIMPING ESTIMATES (5.0Ah BATTERY)	
750 MCM CU	130 Cycles
1000 MCM AL	145 Cycles

12 TON LUNCH BOX CRIMPING TOOL

S7L-MK510 & S7L-RL510

CONNECTOR RANGE

LUGS & SPLICES

750 MCM Al/Cu





Accepts all "U" type industry standard die sets

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Open "C" head design allows easy placement and removal of connector from tool

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated









TOOL





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK510-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510DC-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510X	12 Ton Crimping Tool with "C" Head (1.65") Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	16.8 lbs (7.6 kg)
DIMENSIONS (H X L X W)	10.5" x 22" x 3.5", 266 x 558 x 88 mm
JAW OPENING	1.65" / 41.9 mm



MILWAUKEE® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-RL510-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510DC-2	12 Ton Crimping Tool with "C" Head (1.65"), (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510X	12 Ton Crimping Tool with "C" Head (1.65") Bare Tool with Tool Bag

CONNECTOR RANGE	
LUGS & SPLICES	750 MCM Al/Cu

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM COPPER 750 ALUMINUM	100 Cycles



66



LUGS

Up to 1033 **ACSR**

SPLICES

Up to 477 ACSR

12 TON LUNCH BOX CRIMPING TOOL

S7L-MK510K & S7L-RL510K





Accepts all WH-2, WH-3 and PH-2 Kearney style die sets, as well as "U" type industry standard dies with use of UDK-1 die adapter

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Open "C" head design allows easy placement and removal of connector from tool

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery **Huskie Tools® limited warranty**

75kV live line rated









TOOL

HEAD TURN **RADIUS**



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK510K-2	12 Ton Crimping Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, AC Charger
S7L-MK510KDC-2	12 Ton Crimping Tool with Kearney Head, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, DC Charger
S7L-MK510KX	12 Ton Crimping Tool with Kearney Head Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	12 Ton
WEIGHT (WITH BATTERY)	16.4 lbs (7.4 kg)
DIMENSIONS (H X L X W)	10" x 21" x 3.5", 254 x 533 x 88 mm
JAW OPENING	1.5" / 38 mm



PRODUCT NO.	KIT INCLUDES
S7L-RL510K-2	12 Ton Crimping Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, AC Charger
S7L-RL510KDC-2	12 Ton Crimping Tool with Kearney Head, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, DC Charger
S7L-RL510KX	12 Ton Crimping Tool with Kearney Head Bare Tool with Tool Bag

CONNECTOR RANGE		CRIMPING ESTIMATE	S (5.0Al
LUGS	Up to 1033 ACSR	500 MCM COPPER 750 ALUMINUM	100 (
SPLICES	Up to 477 ACSR	730 ALOMINOM	

CRIMPING ESTIMATES (5.0Ah BATTERY)	
500 MCM COPPER 750 ALUMINUM	100 Cycles



15 TON INLINE CRIMPING TOOL

SL-MK7610 & SL-RL7610

CRIMPING CAPACITY

ALUMINUM

#8 AWG to 1250 MCM

COPPER

#8 AWG to 1500 MCM

H-TAPS

Up to 750



Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

FEATURES

Protective rubber boot on head helps prevent accidental contact with energized circuits

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







TOOI

180° **HEAD TURN** RADIUS



BE SURE TO SECURE LATCH PIN BEFORE OPERATING



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
SL-MK7610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
SL-MK7610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
SL-MK7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	16.5 lbs (7.4 kg)
DIMENSIONS (H X L X W)	25.0" x 5.3" x 4.0", 635 x 136 x 103 mm



PRODUCT NO.	KIT INCLUDES
SL-RL7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RL7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RL7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

CRIMPING CAPACITY	
ALUMINUM	#8 AWG to 1250 MCM
COPPER	#8 AWG to 1500 MCM
Н-ТАР	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles



CRIMPING CAPACITY

ALUMINUM

#8 AWG to 1250 MCM

COPPER

#8 AWG to 1500 MCM

H-TAPS

Up to 750

15 TON INLINE CRIMPING TOOL

SL-MKC7610 & SL-RLC7610



Accepts all "P" type industry standard die sets, as well as "U" type industry standard dies with the use of the PU-15 die adapter

FEATURES

Protective rubber boot on "C" head helps prevent accidental contact with energized circuits

Open "C" head design allows user to place crimping head over the connector without having to close a latch before starting a crimping cycle

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated







180° HEAD TURN RADIUS



CHECK DIES TO BE SURE THEY ARE SECURE BEFORE OPERATING



MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES	
SL-MKC7610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
SL-MKC7610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-IC 5.0Ah, 12VDC Charger, Tool Bag	
SL-MKC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag	

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	19.7 lbs (8.9 kg)
DIMENSIONS (H X L X W)	22.3" x 6.0" x 4.0", 566 x 153 x 103 mm



PRODUCT NO.	KIT INCLUDES
SL-RLC7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
SL-RLC7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
SL-RLC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

CRIMPING CAPACITY	
ALUMINUM	#8 to 1250 MCM
COPPER	#8 to 1500 MCM
Н-Тар	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles/Charge



15 TON PISTOL GRIP CRIMPING TOOL

REC-MKC7610 & REC-RLC7610



ALUM

#8 AWG to 1250 MCM

COPPER

#8 AWG to 1500 MCM H-TAPS

Up to 750



Open "C" head design allows user to place crimping head over the connector without having to close a latch before starting a crimping cycle

Head rotates 180° for optimum maneuverability in tight workspaces

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated



PRODUCT NO.

REC-MKC7610

REC-MKC7610DC

REC-MKC7610X

MAKITA® BATTERY PLATFORM COMPATIBILITY

15 Ton Crimping Tool, Bare Tool with Tool Bag

KIT INCLUDES	
15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag	
15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag	

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	20.9 lbs (9.48 kg)
DIMENSIONS (H X L X W)	20.5" x 4" x 13", 520 x 101 x 330 mm



PRODUCT NO.	KIT INCLUDES
REC-RLC7610-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
REC-RLC7610DC-1	15 Ton Crimping Tool, (1) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
REC-RLC7610X	15 Ton Crimping Tool, Bare Tool with Tool Bag

CONNECTOR RANGE	
ALUMINUM	#8 to 1250 MCM
COPPER	#8 to 1500 MCM
H-TAP	Up to 750/750

CRIMPING ESTIMATES (5.0AH BATTERY)	
750 MCM Cu	95 Cycles/Charge



LUGS 8 SPLICES #8 - 1500 MCM Copper #8 - 1250 MCM Aluminum H-TAPS

Up to 750/750 MCM

15 TON LUNCH BOX CRIMPING TOOL

S7L-MK610 & S7L-RL610





Accepts all "P" type industry standard die sets, and "U" type industry standard dies with use of PU-15 die adapter

PATENT PENDING AUTO RETRACT

FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools® limited warranty

75kV live line rated









TOOL

270° HEAD TURN RADIUS



MAKITA® BATTERY PLATFORM COMPATIBILITY

M fant | moderation

PRODUCT NO.	KIT INCLUDES
S7L-MK610	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610DC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610X	15 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	18.9 lbs (8.5 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm



PRODUCT NO.	KIT INCLUDES
S7L-RL610-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610DC-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610X	15 Ton Crimping Tool and Tool Bag

CONNECTOR RANGE	
#8 - 1500 MCM Copper	
#8 - 1250 MCM Aluminum	
Up to 750/750 MCM	

CRIMPING ESTIMA	ATES (5.0Ah BATTERY)
1000 MCM CU	95 Cycles



15 TON LUNCH BOX CRIMPING TOOL

S7L-MK610TB & S7L-RL610TB

CONNECTOR RANGE

LUGS & **SPLICES** #8 - 1500 MCM Copper #8 - 1250 MCM Aluminum

H-TAPS

Up to 750/750 MCM





Accepts T&B style 15 ton dies and "U" type industry standard dies with use of a T&B die adapter



FEATURES

Protective rubber boot on tool head helps protect against accidental contact with energized circuits

Improved hydraulics deliver up to 2x faster crimping speeds compared to previous generation tools

270° rotating head for ease-of-use and tool maneuverability

Auto-retract ram increases productivity and provides faster tool reset after completed cycle

Ram retract can also be stopped mid-cycle for faster repeat operation

Improved weather-resistant case design protects tool against rain & debris

Handle-forward design provides improved ergonomics and tool balance

Dual LED lights illuminate workspace in dark conditions

Integral trigger-lock helps prevent inadvertent tool actuation during transport and storage

5-year tool, 3-year battery Huskie Tools limited warranty

75kV live line rated









TOOI





MAKITA® BATTERY PLATFORM COMPATIBILITY

PRODUCT NO.	KIT INCLUDES
S7L-MK610TB	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 120VAC Charger, Tool Bag
S7L-MK610TBDC	15 Ton Crimping Tool, (2) MAKITA LXT® LITHIUM-ION 5.0Ah, 12VDC Charger, Tool Bag
S7L-MK610TBX	15 Ton Crimping Tool and Tool Bag

	S7L-
	S7L-

SERIES

PRODUCT NO.	KIT INCLUDES
S7L-RL610TB-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 120VAC Charger, Tool Bag
S7L-RL610TBDC-2	15 Ton Crimping Tool, (2) MILWAUKEE REDLITHIUM™ 5.0Ah, 12VDC Charger, Tool Bag
S7L-RL610TBX	15 Ton Crimping Tool and Tool Bag

SPECIFICATIONS	
CRIMP FORCE	15 Ton
WEIGHT	20.9 lbs (9.48 kg)
DIMENSIONS (H X L X W)	10.5" x 23.5" x 3.5", 266 x 596 x 88 mm
JAW OPENING	2" / 50.8 mm

CONNECTOR RANGE	
LUGS & SPLICES	#8 - 1500 MCM Copper
	#8 - 1250 MCM Aluminum
H-TAP	Up to 750/750 MCM

CRIMPING ESTIMATES (5.0Ah BATTERY)	
1000 MCM CU	95 Cycles







THE POWER TO CHOOSE—INNOVATION SINCE 1976

SAFE, TOUGH & DEPENDABLE

Since 1976, Huskie Tools has established a reputation for building hydraulic, battery-powered bending, cutting & crimping tools that are as tough and dependable as the linemen who use them. Our tools are the safest, most durable and dependable and we stake our reputation on it each and every day.

LINEMAN PROVEN -UTILITY APPROVED

We know what it's like to use our tools in a driving rainstorm with thousands of families depending on you to restore their power. Or to have to twist and contort your body just to access an underground area that needs repair. That is why we offer our extensive line of battery-operated hydraulic tools that are among the fastest, and most ergonomically designed and balanced on the market.

No competitor comes close to the breadth of product solutions that we offer, and we're the No. 1 choice of experienced linemen for a reason.

We stand behind our tools and take tremendous pride in serving the needs of the utility industry. Through in-depth industry knowledge and unsurpassed tool expertise, Huskie Tools provides truly exceptional customer service, technical support, and product service.

A SPIRIT OF INNOVATION

We are constantly innovating our products to give our customers the best technology because we know you have the power to choose the tools that are best for you.

We introduced the industry's first line of battery-powered hydraulic tools in 1989, and today we offer over 200 battery-powered tools on the two most popular battery platforms, Milwaukee & Makita. To provide linemen with the best utility grade tools and choice of battery platforms, we have designed our tools to work with the best performing, most dependable batteries on the market.

INTO THE FUTURE

Since 1976, we've only been doing one thing — building the best, broadest and safest hydraulic cutting and crimping tools and accessories in the utility industry. We live, eat, and breathe lineman tools. They're not just tools, they're our business — our ONLY business.

We appreciate our thousands of loyal customers, and we're committed to supporting our industry's ability to choose the tools that work best no matter the project or application. We look forward to continuing to innovate so that we continue to be the #1 choice of utility lineman for the next 50 years.

POWER□CHOOSE



BATTERIES & CHARGERS

SERIES 7M - MAKITA®

BATTERY & CHARGER FEATURES

Rapid charging—reaches full charge in 45 minutes or less

Protection against overloading, over-discharging and over-heating

Longer run times and consistent power, even in extreme conditions

Integrated LED battery charge level indicator for easy monitoring

Maintains charge even after long periods of storage

Impact-resistant outer case and shockabsorbing inner liner for protection

3-year Huskie Tools battery & charger warranty

BATTERIES

PRODUCT	DESCRIPTION
BL1820B	Makita 18V LXT® Lithium-Ion Compact 2.0Ah Battery
BL1850B	Makita 18V LXT® Lithium-Ion 5.0Ah Battery



CHARGERS

PRODUCT	DESCRIPTION
DC18RC	Makita 18V LXT® Lithium-lon Rapid Optimum Charger (120VAC)
DC18SE	Makita 18V LXT® Lithium-Ion Optimum Automotive Charger (12VDC)



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.





BATTERIES & CHARGERS

SERIES 7R - MILWAUKEE®

BATTERY & CHARGER FEATURES

Onboard battery fuel gauge displays remaining runtime

Battery construction offers long-lasting performance and durability

All-weather performance delivers fade-free battery power in extreme conditions

Charger quickly charges all M12™ and M18™ battery packs

Charger communicates with the battery pack to ensure a full charge and battery protection

3-year Huskie Tools battery & charger warranty

BATTERIES

	PRODUCT	DESCRIPTION
	48-11-1820	MILWAUKEE M18™ REDLITHIUM™ CP 2.0 Battery
-	48-11-1850	MILWAUKEE M18™ REDLITHIUM™ XC 5.0 Battery



CHARGERS

PRODUCT	DESCRIPTION
48-59-1812	MILWAUKEE M18™ & M12™ Multi-Voltage AC Charger
48-59-1810	MILWAUKEE M18™ & M12™ Multi-Voltage DC Charger



Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.



SERIES 7M & SERIES 7R PRODUCT WARRANTY

HUSKIE TOOLS PRODUCTS CARRY A WARRANTY THAT MAKES US A LEADER IN THE UTILITY INDUSTRY.

PRODUCT WARRANTY

SL, REC, and SLC Tools 5 Years
Makita LXT® Batteries and Chargers 3 Years
Milwaukee® M18™ REDLITHIUM™ Batteries and Chargers 3 Years

The warranty does not cover any damages incurred from a Huskie Tools product including damages to property, bodily injuries and lost wages resulting from such injuries. This warranty solely covers the repair or replacement of tools supplied by Huskie. These remedies are exclusive, and the total liability of Huskie Tools, LLC whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the tool. In no event, shall Huskie Tools, LLC be liable for consequential, incidental or special damages.

HUSKIE TOOLS, LLC MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Huskie reserves the right to determine all warranty claims. Huskie will not warranty tools containing parts or batteries not originally supplied by Huskie. Failure due to misuse, improper maintenance, misapplication, not following instructions or warnings, abuse or repairs attempted by anyone other than Huskie Tools, LLC, or an authorized service center renders this warranty null and void.

REPAIR AND WARRANTY CLAIMS

All claims must be sent to Huskie for inspection and authorization. A Return Goods Authorization (RGA) is required before shipping tools to Huskie. Secure the authorization by telephoning or writing to Huskie's main office with details of the claim. Non-warranty repairs are handled using the same procedure. Repairs exceeding 50 percent of the cost of a new tool will be advised before repairs are made.



REPAIR & WARRANTY INFORMATION CAN ALSO BE FOUND ON OUR WEBSITE AT

huskietools.com/resources/rga/

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.

Images, content and information were as accurate as possible at the time this catalog was produced.









New dies? New tools? Whatever the need, they have made it as easy as 1, 2, 3 with an updated easy to navigate website featuring its fast and intuitive Product Finder and a newly engineered and customized Die Finder that couldn't be easier to use.

The **Huskie Tools Die Finder** allows customers to input any information they have on the die that they are looking for, click search, and instantly see all the appropriate available dies that fit their needs. Armed with that information, they can contact their local tool supplier and order up exactly what they need, knowing they have all the necessary info to get the order placed and to get the order right.

So whether you are in search of the latest tool technology or you need to get your hands on specific replacement dies, Huskie Tools has the quick and easy process to get you all the info you need to get what you want.

TRY OUT THE DIE FINDER AT HUSKIETOOLS.COM/DIE-FINDER,











What type of die are you looking for?



6 AND 12 TON DIE KITS W-TYPE AND U-TYPE COMPRESSION DIES





- Al & Cu Kits for W-Type and U-Type Dies
- Convenient case includes assortment of most common dies
- Each die set comes in an individual plastic case for safe keeping

Die kits have room for extra die sets or die adapters

ALL YOUR DIES IN ONE PLACE





DIEKITGTCU

4-6 Ton W-Type (CU) Die Kit

Huskie Part #	Burndy Equivalent
HT58AT	W-5CRT
HT58AU	W-4CRT
HT58AW	W-2CRT
HT58AY	W-25RT
HT58AZ	W-26RT
НТ58ВА	W-27RT
HT58BC	W-28RT
HT58BE	W-29RT
HT58BF	W-30RT
HT58BJ	W-31RT
НТ58ВК	W-32RT
HT58BL	W-34RT
AP DIE CASE	DIE CASE W/FOAM

DIEKIT6TAL

4-6 Ton W-Type (AL) Die Kit

Huskie Part #	Burndy Equivalent
HT58BX	W-161
HT58BZ	W-162
HT58DH	W-239
HT58CB	W-163
HT58DK	W-241
HT58DP	W-245
HT58CF	W-166
HT58JS	W-660
HT58DW	W-249
HT58AE	W-K840
HT58CUT	W-28K
HT58G	W-BG
AP DIE CASE	DIE CASE W/FOAM

DIEKIT12TCU

12 Ton U-Type (CU) Die Kit

Huskie Part #	Burndy Equivalent
HT41AT	U5CRT
HT41AU	U4CRT
HT41AW	U2CRT
HT41AX	U1CRT
HT41AY	U25RT
HT41AZ	U26RT
HT41BA	U27RT
HT41BC	U28RT
HT41BE	U29RT
HT41BF	U3ORT
HT41BJ	U31RT
НТ41ВК	U32RT
HT41BL	U34RT
HT41BM	U36RT
HT41BP	U39RT
AP DIE CASE	DIE CASE W/FOAM

DIEKIT12TAL

12 Ton U-Type (AL) Die Kit

Huskie Part #	Burndy Equivalent
HT41GL	USCABT
HT41GE	U6CABT
HT41GM	U4CABT
HT41GF	U2CABT
HT41EX	U25ART
HT41EY	U26ART
HT41GW	U27ART
HT41EZ	U28ART
HT41FW	U29ART
HT41GZ	U30ART
HT41FA	U31ART
НТ41НН	U32ART
HT41FB	U34ART
HT41HG	U36ART
HT41LJ	U39ART2
AP DIE CASE	DIE CASE W/FOAM





Huskie Tools Quick Reference for Dies

www.huskietools.com

HT-Series



Equivalent to Kearney "O" Type Dies for 4-6 Ton Tools

HUSKIE	KEARNEY Equivalent	HUSKIE	KEARNEY Equivalent
HT-B	В	HT-510	510 (HEX)
HT-D	D	HT-635	635 (HEX)
HT-D3	D3	HT-747	747 (HEX)
HT-J	J	HT-316	3/16
HT-K	K	HT-14	1/4
HT-O	0	HT-516	5/16
HT-P	Р	HT-38	3/8
HT-T	Т	HT-12	1/2
HT-737	737	HT-916	9/16
HT-781	781	HT-1932	19/32
HT-840	840	HT-58-1	5/8-1
HT-845	845	HT-1116	11/16

HUSKIE	CSA Equivalent
HTCSA-20	CSA-20
HTCSA-22	CSA-22
HTCSA-24	CSA-24

HT61-Series



Equivalent to Burndy "P" Type Dies for 15 Ton Tools

HUSKIE	BURNDY Equivalent	HUSKIE	BURNDY Equivalent
HT61BP	P39RT	HT61FC	P39ART
HT61BR	P40RT	HT61HJ	P40ART
HT61BU	P44RT	HT61FD	P44ART
HT61BV	P46RT	HT61AC	PKR
HT61KX	P-724	HT61AJ	PN
PU-15	DIE ADAPTER		

HUSKIE	CSA Equivalent
HT61PF	CSA-30
HT61PK	CSA-30CU
HT61PO	CSA-32
HT61PP	CSA-32CU
HT61PQ	CSA-34
HT61PR	CSA-34CU

HA60-Series

Equivalent to Alcoa 60 Ton Dies



HUSKIE	ALCOA Equivalent	HUSKIE	ALCOA Equivalent
HA60-01	6010SH	HA60-27	6040AH
HA60-02	6012SH	HA60-28	6074AH
HA60-03	6014SH	HA60-29	6075AH
HA60-04	6016SH	HA60-30	6076AH
HA60-05	6018SH	HA60-40	6007CD
HA60-06	6020SH	HA60-41	6008CD
HA60-07	6074SH	HA60-42	6009CD
HA60-08	6075SH	HA60-43	6010CD
HA60-09	6076SH	HA60-44	6011CD
HA60-20	6020AH	HA60-45	6012CD
HA60-21	6024AH	HA60-46	6013CD
HA60-22	6027AH	HA60-47	6014CD
HA60-23	6030AH	HA60-48	6015CD
HA60-24	6034AH	HA60-49	6016CD
HA60-25	6036AH	HA60-50	6017CD
HA60-26	6038AH		

HT58-Series



Equivalent to Burndy "W" Type Dies for 4-6 Ton Tools

HUSKIE	BURNDY Equivalent	HUSKIE	BURNDY Equivalent
HT58AE	W-K840	HT58DE	W-236
HT58BX	W-161	HT58DG	W-238
HT58BZ	W-162	HT58DH	W-239
HT58CB	W-163	HT58DK	W-241
HT58CD	W-164	HT58DM	W-243
HT58CE	W-165	HT58DP	W-245
HT58CF	W-166	HT58DT	W-247
HT58CG	W-167	HT58DV	W-248
HT58CM	W-171	HT58DW	W-249
HT58G*	W-BG	HT58DY	W-251
HT58J	W-C	HT58KA	W-687
HT58AK	W-O	HT58KH	W-702
HT58CUT	CUTTER	HT58AF	W-L
		HT58K	WKK

HUSKIE	BURNDY Equivalent
HT58AW	W-2CRT
HT58AU	W-4CRT
HT58AT	W-5CRT
HT58AY	W-25RT
HT58AZ	W-26RT
HT58BA	W-27RT
HT58BC	W-28RT
HT58BE	W-29RT
HT58BF	W-30RT
HT58BJ	W-31RT
HT58BK	W-32RT
HT58BL	W-34RT

HTK-Series





Equivalent to Kearney "WH-2" (10.7T) & "WH-3" (12 T) Type Dies

HUSKIE	KEARNEY Equivalent	HUSKIE	KEARNEY Equivalent	HUSKIE	KEARNEY Equivalent	HUSKIE	KEARNEY Equivalent
HTK	BKT	HTK-510	510	HTK-14	1/4	HTK-34H	3/4 (HEX)
HTK-C	С	HTK-572	572	HTK-516	5/16	HTK-2932H	29/32 (HEX)
HTK-D	D	HTK-635	635	HTK-38	3/8	HTK-1516	15/16
HTK-N	N	HTK-727	727	HTK-12	1/2	HTK-1-2H	1-2 (HEX)
HTK-N-2	N (WH-3 Only)	HTK-737	737	HTK-916	9/16	HTK-1-18-2H	1-1/8
HTK-O	0	HTK-747	747	HTK- 1932	19/32	HTK-1-516H	1-5/16 (HEX)
HTK-P	Р	HTK-781	781	HTK-58-1	5/8-1	HTK-1-12H	1-1/2 (HEX)
HTK-U	U	HTK-840	840	HTK- 1116	11/16	HTK-1-12H-3	1-1/2 (WH-3 Only)
						UDK-1	U Die Adapter

HA100-Series



Equivalent to Alcoa 100 Ton Dies

HUSKIE	ALCOA Equivalent	HUSKIE	ALCOA Equivalent	HUSKIE	ALCOA Equivalent			
HA100-01	10010SH	HA100-24	10034AH	HA100-41	10008CD			
HA100-02	10012SH	HA100-25	10036AH	HA100-42	10009CD			
HA100-03	10014SH	HA100-26	10038AH	HA100-43	10010CD			
HA100-04	10016SH	HA100-27	10040AH	HA100-44	10011CD			
HA100-05	10018SH	HA100-28	10074AH	HA100-45	10012CD			
HA100-06	10020SH	HA100-29	10075AH	HA100-46	10013CD			
HA100-07	10074SH	HA100-30	10076AH	HA100-47	10014CD			
HA100-08	10075SH	HA100-34	10042AH	HA100-48	10015CD			
HA100-20	10020AH	HA100-36	10044AH	HA100-49	10016CD			
HA100-21	10024AH	HA100-37	10046AH	HA100-50	10017CD			
HA100-22	10027AH	HA100-38	10048AH	HA100-51	10018CD			
HA100-23	10030AH	HA100-40	10007CD	HA100-52	10019CD			
				HA100-53	10020CD			

Huskie Die Chart (Color Code)

Approximate Cu	Conductor Range Al	Die Color Code	Huskie Die Set Catalog Number	Burndy Index	Burndy Die Set Catalog Number	T & B Index
6 AWG	8 AWG	BLUE	H41AT/HT41GL	7/374	U5CRT/U8CABT	24
4 AWG	6 AWG	GREY	HT41AU/HT41GE	8/346	U4CRT/U6CABT	29
2 AWG		BROWN	HT41AW	10	U2CRT	33
1 AWG	4 AWG	GREEN	HT41AX	11	U1CRT	37
	4 AWG	GREEN	HT41GM	375	U4CABT	37
1/0 AWG	2 AWG	PINK	HT41AY	12	U25RT	42H
	2 AWG	PINK	HT41GF	348	U2CABT	42H
2/0 AWG		BLACK	HT41AZ	13	U26RT	45
3/0 AWG		ORANGE	HT41BA	14	U27RT	50
	1/0 AWG	TAN	HT41EX	296	U25ART	50
4/0 AWG		PURPLE	HT41BC	15	U28RT	54H
	2/0 AWG	OLIVE	HT41EY	297	U26ART	54H
250 MCM		YELLOW	HT41BE	16	U29RT	62
	3/0 AWG	RUBY	HT41GW	467	U27ART	60
300 MCM		WHITE	HT41BF	17	U30RT	66
	4/0 AWG	WHITE	HT41EZ	298	U28ART	66
350 MCM		RED	HT41BJ	18	U31RT	71H
	250 MCM	RED	HT41FW	324	U29ART	71H
400 MCM		BLUE	HT41BK	19	U32RT	76
	300 MCM	BLUE	HT41GZ	470	U30ART	76
500 MCM		BROWN	HT41BL	20	U34RT	87H
	350 MCM	BROWN	HT41FA	299	U3RT	87H
600 MCM	400 MCM	GREEN	HT41HH/HT41BM	472/22	U32ART/U36RT	94H
	500 MCM	PINK	HT41FB	300	U34ART	99H
750 MCM		BLACK	HT41BP	24	U39RT	106H
	600 MCM	BLACK	HT41HG	473	U36ART	106H
	700/750 MCM	YELLOW	HT41LJ	936	U39ART-2	115H

HT41-Series

H141-Series							ries
HUSKIE	BURNDY Equivalent	HUSKIE	BURNDY Equivalent	HUSKIE	BURNDY Equivalent	HUSKIE	KEARNEY Equivalent
HT41G	U-BG	HT41DG	U-238	HT41AT	U5CRT	HT41KA	1/4
HT41J	U-C	HT41DH	U-239	HT41AY	U25RT	HT41KB	3/8
HT41V	U-D	HT41DL	U-242	HT41AZ	U26RT	HT41KC	5/16
HT41X	U-D3	HT41DM	U-243	HT41BA	U27RT	HT41KD	1/2
HT41Y	U-E	HT41DP	U-245	HT41BC	U28RT	HT41KE	9/16
HT41Z	U-F	HT41DT	U-247	HT41BE	U29RT	HT41KF	19/32
HT41AB	U-H	HT41DV	U-248	HT41GF	U2CABT	HT41KG	5/8-1
HT41AF	U-L	HT41DW	U-249	HT41GM	U4CABT	HT41KH	11/16
HT41AG	U-M	HT41DY	U-251	HT41GE	U6CABT	HT41KI	3/4
HT41AJ	U-N	HT41DZ	U-252	HT41GL	U8CABT	HT41KK	29/32
HT41AK	U-O	HT41EK	U-261	HT41BF	U30RT	HT41KL	15/16
HT41AM	U-R	HT41FG	U-305	HT41BJ	U31RT	HT41KM	1-2
HT41BX	U-161	HT41FM	U-316	HT41BK	U32RT	HT41KN	1-1/8-2
HT41BZ	U-162	HT41FN	U-317	HT41BL	U34RT	HT41KO	1-1/2-2
HT41CB	U-163	HT41FU	U-321	HT41BM	U36RT	HT41KP	510
HT41CD	U-164	HT41FX	U-327	HT41BP	U39RT	HT41KQ	572
HT41CE	U-165	HT41GK	U-373	HT41EX	U25ART	HT41KR	635
HT41CF	U-166	HT41GX	U-468	HT41EY	U26ART	HT41KS	737
HT41CG	U-167	HT41HM	U-490	HT41GW	U27ART	HT41KT	747
HT41CJ	U-168	HT41JM	U-654	HT41EZ	U28ART	HT41KU	781
HT41CK	U-169	HT41JN	U-655	HT41FW	U29ART	HT41KV	BKT
HT41CL	U-170	HT41JP	U-658	HT41GZ	U30ART	HT41AE	840
HT41CT	U-203	HT41JR	U-659	HT41FA	U31ART	HT41U	U
HT41DE	U-236	HT41KJ	U-705	HT41HH	U32ART	HT41KX	727
HT41DF	U-237	HT41LG	U-788	HT41FB	U34ART		
		HT41NC	U-997	HT41HG	U36ART	UDK-1	U Die
		HT41AE	U-K840	HT41LJ	U39ART2		Adapter
		HT41AX	U1CRT	HT41CUT	Cutter Dies		
		HT41AW	U2CRT	HT41TEST	Test Dies		
		HT41AV	U3CRT				
		HT41AU	U4CRT				

Equivalent to Burndy and Kearney "U" Type Dies for 12 Ton Tools




HUSKIE	ALCOA Equivalent	HUSKIE	ALCOA Equivalent
HT4107	74SH-03SH	HT4131	72AH
HT4108	75SH-05SH	HT4132	73AH-08AH
HT4109	76SH	HT4140	07CD
HT4111	11AH	HT4141	08CD
HT4120	20AH-14AH	HT4142	09CD
HT4128	74AH-10AH	HT4155	72SH-01SH
HT4129	75AH-12AH	HT4156	73SH
HT4130	76AH	HT4180	13AH-80EA

HUSKIE	CSA Equivalent	HUSKIE	CSA Equivalent
HT41PA	CSA-20	HT41PH	CSA-24CU
HT41PB	CSA-22	HT41PI	CSA-26CU
HT41PC	CSA-24	HT41PJ	CSA-28CU
HT41PD	CSA-26	HT41PK	CSA-30WCU
HT41PE	CSA-28	HT41PM	CSA-1
HT41PF	CSA-30W	HT41PN	CSA-2
HT41PL	CSA-20CU	HT41PZ	CSA-3
HT41PG	CSA-22CU		



HUSKIE TOOLS CARRIES THE INDUSTRY'S MOST POPULAR GRIP SIZES



ITEM	DESCRIPTION	JAW LENGTH	WEIGHT	CABLE TYPE .		EYE SIZE
TG-20	CABLE GRIP 15mm-26mm, 2200 LBS	2-3/4" (70mm)	1.3 LBS	CU, Covered, Tree Cables, Guy, EHS	Υ	26mm x 30mm
TG-25	CABLE GRIP 3mm-12mm, 2200 LBS	2-3/4" (70mm)	1.3 LBS	CU, Covered, Tree Cables, Guy, EHS	Υ	26mm x 30mm
TG-30	CABLE GRIP 5mm-22mm, 3000 LBS	2-3/4" (70mm)	2.2 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable	Υ	26mm x 30mm
TG-45	CABLE GRIP 5mm-22mm, 5000 LBS	3-1/2" (90mm)	3.3 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable, *Guy Strand	Υ	32mm x 42mm
TG-451R	CABLE GRIP 5mm-22mm, 5000 LBS, HOT STICK RING	3-1/2" (90mm)	3.3 LBS	Hot-Line Grip Spring Loaded Latch Handle	Υ	32mm x 42mm
TG-45A	CABLE GRIP 5mm-22mm, 5000 LBS, GUY/EHS	3-1/2" (90mm)	3.3 LBS	CU, Covered, Tree Cables, Guy, EHS, Wire Rope	Υ	32mm x 42mm
TG-45M	CABLE GRIP 5mm-28mm, 5000 LBS	4-3/4" (120mm)	4.2 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable	Υ	32mm x 42mm
TG-45MSL	CABLE GRIP 5mm-28mm, 5000 LBS, SAFETY LATCH	4-3/4" (120mm)	4.4 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable	Υ	32mm x 42mm
TG-46	CABLE GRIP 5mm-22mm, 8000 LBS	3-1/2" (90mm)	3.8 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable, *Guy Strand	Υ	32mm x 42mm
TG-461R	CABLE GRIP 5mm-22mm, 8000 LBS, HOT STICK RING	3-1/2" (90mm)	3.8 LBS	Hot-Line Grip Spring Loaded Latch Handle	Υ	32mm x 42mm
TG-46A	CABLE GRIP 5mm-22mm, 8000 LBS	3-1/2" (90mm)	4 LBS	CU, Covered, Tree Cables, Guy, EHS, Wire Rope	Υ	32mm x 42mm
TG-47	CABLE GRIP 18mm-36mm, 13000 LBS	7" (180mm)	9.9 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable	Twist	43mm x 51mm
TG-48	CABLE GRIP 18mm-35mm, 8000 LBS	4-3/4" (120mm)	5.2 LBS	Bare AL, AAC, ACSR, ACSS, CU Cable	Υ	32mm x 42mm
TG-481R	CABLE GRIP 18mm-35mm, 8000 LBS, HOT STICK RING	4-3/4" (120mm)	5.2 LBS	Hot-Line Grip Spring Loaded Latch Handle	Υ	32mm x 42mm



CABLE GRIPS

FOR COPPER CABLE, COVERED CABLE, BARE AL, GUY WIRE, WIRE ROPE, TREE CABLE

"BUILT FOR EVERYTHING THAT'S ON THE LINE"



HUSKIE TOOLS CARRIES THE INDUSTRY'S MOST POPULAR SIZES

SAFETY IS JOB #1

When working with wire and cable for utility applications. Cable grips from Huskie Tools are an efficient, cost effective, versatile design, constructed to keep everyone safe on the jobsite.

POWER GRIPS FEATURES & BENEFITS

Huskie Tools grips are designed to work with a wide variety of cable types and sizes, requiring fewer grip changes. Our power grips feature large handle eye openings for easy attaching and releasing to minimize lockup prevention FEATURING OUR PATENTED ONE-HAND POWER TRIGGER GRIP. These forged steel, rust and corrosion resistant coated grips are among the finest, and lightest cable grip products in the industry.





- Huskie Tools wire & cable grips are the lightest, most versatile grips on the market
- Most models feature patented one-hand operation power "trigger grip" for placement ease
- Patented "twist-grip" on larger models prevents cable distortion
- Right-sized special shaped pulling eyes to suit all brands of wire and strap hoists
- Gripping jaws are produced with new technology to increase jaw life
- Grips are designed to be used over a wider range of cable diameters







CABLE GRIPS

FOR COPPER CABLE, COVERED CABLE, BARE AL, GUY WIRE, WIRE ROPE, TREE CABLE

"BUILT FOR EVERYTHING THAT'S ON THE LINE"

Huskie Tools® Mechanical Crimpers install a wide range of full-tension and non-tension utility distribution connectors typically used on overhead lines, poles, and building hook-ups; including service entrance, streetlight, splices, taps, terminals, stacking lugs, stirrups, and repair sleeves.

Permanent and insertable die-grooves provide maximum versatility across a wide range of connections. Forged steel jaw construction with positive lock spring-loaded die retaining buttons provides ease-of-use and durability. High-strength one-piece composite handles provide long tool life and maximum leverage. The over-center cam action ensures full crimping force and allows field adjustability. DO NOT USE ON LIVE CIRCUITS.

Forged steel butting jaws ensure proper crimps

HUSKIE TOOLS "POP" TOOL FEATURES



cam action ensures full crimping force

High-strength aluminum alloy castings

Market Server Control Server S

MCP-1001

NOSE DIE: "BG" (5/8") SEAT DIE: "D3"

MCP SERIES TOOLS CRIMP & CONNECT

- Copper taps from #10 solid to #2/0 stranded
- Aluminum/ACSR taps from #14 solid to #4/0 ACSR
- Stirrups from #6 AWG to #4/0 ACSR
- ■5/8" and .840" service entrance sleeves
- Copper and Aluminum code conductor connectors from #6 AWG to #4/0 stranded
- Overhead full tension dead-end, full and non-tension splices, and terminals from #10 stranded to #4/0 ACSR



MCP-1002

NOSE DIE: "O" SEAT DIE: "D3"



MCP-2001

NOSE DIE: 5/8" ("BG") SEAT DIE: KEARNEY "O-TYPE"

SPECIFICATIONS: CRIMP FORCE: 9,000 lbs. (4,082 kg)

RANGE: #14 - #4/0 AWG | LENGTH: 25.6 in. (650mm) | WEIGHT: 7.0 lbs. (3.2 kg)



HUSKIETOOLS.COM

HUSKIETOOLS.COM

800.860.6170





Huskie Tools® Long Arm Cable Cutters provide fast, clean cuts on Copper & Aluminum power and communication cables. Available in three handle lengths (21", 26", & 32"), these cutters cover a wide range of cable sizes up to 750 MCM Copper and 1000 MCM Aluminum. DO NOT CUT ACSR & STEEL CABLE.

Strong lightweight fiberglass handles allow for easy two-hand control. Precision ground shear-cut blades feature clean, even cutting action and provide minimal distortion allowing cables to fit easily into lugs and connectors. Forged alloy-steel blades feature heavy-duty bolts and blade-stops for years of long-lasting performance.



Aluminum: 500 MCM JAW OPENING: 1.2 in. (30 mm) LENGTH: 21.1 in. (533 mm) WEIGHT: 3.8 lbs. (1.7 kg)



MXC-2600F

MAX CUTTING CAPACITY: Copper: 500 MCM, Aluminum: 1,000 MCM JAW OPENING: 1.3 in. (32 mm) LENGTH: 25.5 in. (648 mm) WEIGHT: 5.5 lbs. (2.5 kg)



MXC-3200F

MAX CUTTING CAPACITY: Copper: 750 MCM, Aluminum: 1,000 MCM JAW OPENING: 1.3 in. (32 mm) LENGTH: 31.5 in. (800 mm) WEIGHT: 6.2 lbs. (2.8 kg)

"HUSKIE HAND POWER"

HUSKIETOOLS.COM

LIVE

CIRCUITS



BUILT FOR EVERYTHING THAT'S ON THE LINE.™

Since 1976, Chicago born Huskie Tools has been the #1 choice for lineman tools & equipment across every essential electrical utility category. Huskie Tools has the industry's most complete power product line including the largest assortment of hydraulic cutting & crimping tools — over 200 models powered by the most popular battery platforms, Milwaukee® & Makita®, 30 different hand-powered manual tools, remote cutting & crimping heads, dies, die kits, battery & gas powered high-pressure pumps, single & double acting 60, 100, 200-ton presses including titanium, plus TiiGER® material handling & pole pulling equipment & Power Grips™ cable grips.





Huskie



SINCE 1976

⊭POWER□CHOOSE

Huskie Tools is not affiliated with, authorized, or endorsed by Milwaukee Electric Tool Corporation. Milwaukee listed batteries and chargers are being resold by Huskie Tools. Milwaukee® M18™ REDLITHIUM™ are registered trademarks of Milwaukee Electric Tool Corporation. Huskie Tools is not affiliated with, authorized, or endorsed by Makita® Corporation. Makita® listed batteries and chargers are being resold by Huskie Tools. Makita® and LXT® are registered trademarks of Makita® Corporation.





