



MIRRORS

Installation & Owner Guide

THIS PRODUCT MUST BE INSTALLED BY A QUALIFIED TRADESMAN

*Valid from 1st August 2025.



Ingrain is an Australian owned and locally designed brand that celebrates the beauty and intricacy of materials. Our products are crafted with a keen eye for detail, and we believe that the materials we use should be celebrated and appreciated, and our designs aim to showcase this in every piece. Our mission is to elevate the spaces you inhabit by providing unique and quality products that speak to your individual style.

We carefully curate our collection of materials, sourcing locally and from all corners of the globe to ensure that each piece we offer is truly beautiful for your home. Whether it's the warm, earthy feel of our reclaimed and sustainably sourced hand-crafted Australian timber vanity series, the luxurious detailing of our painted and timber veneer collections, our low silica sintered stone vanity tops, or the understated elegance of our mirrors, each product has its own story to tell.

PRE-INSTALLATION CHECK

- **Please open and inspect your product upon delivery.** The Blue Space must be notified of any faults, issues, or complaints with your Ingrain product within 24 hours of you receiving delivery.

WARRANTY TERMS & CONDITIONS



Ingrain guarantee that all products sold are free from **manufacturing faults and defects with a 3-year warranty from the date of original delivery.** We use only the highest quality of furniture grade timbers. Combining traditional craftsmanship and modern technology, we aim to make furniture that will last a lifetime when used as intended.

Proper handling and care for each product is essential to guarantee longevity, no product should ever be dragged or stood on as glass is fragile and can easily break.

For peace of mind when buying with The Blue Space, you are covered by:

- Our 30-day return or exchange policy.
- Insurance on all product deliveries. Please note, goods need to be inspected **within 24 hours** of delivery for breakages.
- Free change of mind policy if changing your mind within 24 hours of purchasing (if your goods have not been shipped out).

If you need help caring for your Ingrain products, don't hesitate to reach out to our team at The Blue Space. We're always happy to answer your questions. You can email us at info@thebluespace.com.au

CARING FOR YOUR MIRROR

It is important to exercise caution when it comes to keeping the edges of a mirror dry and free from any liquids or substances. Failure to do so can lead to damage known as 'black edge'. If your mirror does get wet, it is crucial to promptly dry it off. Here are some recommendations:

- The safest and most effective way to clean a mirror is by using clean, warm water along with a soft cloth that does not leave lint. Before wiping the mirror, make sure to wring out any excess water from the cloth. Afterward, dry the mirror immediately using a dry lint-free cloth.
- Avoid using acid or alkali-based cleaners to clean the mirror after installation, as these substances can harm the front surface, edges, and backing of the mirror. It is important to never use any abrasive cleaners on any part of the mirror.
- Refrain from spraying cleaners directly onto the mirror. Instead, apply the cleaner onto a soft lint-free cloth and then proceed to wipe the mirror. This approach helps prevent the cleaner from coming into contact with the edges of the mirror, thus reducing the risk of damage.
- Do not use commercial mirror cleaners that contain ammonia or vinegar.


SAFE INSTALLATION AND USE OF YOUR MIRROR

Ingrain Mirrors should be installed and tested by a qualified electrician and in accordance with current local regulations. Where possible the Ingrain Mirror should be screwed into studs or other suitable dry wall anchors, if fixing to hollow walls suitable anchors should be used.


- Observe and adhere to electrical guidelines when placing your Ingrain Mirror in wet areas.
- Ensure any timers or switches used are installed in correct zones according to the IP rating of the timer/switch.
- This product conforms to AS/NZS safety standards and must be installed in accordance with current wiring regulations and building regulations.
- Means of disconnection from the supply mains must be incorporated in the fixed wiring in accordance with the wiring rules.
- This product must be earthed and should not be connected to an unearthed circuit.
- Ensure that connections are turned off at the electrical board or sub-board before installing or carrying out any maintenance.
- This product is for indoor use only, ambient of 25°C.
- This appliance is not for use by minors or people with a lack of experience/knowledge unless supervised or instructed by someone responsible for their safety.
- Do not stare at the operating light source for continued periods.

ROUND, PILL & ARCH MIRRORS


INSTALLATION GUIDE




Mark two screw positions on the wall aligned with the mirror's mounting plate holes, ensuring levelness using a tape and spirit level.




Drill the holes and insert wall plugs, using a hammer if needed. Screw in screws provided, leaving 4-5mm exposed to hang mirror.



Turn off the main power. Connect wires securely to the mains supply to avoid overheating and potential damage.



Hang the mirror on the screw hangers. Turn on the mains electricity to ensure your mirror is operational.



WIRING DETAILS

INCOMING SUPPLY	L	E	N	MIRROR WIRING
LIVE	—	—	—	BLACK or LABELLED-L
EARTH	—	—	—	GREEN/YELLOW or LABELLED-E
NEUTRAL	—	—	—	WHITE or LABELLED-N



LED Touch Sensor Switch: Touch sensor glows blue (inactive) and white (active). Short press to turn on mirror LED. Press and hold while white for stepless dimming. Long press while blue to turn off button light.



Demister: Front touch sensor glows white when active. Demister heats fully in 3-5 mins and turns off automatically after 60 min if left on.




Ensure the wall surface is of suitable strength and construction.


Note: Wall plugs provided are suitable for Stone or Brick walls, but not wooden walls. For other wall types, use appropriate wall plugs. If in doubt, consult an expert.

RECTANGLE MIRRORS


INSTALLATION GUIDE




Mark two screw positions on the wall aligned with the mirror's mounting plate holes, ensuring levelness using a tape and spirit level.




Drill the holes and insert wall plugs, using a hammer if needed. Screw in screws provided, leaving 4-5mm exposed to hang mirror.



Turn off the main power. Connect wires securely to the mains supply to avoid overheating and potential damage.



Hang the mirror on the screw hangers. Turn on the mains electricity to ensure your mirror is operational.



WIRING DETAILS

INCOMING SUPPLY	L	E	N	MIRROR WIRING
LIVE	—	—	—	BLACK or LABELLED-L
EARTH	—	—	—	GREEN/YELLOW or LABELLED-E
NEUTRAL	—	—	—	WHITE or LABELLED-N



LED Touch Sensor Switch: Touch sensor glows blue (inactive) and white (active). Short press to turn on mirror LED. Press and hold while white for stepless dimming. Long press while blue to turn off button light.



Demister: Front touch sensor glows white when active. Demister heats fully in 3-5 mins and turns off automatically after 60 min if left on.



Ensure the wall surface is of suitable strength and construction.

Note: Wall plugs provided are suitable for Stone or Brick walls, but not wooden walls. For other wall types, use appropriate wall plugs. If in doubt, consult an expert.