


Bianca Shower Rail


Nero



Versions:202506



Drawing



Specifications

Watermark License
WM-060093
Temperature Rating
Min 1°C-Max 75°C
Pressure Rating
Min 150kpa - Max 500kpa







Packaging Includes

1x Hand Shower
1x Shower Rail
1x Shower Elbow
1x 1.5m PVC Hose

Finish & SKU

- | | | |
|---|--|--|
|  Chrome
NR30803CH |  Gun Metal
NR30803GM |  Brushed Nickel
NR30803BN |
|  Matte Black
NR30803MB |  Brushed Gold
NR30803BG | |

*Dimensions are nominal measurements only.

<div><p>use Teflon tape</p></div> <div><p>1.Put Teflon tape on outlet thread.</p></div>	<div><p>670mm (recomendation)</p></div> <div><p>4.Drill two Ø6mm holes according to above picture.</p></div>	<div><p>0</p></div>
<div></div> <div><p>2.Pull dressing ring on the elbow body.</p></div>		
<div></div> <div><p>3. Screw elbow body on to outlet.</p></div>		<div><p>0</p></div>
<div></div> <div><p>6.Plug shower rail in bottom bracket. Mount top bracket on the top hole by expansion plug and tapping screw. Push plates onto two brackets.</p></div>	<div><p>washer</p><p>washer</p></div> <div><p>7.Connect hand shower with outlet by shower hose.</p></div>	<div></div> <div><p>8.Test for leaks.</p></div>

Nero

