


Ecco Shower Mixer With Diverter


Nero



Lead Free





Versions:202506

Drawing	Specifications	Group Item						
	Watermark License WM-060073 Temperature Rating Min 1°C-Max 75°C Pressure Rating Min 150kpa - Max 500kpa Finish & SKU <table><tr><td> Chrome NR301311aCH</td><td> Gun Metal NR301311aGM</td><td> Brushed Nickel NR301311aBN</td></tr><tr><td> Matte Black NR301311aMB</td><td> Brushed Gold NR301311aBG</td><td></td></tr></table>	 Chrome NR301311aCH	 Gun Metal NR301311aGM	 Brushed Nickel NR301311aBN	 Matte Black NR301311aMB	 Brushed Gold NR301311aBG		1x Universal Body 1x Trim Kits Only
 Chrome NR301311aCH	 Gun Metal NR301311aGM	 Brushed Nickel NR301311aBN						
 Matte Black NR301311aMB	 Brushed Gold NR301311aBG							

*Dimensions are nominal measurements only.


7. Waterproof for the gap the plasterboard and body.

Installation Instruction For Trim Kits Only



1. Drill a $\phi 50\text{mm}$ and a $\phi 30\text{mm}$ hole in the ceramic tile, then position it as shown in the above diagram.
2. Undo the self-tapping screw to remove the plastic sleeve.

3. Insert the O ring to the dressing bell groove, and slide the cartridge bell onto cartridge and slide Diverter dressing bell onto Diverter cartridge.
4. Apply waterproof treatment to the area indicated in the diagram above.
5. Tighten up the dressing ring on the cartridge bell.



6. Slide the backplate onto body.
7. Attach the washer to cartridge rod, position the handle, tighten it with a grub screw using an Allen key, and cap the grub screw hole.
8. Put knob onto Diverter cartridge, tighten it with grub screw using Allen key, and cap the grub screw hole.

MAINTENANCE AND CARE:

- Regularly check the mixer and connections for signs of wear or leaks.
- Clean the tap with mild soapy water to maintain its appearance, avoiding harsh chemicals and abrasive materials that may damage the finish.

FINAL INSPECTION:

- Ensure the tap operates smoothly and that there are no leaks at the connections.
- Clean the area and the newly installed tap with a soft cloth to remove any installation residues.

Nero

