



Universal Pop Up Waste

Nero









Version: 202606

Drawing	Specifications	Packaging Includes												
 <p>Technical drawing of the Universal Pop Up Waste fixture showing dimensions:</p> <ul style="list-style-type: none">Top flange diameter: Ø63Body diameter (top): Ø63Body diameter (middle): Ø40Body diameter (bottom): Ø62Body diameter (base): Ø49.5Threaded section diameter: G12Threaded section length: 45Threaded section pitch: M6Overall height: 5-60	<p>Watermark License WMK26021</p> <p>Finish & SKU</p> <table><tr><td> Chrome NRA706CH</td><td> Gun Metal NRA706GM</td><td> Brushed Bronze NRA706BZ</td><td> Graphite NRA706GR</td></tr><tr><td> Matte Black NRA706MB</td><td> Brushed Gold NRA706BG</td><td> Matte White NRA706MW</td><td> Brushed Nickel NRA706BN</td></tr><tr><td> Aged Brass NRA706AB</td><td> Rome Bronze NRA706RB</td><td> Tumbled Antique Brass NRA706TA</td><td></td></tr></table>	Chrome NRA706CH	Gun Metal NRA706GM	Brushed Bronze NRA706BZ	Graphite NRA706GR	Matte Black NRA706MB	Brushed Gold NRA706BG	Matte White NRA706MW	Brushed Nickel NRA706BN	Aged Brass NRA706AB	Rome Bronze NRA706RB	Tumbled Antique Brass NRA706TA		<p>1x Pop Up Waste</p>
Chrome NRA706CH	Gun Metal NRA706GM	Brushed Bronze NRA706BZ	Graphite NRA706GR											
Matte Black NRA706MB	Brushed Gold NRA706BG	Matte White NRA706MW	Brushed Nickel NRA706BN											
Aged Brass NRA706AB	Rome Bronze NRA706RB	Tumbled Antique Brass NRA706TA												

*Dimensions are nominal measurements only.

*Dimensions are nominal measurements only.

Installation Instruction

<div><p>cap</p><p>pull out</p><p>housing</p><p>thread rod</p></div> <div>1. Disassemble pop-up waste by pulling out the cap and unscrewing the housing from the thread rod.</div>	<div><p>white foam washer</p></div> <div>2. Put waste through in basin hole and make white foam washer fitted to upper side of the basin.</div>	<div><p>screw</p><p>silicone washer</p></div> <div>3. Put the housing covering on basin hole at bottom side. Screw thread rod through waste and housing in a row.</div>
<div></div> <div>4. Tighten up the thread rod by screw driver.</div>	<div><p>push back</p></div> <div>5. Push back the cap.</div>	<div></div> <div>6. Finish, and check for leaks.</div>

Nero

