



# ALLEGRI.




BY KALCO LIGHTING™

**Warning:**

**Do not hold the fragile fixture body!!!**

Please tear away the film and white paper after installing the fixture!

Please lift up the following iron SQ tube cross bracket when installing, do not hold or lift fixture from crystals.



Top View

MODEL 037249

## ASSEMBLY AND DRESSING INSTRUCTIONS

Blending innovative design, cutting-edge technology and the grace and elegance of traditional crystal, ALLEGRI® proudly brings you a new approach to lighting. ALLEGRI® fixtures are made from the finest raw materials and are brought to life through a combination of traditional manufacturing, such as sand casting, hand-forging and technology driven techniques including laser cutting.

Enclosed are detailed instructions on how to properly install your fixture. Please read all instructions carefully. If you need further assistance, please contact the dealer from which you purchased this product or call 800-525-2655 to speak with an ALLEGRI® customer service representative. We hope you enjoy your fixture!





# ALLEGRI.


BY KALCO LIGHTING

## CANOPY MOUNTING INSTRUCTIONS

### Wiring Diagram



All electrical components must be installed by a licensed electrician in accordance with the National Electric code and the appropriate local electrical codes.



### INSTALL CANOPY AS FOLLOWS

**CAUTION:** Be sure power is off at the main breaker box prior to installation.

1. Disconnect the power supply.
2. Take all accessories from the accessories box.
3. Pre-mount 3pcs 1/4-20 thread rods according to the holes position of crossbar.
4. Fix crossbar on ceiling by 1/4-20 hex screws.
5. Connect crossbar and canopy by 3pcs Ø2\*L305mm safety cable.
6. Adjust the length of chain and hang it on the loop of canopy with easy link.
7. Hang the lamp body on the chain with easy link.
8. Connect the main line of lamp body with the power output line, please refer to wire diagram.
9. Move the canopy up close to ceiling and fix it with iron lathe part.



# ALLEGRI.

BY KALCO LIGHTING™

## FRAME ASSEMBLY INSTRUCTIONS

MODEL 037249

### WARNING



Electrical Danger




Turn Power Off

All electrical components must be installed by a licensed electrician in accordance with the National Electric code and the appropriate local electrical codes.



You will need 37 - Cand.Buld  
40 Watts Recommended  
40 Watts Max  
Bulb not included



### INSTALLATION

- Remove the crystal strip as shown in the picture, rotate the light source to the lamp holder, and then fix the crystal strip on the lamp body with a spherical carriage.
- Check the installation.