



ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 515361MB
TABLAS 42 INCH ISLAND

I M A G E



If you have any questions or problems assembling your fixture please call us for assistance.

Customer Service: (702) 361-4345 or (800) 525-2655

customer.services@kalco.com

WARNING! TO REDUCE THE RISK OF FIRE OR INJURY PLEASE TAKE PRECAUTION AND FOLLOW THE STEPS BELOW.

1. This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
2. Turn off the power to the fixture's circuit at the service panel. Use a voltage detector to verify that the power is off.
3. DO NOT install bulb which exceeds the maximum wattage specified on the socket label.

Si vous avez des questions ou des problèmes assemblage de votre dispositif s'il vous plait appel pour l'assistance.


Customer Service: (702) 361-4345 or (800) 525-2655

customer.services@kalco.com

AVERTISSEMENT! POUR RÉDUIRE LES RISQUES D'INCENDIE OU DE BLESSURES S'IL VOUS PLAÎT PRENDRE DES PRÉCAUTIONS ET SUIVEZ LES ÉTAPES CI-DESSOUS.

1. Ce produit doit être installé conformément au code d'installation applicable par une personne connaissant la construction et le fonctionnement du produit ainsi que les dangers encourus.
2. Coupez l'alimentation au circuit de l'appareil sur le tableau de service. Utiliser un détecteur de tension pour vérifier que l'alimentation est coupée
3. NE PAS installer l'ampoule qui excède la puissance maximale indiquée sur l'étiquette du socket.


WIRING DIAGRAM



ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 515361MB
TABLAS 42 INCH ISLAND

KNOCK DOWN ASSEMBLY



STEP 1: Carefully insert the wire through the stem. Connect bottom end of the stem to the main frame then turn to lock.

NOTE: Shade is pre-assembled.

STEP 2: Determine fixture height. Adjust the stems accordingly then attached the swivel on the top end.

STEP 3: Insert the swivel threaded end through the canopy and lock it up with hexnut and washer.

ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 515361MB
TABLAS 42 INCH ISLAND

ELECTRICAL / MOUNTING INSTALLATION

STEP 4: Attach mounting plate to outlet box with the (2) 8-32 x 3/4" screws.


STEP 6: Lace wires through the mounting plate.

STEP 7: Refer to wiring diagram. With wire carefully threaded thru canopy, connect the black supply wire to the smooth fixture wire with (wire) connector, connect the white supply wire to the ribbed fixture wire with wire connector. Connect ground wire from fixture with supply ground wire.



STEP 8: Carefully tuck all wires into outlet box ensuring that there are no wires pinched between the canopy and ceiling.

STEP 9: Lock the canopy in place using the RS Caps provided.

STEP 10: Insert bulb to the socket, do not exceed bulb above 40watts.



MODIFIED MOUNTING PLATE



ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 515361MB
TABLAS 42 INCH ISLAND

PARTS LIST

IMAGE	PARTS NAME	QTY
	Modified Mounting Plate	1 PC
	Star Washer	2 PC
	Hex Nut	2 PCS
	Canopy	1 PC
	RS cap	2 PC
	STEM	2 SETS
	SWIVEL	2 PCS
	CANDLE COVER	6 PCS

LIGHTING MAINTENANCE:

- Regular cleaning of fixture with proper and gentle care using a soft duster, soft lint-free or damp cloth is recommended.
- Refrain from using harsh cleaning liquids that may cause chemical reaction on the hand painted finishes.
- Always refer to the Assembly Instruction before removing any components.
- **HANDLE WITH CARE.**