



ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 525251PAB
3LTS PENDANT

I M A G E



If you have any questions or problems assembling your fixture please call us for assistance.

Customer Service: (702) 361-4345 or (800) 525-2655
customer.services@kalco.com

WARNING! TO REDUCE THE RISK OF FIRE OR INJURY PLEASE TAKE PRECAUTION AND FOLLOW THE STEPS BELOW.

1. This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
2. Turn off the power to the fixture's circuit at the service panel. Use a voltage detector to verify that the power is off.
3. DO NOT install bulb which exceeds the maximum wattage specified on the socket label.


Si vous avez des questions ou des problèmes assemblage de votre dispositif s'il vous plait appel pour l'assistance.

Customer Service: (702) 361-4345 or (800) 525-2655
customer.services@kalco.com

AVERTISSEMENT! POUR RÉDUIRE LES RISQUES D'INCENDIE OU DE BLESSURES S'IL VOUS PLAÎT PRENDRE DES PRÉCAUTIONS ET SUIVEZ LES ÉTAPES CI-DESSOUS.

1. Ce produit doit être installé conformément au code d'installation applicable par une personne connaissant la construction et le fonctionnement du produit ainsi que les dangers encourus.
2. Coupez l'alimentation au circuit de l'appareil sur le tableau de service. Utiliser un détecteur de tension pour vérifier que l'alimentation est coupée
3. NE PAS installer l'ampoule qui excède la puissance maximale indiquée sur l'étiquette du socket.

WIRING DIAGRAM




ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 525251PAB
3LTS PENDANT

ELECTRICAL / MOUNTING INSTALLATION

- STEP 1:** Attach mounting plate to outlet box with the (2) 8-32 x 3/4" screws.(provided by others)
- STEP 2:** Connect bare ground wire from the outlet box (if supplied) with connectors.
- STEP 3:** Refer to wiring diagram. With wire carefully threaded through canopy, connect the black supply wire to the black fixture wire with wire connector, connect the white supply wire to the white fixture wire with wire connector.
- STEP 4** Determine the required overall fixture height and adjust the wire accordingly.Attached the lock up and lock it by using setscrew.
- STEP 5:** Carefully tuck all wires into outlet box ensuring that there are no wires pinched between the canopy and ceiling.
- STEP 6:** Attach the canopy to mounting plate and lock it by using two (2) 1/4 x 1/2" Flat head screws.
- STEP 7:** Attach the leather strap (3pcs) to leather holder and lock it by using ball-nut and install the Bone China shade and lock it by using ball nut (2pcs) per leather strap.
- STEP 8:** Install the bulb to the socket, do not use bulb that will exceed to 40 Watts.



WHITE BONE CHINA MAINTENANCE:






WARNING!!: To ensure the safety on electric shock please make sure to unplug or not connected the fixture to the outlet.

- When cleaning the Bone China please use a soap and water. Note: Refrain from using harsh cleaning liquids that may cause a chemical reaction to the white bone china
- Always refer to the Assembly Instruction before removing any components.
- HANDLE WITH CARE.

ASSEMBLY & INSTALLATION INSTRUCTIONS

MODEL: 525251PAB
3LTS PENDANT

PARTS LIST

IMAGE	PARTS NAME	QTY
	Mounting plate	1 PC
	Flat head Screw	2 PCS
	Allen wrench	1 PC
	Cotton gloves	1 PAIR
	White Bone China Shade	3 PCS