

USER MANUAL

Rabbit Feeder & Drinker Set

5LB Capacity Rabbit Feeder | 32oz Drinker





TABLE OF CONTENTS

Package Contents	3
How to Assemble Feeder	4
How to Use & Install Drinker	8
Maintenance	12
Contact Information	BACK COVER

PACKAGE CONTENTS



1x metal feeder with clips

CAUTION: Feeder includes pre-installed magnets to secure lid




1x feeder lid




1x drinker [32oz]



1x sliding Lid with easy-plug (stored underneath lid)




1x brass nozzle




1x metal auto-fill cup

HOW TO ASSEMBLE FEEDER

1. Mount the feeder using both clips. You may turn the clips either left or right.




2. To mount the feeder on the outside, cut the wires around the hole of the feeder for access.



HOW TO USE & INSTALL DRINKER


When introducing a new type of waterer to your animals, completely remove the previous water source and replace it with the new waterer in the same location.

The position of the drinker depends on the height of your animal. *We do not provide an exact measurement as all animal sizes vary. Please use your best judgement when installing.*





We recommend placing the drinking on the outside of a cage to allow for easy refill.


Anchor the drinker to hardware cloth using the clips on both sides. You may turn the clips either left or right depending on if you want the drinker inside or outside the cage.




1. Place the notches that are located on the inside of the lid into the tracks on sides of the drinker.




2. Mount the drinker using both clips. You may turn the clips either left or right.



2. To mount the drinker on the outside, cut the wires around the drinker opening if it is not accessible.



3. Install the desired drinker attachment.
To install the brass nozzle: Use a wrench ($\frac{5}{8}$ " or adjustable) and grip the part of the nozzle that is shaped like a hex nut and firmly screw the nozzle into the drinker until tight. (Wrench not included).



MAINTENANCE

HOW TO CLEAN DRINKER

To prolong the life of your drinker, we recommend washing the entire drinker at least once a week.

The drinker container and lid are dishwasher-safe, top rack only.


Disassemble drinker before cleaning.

HOW TO USE EASY-CLEAN PLUG




The small silicone plug is located underneath the drinker lid can be removed. It is used to stop the flow of water so that you can easily unscrew, move, and clean your cup without creating a mess.


1. Remove the easy-plug from the lid and insert the plug into the hole at the bottom of the inside of the container.



2. Unscrew the drinking attachment by its elbow. We recommend placing a towel or bowl underneath the attachment to catch excess water from the elbow.




2. After you are done unscrewing, moving, and/or cleaning, reinstall the drinking attachment back onto the drinker before removing the plug. Return the plug to the lid to store for safe-keeping.




HOW TO CLEAN METAL AUTO-FILL CUP

1. Clean and wipe any dirt or debris from the cup.
2. Pry one side of the tabs on the base to release the small plastic nodule out of its tab. Be careful not to break the nodule off.

There is a load-spring so make sure to take the base off slowly. Once you release the first nodule, the second tab will come off easy.



3. Check that all water spouts are clean of debris. You can use a toothpick if clogged.





RentACoop®

QUESTIONS?

CONTACT OUR
E G G - S P E R T S

info@rentacoop.com

1 800-642-3571

M-F 9-5 EST



@rentacoop
#rentacoop