




Versatile Holder for RentACoop 1 Liter Drinkers

INSTALLATION GUIDE

Compatible
with ALL
RentACoop
1 Liter Drinkers!


contents

x1 wire bracket
holder



x2 screws

x1 wire
bracket



Drinker can attach
to both inside AND
outside of wire
cages using the
wire bracket only!

Available Monday-Friday

The World's
BEST
CUSTOMER SERVICE

1800-642-3571

info@rentacoop.com



9am-5pm EST

Help others by sharing your experience
in the form of a review.

amazon.com/ryp
"Review Your Purchase"




www.ShopRentACoop.com



[rentacoopus](https://rentacoopus.com)
#rentacoop

THANK YOU FOR SUPPORTING OUR SMALL FAMILY FARM!



1 Determine Position.

Determine appropriate height for installing wire bracket holder. Use reference guide below:

Auto-Fill Cups and Metal Auto-Fill

Cups: We recommend that cups are *shoulder level* with your animal.

Horizontal Nipples (Poultry & Pet

Birds Only): We recommend that horizontal nipple are *eye-level* with your animal.

Nipples: We recommend that the nipple sits *slightly above your animal's head* to prevent side drinking.

2 Place Wire Bracket Holder.

Place **wire bracket holder** under the guide line and hold in place.

3 Install Screws.


Install provided **screws** using a philip heads screwdriver.

4 Hang Wire Bracket.

Hang **wire bracket** onto **wire bracket holder**.



Ready for use!



1 Measure & Draw Guide.

Make a temporary guide line using a pencil and ruler. Use reference below:

Auto-fill Cups: Measure 6" from the height of your animals' shoulder.

Horizontal Nipples: Measure 5½" from the height of your animals' eyes. You want the horizontal nipple to be eye-level with your animal.

Nipples: Measure 7" from the top of your animal's head. We recommend that the nipple sits slightly above your animal's head to prevent side drinking.

2 Position Wire Bracket Holder.

Place **wire bracket holder** under the measured guide line and hold in place.

3 Install Screws.

Install provided **screws** using a philip heads screwdriver.

4 Hang Wire Bracket.

Hang **wire bracket** onto **wire bracket holder**.



Ready for use!