



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

1 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

Pass	Pass	Pass	Pass
Pesticides	Microbials	Mycotoxins	Water Activity
Not Tested	Pass	Pass	Pass
Solvents	Metals	Foreign Matter	Moisture

## Cannabinoids

25.86%

Total THC

ND

Total CBD

11.3%

Moisture

Analyte	LOQ	Result	Result
	mg/g	%	mg/g
CBDVa	0.2	ND	ND
CBDV	0.2	ND	ND
CBDa	0.2	ND	ND
CBGa	0.2	0.55	5.5
CBG	0.2	ND	ND
CBD	0.2	ND	ND
THCV	0.2	ND	ND
THCVa	0.2	ND	ND
CBN	0.2	ND	ND
Δ9-THC	0.2	ND	ND
Δ8-THC	0.2	ND	ND
(6aR,9R)-d10-THC	0.2	ND	ND
(6aR,9S)-d10-THC	0.2	ND	ND
CBC	0.2	ND	ND
THCa	0.2	29.48	294.8
CBCa	0.2	ND	ND
<b>Total Cannabinoids</b>		<b>30.04</b>	<b>300.37</b>

Entered By: VJ, Instrument ID: AL2-004

Method: MTHD-001, Date Tested: 09/17/2025 15:27

Total theoretical THC % = (delta-9- THC%) + (THCA% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

2 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

## Not Tested

Analyte	LOQ	Limit	Result	Status

## Microbials

Pass

Analyte	LOQ	Limit	Result	Status
Aspergillus flavus	1	Absent	Absence	Pass
Aspergillus fumigatus	1	Absent	Absence	Pass
Aspergillus niger	1	Absent	Absence	Pass
Aspergillus terreus	1	Absent	Absence	Pass
Salmonella	1	Absent	Absence	Pass
Shiga Toxin E. Coli	1	Absent	Absence	Pass
Aerobic Bacteria	10	100000	400	Pass
Yeast & Mold	10	10000	4900	Pass

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 09/17/2025 11:27

YM Date Tested: 09/18/2025 9:30 Sal/STEC/Asp Date Tested: 09/17/2025 11:41

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
Chromium	PPM	PPM	PPM	
Nickel	1.0000	1100.0000	<LOQ	Pass
Copper	0.5000	5.0000	1.7764	Pass
Arsenic	1.0000	0.2000	<LOQ	Pass
Cadmium	0.1000	0.2000	<LOQ	Pass
Antimony	0.5000	2.0000	<LOQ	Pass
Mercury	0.0500	0.1000	ND	Pass
Lead	0.2500	0.5000	<LOQ	Pass

Entered By: AT, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 09/22/2025 13:13:43

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
Aflatoxin B1	µg/g	µg/g	µg/g	
Aflatoxin B2	0.005	0.020	ND	Pass
Aflatoxin G1	0.005	0.020	ND	Pass
Aflatoxin G2	0.005	0.020	ND	Pass
Ochratoxin A	0.005	0.020	ND	Pass
Total Aflatoxins		0.020	ND	Pass

Entered By: AT, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 09/17/2025 18:31


Entered By: , Instrument ID:  
Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

3 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

Bouket Flower Hybrid 4g Paztelito  
Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
Limonene	0.0065	0.39	3.89
β-Caryophyllene	0.0065	0.30	3.01
Linalool	0.0065	0.30	2.97
β-Myrcene	0.0065	0.13	1.29
Caryophyllene Oxide	0.0065	0.12	1.16
α-Humulene	0.0065	0.12	1.15
Guaiol	0.0065	0.10	1.05
β-Pinene	0.0065	0.07	0.68
Fenchol	0.0104	0.06	0.59
α-Pinene	0.0065	0.04	0.39
α-Bisabolol	0.0065	0.03	0.34
α-Phellandrene	0.0052	ND	ND
α-Terpinene	0.0065	ND	ND
Camphephene	0.0065	<LOQ	<LOQ
Farnesene	0.0021	ND	ND
Geraniol	0.0065	ND	ND
Ocimene	0.0065	ND	ND
Terpineol	0.0052	ND	ND
Terpinolene	0.0065	ND	ND
Valencene	0.0021	ND	ND



Orange



Cinnamon



Lavender



Hops



Wood

1.6517%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 09/18/2025 12:40

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik

Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

4 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	ND	Pass
Acephate	0.05	0.40	ND	Pass
Acequinocyl	0.05	2.00	ND	Pass
Acetamiprid	0.05	0.20	ND	Pass
Aldicarb	0.05	0.40	ND	Pass
Avermectin-B1a			ND	Tested
Avermectin-B1b			ND	Tested
Azadirachtin	0.25	1.00	ND	Pass
Azoxystrobin	0.05	0.20	ND	Pass
Bifenazate	0.05	0.20	ND	Pass
Bifenthrin	0.05	0.20	ND	Pass
Boscalid	0.05	0.40	ND	Pass
Captan	0.50	1.00	ND	Pass
Carbaryl	0.05	0.20	ND	Pass
Carbofuran	0.05	0.20	ND	Pass
Chlorantraniliprole	0.05	0.20	ND	Pass
Chlordane	0.50	1.00	ND	Pass
Chlorfenapyr	0.50	1.00	ND	Pass
Chlormequat chloride	0.05	1.00	ND	Pass
Chlorpyrifos	0.05	0.20	ND	Pass
Cinerin 1			ND	Tested
Clofentezine	0.05	0.20	ND	Pass
Coumaphos	0.05	1.00	ND	Pass
Cyfluthrin	0.05	1.00	ND	Pass
Cypermethrin	0.05	1.00	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/16/2025 03:59

LC Method: MTHD-009 LC Date Tested: 09/17/2025 18:31

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

5 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
Daminozide	0.05	1.00	ND	Pass
Diazinon	0.05	0.20	ND	Pass
Dichlorvos	0.05	1.00	ND	Pass
Dimethoate	0.05	0.20	ND	Pass
Dimethomorph	0.05	1.00	ND	Pass
Ethoprophos	0.05	0.20	ND	Pass
Etofenprox	0.05	0.40	ND	Pass
Etoxazole	0.05	0.20	ND	Pass
Fenhexamid	0.05	1.00	ND	Pass
Fenoxy carb	0.05	0.20	ND	Pass
Fenpyroximate	0.05	0.40	ND	Pass
Fipronil	0.05	0.40	ND	Pass
Flonicamid	0.05	1.00	ND	Pass
Fludioxonil	0.05	0.40	ND	Pass
Hexythiazox	0.05	1.00	ND	Pass
Imazalil	0.05	0.20	ND	Pass
Imidacloprid	0.05	0.40	ND	Pass
Indolebutyric Acid	0.05	1.00	ND	Pass
Jasmolin 1			ND	Tested
Kresoxim Methyl	0.05	0.40	ND	Pass
Malathion	0.05	0.20	ND	Pass
Metalaxy	0.05	0.20	ND	Pass
Methiocarb	0.05	0.20	ND	Pass
Methomyl	0.05	0.40	ND	Pass
Methyl Parathion	0.10	0.20	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/16/2025 03:59

LC Method: MTHD-009 LC Date Tested: 09/17/2025 18:31

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

6 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.05	1.00	ND	Pass
MGK-264	0.05	0.20	ND	Pass
Myclobutanil	0.05	0.20	ND	Pass
Naled	0.05	0.50	ND	Pass
Oxamyl	0.05	1.00	ND	Pass
Paclobutrazol	0.05	0.40	ND	Pass
Pentachloronitrobenzene	0.50	1.00	ND	Pass
Permethrins	0.05	0.20	ND	Pass
Phosmet	0.05	0.20	ND	Pass
Piperonyl Butoxide	0.05	2.00	ND	Pass
Prallethrin	0.05	0.20	ND	Pass
Propiconazole	0.05	0.40	ND	Pass
Propoxur	0.05	0.20	ND	Pass
Pyrethrin 1			ND	Tested
Pyrethrin 2			ND	Tested
Pyrethrins	0.05	1.00	ND	Pass
Pyridaben	0.05	0.20	ND	Pass
Spinetoram	0.05	1.00	ND	Pass
Spinetoram J			ND	Tested
Spinetoram L			ND	Tested
Spinosad	0.05	0.20	ND	Pass
Spinosyn A			ND	Tested
Spinosyn D			ND	Tested
Spiromesifen	0.05	0.20	ND	Pass
Spirotetramat	0.05	0.20	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/16/2025 03:59

LC Method: MTHD-009 LC Date Tested: 09/17/2025 18:31

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director



Violet Josik  
Quality Assurance Officer

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS

7 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

## Bouket Flower Hybrid 4g Paztelito

Plant, Flower - Cured  
Parent Lot:

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	ND	Pass
Tebuconazole	0.05	0.40	ND	Pass
Thiacloprid	0.05	0.20	ND	Pass
Thiamethoxam	0.05	0.20	ND	Pass
Trifloxystrobin	0.05	0.20	ND	Pass

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/16/2025 03:59

LC Method: MTHD-009 LC Date Tested: 09/17/2025 18:31

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Medical/Adult Use  
Powered by Confident LIMS  
8 of 8

## Vireo Health

Contact Person: Liz Shepherd  
Johnstown, NY 12095  
vireoquality@vireohealth.com  
(518) 254-6700  
Lic. #OCM-ROND-23-000003

Bouket Flower Hybrid 4g Paztelito  
Plant, Flower - Cured  
Parent Lot:

Moisture Date/Time Tested: 09/16/2025; 11:48  
Moisture Method: MTHD-003

Sample: 2509RLI0844-3203

Strain: Paztelito

Batch#: H299WF; Batch Size: 3123 units

Sample Received: 09/15/2025; Report Created: 09/22/2025;

## Sampling

Sample Collection Date/Time: 09/15/25  
Sample Collection Site: Vireo Health  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

0.47 aw  
Limit: 0.65 aw  
**Pass**  
Water Activity

11.3%  
Limit: 15.0 %  
**Pass**  
Moisture

## Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 09/16/2025; 16:00

Pass

Analyte	Limit	Result	Status
Mammal Excrement	0.00022%	0	Pass
FM Stems	5%	0	Pass
FM Other	2%	0	Pass

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.