



SERAPH

Full Body Harness

Functionality, durability, and reliability thats comfortable on your body, and your bottom line. The Seraph Full Body Harness is designed with all the necessities to make those long days in grueling environments more functional and safe. The Guardian Seraph Harness has you covered at height, so you can focus on the task ahead.

AWARD WINNING DESIGN

The Seraph Harness has won the 2025 Occupational Health & Safety New Product of the Year Award in the Fall Protection: Harness/Lanyard category.



HEIGHT SAFETY. SIMPLIFIED.

guardianfall.com





SERAPH

Full Body Harness









Dorsal D-ring

Dual impact

Slotted SRL adapter

Hook and loop label cover

Key features & benefits

Shoulder padding

For all day comfort

Torso adjusters

Provides a precise user fit

Dual auto-resetting lanyards keepers

Easy, convenient and re-usable method to stow unused connector legs

Fixed waist pad with removable belt

Supportive and breathable comfort waist pad that mitigates sagging

Integrated personal SRL adapter

Slotted adapter provides an easy connection point for personal SRLs



User weight range (including all clothing, tools, and equipment)

OSHA & CSA | 100-420 lb (45,3-190,5 kg) ANSI | 130-310 lb (58,9-140,6 kg)

Materials | Polyester, zinc-plated steel

and nylon

Buckle types







Tongue Buckle



Declaration of conformity

3711173

Have been tested in an ISO 17025 accredited laboratory in accordance with all requirements specified by ANSI/ASSP Z359.7.

This product is compliant with the following safety regulations and consensus standard: ANSI Z359.11-2021 | OSHA 1910.140 & 1926.502 | CSA Z259.10-2018

For more information: +1 (800) 466 6385 info@guardianfall.com




Guardian | Seraph Harness | Technical Data Sheet | 1900120-A

SERAPHFull Body Harness





Sizing guide



Part numbers	Chest	Legs	Waist	Side D-rings	Shoulder D-rings	Sternal D-ring	Sizes	
3711172	PT	ТВ	ТВ	•	-	-	XS-S	
3711173	PT	ТВ	ТВ	•	-	-	M-L	
3711174	PT	ТВ	ТВ	•	-	-	XL-XXL	

 ${\bf PT} = {\sf Pass-Through} \mid {\bf TB} = {\sf Tongue-Buckle} \mid {\bf QC} = {\sf Quick-Connect}$

Declaration of conformity

Have been tested in an ISO 17025 accredited laboratory in accordance with all requirements specified by ANSI/ASSP Z359.7.

This product is compliant with the following safety regulations and consensus standard: ANSI Z359.11-2021 | OSHA 1910.140 & 1926.502 | CSA Z259.10-2018



