



MEWP KITS

(Mobile Elevated Work Platform)

Your complete MEWP solution. Fall protection kits designed to keep mobile elevated work platform operators safe and productive.

Class
2
Anchor above
or below dorsal
D-ring

 **Compliant**
OSHA | ANSI

HEIGHT SAFETY.
SIMPLIFIED.

guardianfall.com



MEWP KITS

Velocity Harness | CR3-Edge 10 ft SRL | Carry Bag



Part number	Description	Harness Size
3300029	MEWP Kit - Velocity Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	S-L
3300030	MEWP Kit - Velocity Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XL-XXL



01703

Velocity Harness

Five points of adjustment for the right fit

Dorsal D-Ring

Water-Repellent Webbing

Durable Zinc-Plated Steel Hardware

Trauma Straps included →



10733

Declaration of conformity

The products in this kit are fully compliant with all applicable safety regulations and standards, and have been tested in an ISO 17025 accredited laboratory in accordance with ANSI/ASSP Z359.7



For more information:

+1 (800) 466 6385 | customer.service@guardianfall.com

Class 2
Anchor above or below dorsal D-ring

CR3-Edge Self-Retracting Lifeline

10 ft Cable Lifeline

Class 2 SRL

Swivel Steel Snap Hook

24" Arrest Distance

Integrated fall clearance charts inside energy-absorber pack cover

Lightweight and durable thermoplastic housing



Se puede utilizar en aplicaciones borde expuesto



4200007

Carry Bag

Easily transportable

Low-profile for easy stowage



00781

Specifications

User weight range

(including all clothing, tools, and equipment)

OSHA 100-420 lb (45-190 kg)

ANSI 130-310 lb (59-140 kg)

MEWP KITS

Defender Harness | CR3-Edge 10 ft SRL | Carry Bag



Part number	Description	Harness Size
3300115	MEWP Kit - Defender Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XS-S
3300116	MEWP Kit - Defender Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	M-L
3300117	MEWP Kit - Defender Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XL-XXL
3300118	MEWP Kit - Defender Harness, Waist Pad, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XS-S
3300119	MEWP Kit - Defender Harness, Waist Pad, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	M-L
3300120	MEWP Kit - Defender Harness, Waist Pad, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XL-XXL



3737005

Defender Harness

HexHip chassis improves comfort and mobility

Front and Rear auto-resetting lanyard keepers

Integrated SRL adapter slot

Perforated foam padding

Trauma Straps included →



10733

Declaration of conformity

The products in this kit are fully compliant with all applicable safety regulations and standards, and have been tested in an ISO 17025 accredited laboratory in accordance with ANSI/ASSP Z359.7



For more information:

+1 (800) 466 6385 | customer.service@guardianfall.com



CR3-Edge Self-Retracting Lifeline

10 ft Cable Lifeline

Class 2 SRL

Swivel Steel Snap Hook

24" Arrest Distance

Integrated fall clearance charts inside energy-absorber pack cover

Lightweight and durable thermoplastic housing



Se puede utilizar en aplicaciones borde expuesto



4200007

Carry Bag

Easily transportable

Low-profile for easy stowage



00781

Specifications

User weight range

(including all clothing, tools, and equipment)

OSHA 100-420 lb (45-190 kg)

ANSI 130-310 lb (59-140 kg)

MEWP KITS

Cyclone Harness | CR3-Edge 10 ft SRL | Carry Bag



Part number	Description	Harness Size
3300121	MEWP Kit - Cyclone Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XS-S
3300122	MEWP Kit - Cyclone Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	M-L
3300123	MEWP Kit - Cyclone Harness, Trauma Straps, CR3-Edge 10 ft SRL & Carry Bag	XL-XXL



21042

Cyclone Harness

Five points of adjustment for the right fit

Reinforced stitching and label protection for long-term safety and compliance

Lightweight, breathable padding

Trauma Straps included →



10733

Declaration of conformity

The products in this kit are fully compliant with all applicable safety regulations and standards, and have been tested in an ISO 17025 accredited laboratory in accordance with ANSI/ASSP Z359.7



For more information:

+1 (800) 466 6385 | customer.service@guardianfall.com

Class
2
Anchor above or below dorsal D-ring

CR3-Edge Self-Retracting Lifeline

10 ft Cable Lifeline

Class 2 SRL

Swivel Steel Snap Hook

24" Arrest Distance

Integrated fall clearance charts inside energy-absorber pack cover

Lightweight and durable thermoplastic housing



Se puede utilizar en aplicaciones borde expuesto



4200007

Carry Bag

Easily transportable

Low-profile for easy stowage



00781

Specifications

User weight range

(including all clothing, tools, and equipment)

OSHA 100-420 lb (45-190 kg)

ANSI 130-310 lb (59-140 kg)