



# TEST REPORT

Report No. 010224090125R1

DATED: 07 JULY 2025

**Client** : PLAN CREATIONS CO., LTD.  
8 MOO 8, TRANG-PALIAN RD.,  
YANTAKAO, TRANG 92140 THAILAND

**Buyer** : /

**Sample Description** : PULL ALONG DRUMMER

**Item No.** : 5276

**SKU No.** : /

**Model / Style** : /

**Client Specified Age Grade** : 12M+

**Manufacturer** : /

**Country of Origin** : THAILAND

**Country of Destination** : /

**Test Sample Received** : RECEIVED 30/09/2024

**Test Period** : FROM 30/09/2024 TO 08/10/2024

*\*Report was revised as per client request and shall supersede Report # 010224090125, dated 08 October 2024\**

TEST REQUESTED	CONCLUSION	REMARK
EN 71-1:2014+A1:2018 – PHYSICAL AND MECHANICAL PROPERTIES	PASS	-
EN 71-2:2020 – FLAMMABILITY	PASS	-
EN 71-3:2019+A2:2024 – MIGRATION OF CERTAIN ELEMENTS	PASS	-

Remark:

1. The sample is tested “12M+” as per client requested.
2. The Labeled Age Grade is 12M+.

For technical enquiries or any other concerns,  
please contact:

**GIC TESTING & INSPECTION SERVICES PTE LTD**

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

**PREPARED BY:**

**LUKMAN YUSOFF**  
TESTING ENGINEER

**APPROVED BY:**

**ALEX LAU**  
TECHNICAL DIRECTOR

**GIC Testing & Inspection Services Pte Ltd**


158 Kallang Way #08-01  
Singapore 349245



**SAMPLE PHOTO**



## SAMPLE PHOTO





# Report No. 010224090125R1

DATED: 07 JULY 2025

## REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

**Item Description:** 5276 PULL ALONG DRUMMER

<u>Components</u>	<u>Report Number</u>	<u>Date of Issue</u>
<b><u>EN 71-3:2019+A2:2024 Migration of Certain Elements</u></b>		
1 SOLID WOOD	010224060099	28-Jun-24
2 PLYWOOD	010224060098	28-Jun-24
3 GRAY RUBBER FABRIC	010224090121	8-Oct-24
4 5280980 BLACK CLOTH TAPE	010224070036	17-Jul-24
5 COTTON CORD	010224060005	12-Jun-24
6 5293956 GRAY RUBBER RING	010224020038	6-Mar-24
7 WHITE ELASTIC	010224020099	5-Mar-24
8 CLEAR COATING ON WOOD	010224060179	16-Jul-24
9 BLACK COATING ON WOOD	010224080055	11-Sep-24
10 RED COATING ON WOOD	010223120128	22-Jan-24
11 WHITE COATING ON WOOD	010224040095	7-May-24



# Report No. 010224090125R1

DATED: 07 JULY 2025

## TEST RESULT(S):

### EN 71-1:2014+A1:2018 – Physical and Mechanical Properties

Test Method : Reference to EN 71-1:2014+A1:2018.

Clause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	M
4.8	Points and metallic wires	M
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cord of toy kites and other flying toys	NA
4.14	Toys which a child can enter	NA
4.15	Toys propelled by child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps	NA
4.20	Acoustics	M
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	M
6	Packaging	NA
7	Warning, instructions for use	M

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

Test Item(s)	5276 Pull Along Drummer		
	Permissible Limit	Unit	Result
-			
A-weighted time-averaged emission sound pressure level ( $L_{AFmax}$ )	90	dB	83
C-weighted peak emission sound pressure level ( $L_{pCpeak}$ )	110	dB	88
Conclusion	-	-	<b>PASS</b>



# Report No. 010224090125R1

DATED: 07 JULY 2025

## TEST RESULT(S): (Continued)

### EN 71-2:2020 - Flammability

Test Method : Reference to EN 71-2:2020.

Test Item(s)	Item / Component Description(s)
1	5276 Pull Along Drummer

Subclause	Requirement	Result
4.1	General requirement	<b>PASS</b>
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

DNI = Did Not Ignite

### EN 71-3:2019+A2:2024 – Migration of Certain Elements

Test Method : Reference to BS EN 71-3:2019+A2:2024 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)
1	SOLID WOOD
2	PLYWOOD
3	HARD BOARD
4	5020035 YELLOW COATING ON WOOD
5	5020036 LIGHT GREEN COATING ON WOOD
6	5020038 CLEAR COATING ON WOOD
7	5029033 LIGHT GRAY COATING ON WOOD
8	5029080 GRAY COATING ON WOOD
9	5029095 BLUE COATING ON WOOD (320C)
10	5140008 RED COATING ON WOOD
11	5320018 WHITE COATING ON WOOD
12	5293981 GRAY RUBBER RING
13	5294003 WHITE ELASTIC
14	40P031 GRAY SAWDUST(Pastel)

See Soluble Element and its corresponding Maximum Allowable Limit in Result Table	Category I	Pliable modelling materials or other solid materials intended to leave a trace appearing in the toy
	Category II	Liquid paints/inks and other similar materials appearing as such in the toy (e.g. bubble solution), and glue sticks
	Category III	Coatings, polymeric materials (e.g. plastics), paper, textiles, glass, ceramic, metallic, wood and other solid materials



# Report No. 010224090125R1

DATED: 07 JULY 2025

## TEST RESULT(S): (Continued)

Test Item(s)	Unit	Permissible Limit	Result				
			1	2	3	4	5
<b>Category Type</b>	-	III	III	III	III	III	III
Aluminum (Al)	mg/kg	28130	ND	ND	ND	ND	ND
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	ND	21.9	ND
Boron (B)	mg/kg	15000	ND	36.7	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	ND	ND	ND	ND	0.05
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	ND
Manganese (Mn)	mg/kg	15000	18.6	21.6	ND	ND	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	10.5	11.0	1358	ND	ND
<b>Conclusion</b>	-	-	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

Test Item(s)	Unit	Permissible Limit	Result					
			6	7	8	9	10	11
<b>Category Type</b>	-	III	III	III	III	III	III	III
Aluminum (Al)	mg/kg	28130	ND	67.3	ND	14.8	119	1230
Antimony (Sb)	mg/kg	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	mg/kg	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	18750	ND	ND	ND	ND	8.6	ND
Boron (B)	mg/kg	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	460	ND	0.08	0.32	0.124	0.71	0.75
Chromium VI (Cr VI)	mg/kg	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	mg/kg	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	mg/kg	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	mg/kg	15000	ND	ND	14.6	ND	5.8	ND
Mercury (Hg)	mg/kg	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	mg/kg	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	mg/kg	56000	ND	ND	ND	ND	ND	ND
Tin (Sn)	mg/kg	180000	ND	ND	ND	ND	ND	ND
Organic tin	mg/kg	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	mg/kg	46000	ND	904	1890	47.3	6.6	ND
<b>Conclusion</b>	-	-	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

### Note:

- mg/kg = milligram per kilogram
- ND = Not Detected
- Reporting limit for Cr (III), Cr (VI) = 0.02 mg/kg, and for Organic Tin = 0.9 mg/kg
- Reporting limit for Pb = 1.0 mg/kg, for As, Cd = 0.5 mg/kg
- Reporting limit for Al, Sb, Ba B, Co, Hg, Cu, Mn, Ni, Se, Sr, Zn, Sn = 5.0 mg/kg
- Confirmation test of chromium (III) is not required in case of chromium does not exceed their requirements as specified in EN 71-3:2019+ A2: 2024.



# Report No. 010224090125R1

DATED: 07 JULY 2025

## TEST RESULT(S): (Continued)

### Remark:

- Test Item(s) was (were) tested according to European Standard EN 71-3:2019+ A2: 2024, Section 8.
- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

---

**END OF REPORT**

---

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.