



TEST REPORT

Report No. 010225040135

DATED: 24 JUNE 2025

Client : **PLAN CREATIONS CO., LTD.**
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG 92140 THAILAND

Buyer : /

Sample Description : MOSAIC

Item No. : 5927

SKU No. : /

Model / Style : /

Client Specified Age Grade : 3Y+

Manufacturer : /

Country of Origin : THAILAND

Country of Destination : /

Test Sample Received : RECEIVED 16/06/2025

Test Period : FROM 16/06/2025 TO 24/06/2025

TEST REQUESTED	CONCLUSION	REMARK
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (MECHANICAL AND PHYSICAL PROPERTIES)	PASS	-
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (FLAMMABILITY)	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (F)/ 16 CFR PART 1303 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.1(1) – TOTAL LEAD IN SURFACE COATING	PASS	-
ILCS 410 ILCS 45 LEAD POISONING PREVENTION ACT SEC. 6(B) CHILDREN'S PRODUCTS (ILLINOIS)	PASS	-
ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.1(2) SOLUBLE HEAVY METALS CONTENT IN SURFACE COATING	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 108/ 16 CFR PART 1307 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.8 - PHTHALATES	PASS	-
CALIFORNIA PROPOSITION 65 – PHTHALATE CONTENT	PASS	-

GIC Testing & Inspection Services Pte Ltd

158 Kallang Way #08-01
Singapore 349245



Report No. 010225040135

DATED: 24 JUNE 2025

Remark:

1. The sample is tested "3Y+" as per client requested.
2. The Labeled Age Grade is 3Y+.

For technical enquiries or any other concerns,
please contact:

GIC TESTING & INSPECTION SERVICES PTE LTD

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

A handwritten signature in black ink, appearing to read 'Lukman Yusoff', written over a light blue horizontal line.

LUKMAN YUSOFF
TESTING ENGINEER

APPROVED BY:


A handwritten signature in black ink, appearing to read 'Alex Lau', written over a light blue horizontal line.

ALEX LAU
TECHNICAL DIRECTOR


SAMPLE PHOTO





SAMPLE PHOTO



For 5927 Mosaic
with Container







Care Instruction

- Keep toys in a dry condition, away from flames, high heat, direct sunlight, and high humidity.
- Do not soak toys in the water.
- Do not use any bleach, chlorine-containing liquids, and cleaning products on toys.
- Clean with a damp cloth only.
- Ensure that it is dry thoroughly and completely before storing.

Istruzioni per il mantenimento

- Conservare i giocattoli in un luogo asciutto, lontano da fiamme, calore elevato, luce solare diretta e umidità elevata.
- Non immergere i giocattoli nell'acqua.
- Non utilizzare candeggina, liquidi contenenti cloro e prodotti per la pulizia sui giocattoli.
- Pulire solo con un panno umido.
- Assicurarsi che sia completamente asciutto prima di riportarlo.

Instruction d'entretien

- Gardez les jouets dans un endroit sec, à l'abri des flammes, de la chaleur élevée, de la lumière directe du soleil et de l'humidité élevée.
- Ne trempez pas les jouets dans l'eau.
- N'utilisez pas d'eau de Javel, de liquides contenant du chlore et de produits de nettoyage sur les jouets.
- Nettoyez uniquement avec un chiffon humide.
- Assurez-vous qu'il est complètement sec avant de le ranger.

Instructions de cuidado

- Mantenga los juguetes en condiciones secas, lejos de las llamas, el calor intenso, la luz solar directa y la humedad alta.
- No sumerja los juguetes en el agua.
- No utilice lejía, líquidos que contengan cloro ni productos de limpieza en los juguetes.
- Limpíelos únicamente con un paño húmedo.
- Asegúrese de que esté completamente seco antes de guardarlo.

Pflegeanleitung

- Bewahren Sie das Spielzeug in einem trockenen Zustand auf, fern von Flammen, großer Hitze, direktem Sonnenlicht und hoher Luftfeuchtigkeit.
- Weichen Sie das Spielzeug nicht im Wasser ein.
- Verwenden Sie keine Bleichmittel, chlorhaltigen Flüssigkeiten und Reinigungsmittel für Spielzeug.
- Reinigen Sie es nur mit einem feuchten Tuch.
- Vergewissern Sie sich, dass es vor der Aufbewahrung gründlich und vollständig getrocknet ist.

取り扱い上の注意

- おもちゃは、火気や直射日光、湿気の多い所を避け、乾燥した状態にしておいてください
- 水の中におもちゃを浸さないでください
- 漂白剤、塩素を含んだ液体、洗剤を使わないでください
- 濡れた布で拭いてください
- 収納前に完全に乾かしてください



5926 Mosaic 5927 Mosaic with Container

This Set Contains

SAMPLE PHOTO



5927
Mosaic
3y+

Sustainable Play




Sustainable Play
PLAN TOYS

5927
Mosaic
3y+



Sustainable Play
PLAN TOYS



Mosaic
Mosaic invites children to explore creative design by arranging colorful geometric pieces. As they fit shapes together, they build precision, focus, and creative thinking learning through observation, planning and self-correction. A calm, hands-on way to support logical reasoning and problem-solving. The compartmentalized container is perfect for both play and storage. Includes: 45 geometric pieces (7 each in red, blue, green, yellow, and orange), and a storage container.

Mosaïque géométrique
L'enfant aime les défis avec des formes géométriques colorées. Développe logique, concentration et créativité. Contenu: 45 pièces géométriques (7 par couleur: rouge, bleu, vert, jaune, orange) + 1 boîte compartimentée.



Mosaic
Das Mosaik mit Holzbox lädt Kinder dazu ein, kreatives Design zu erforschen, indem sie bunte geometrische Teile anordnen. Während sie die Formen zusammenfügen, trainieren sie Präzision, Konzentration und kreatives Denken - sie lernen durch Beobachtung, Planung und Selbstkorrektur. Eine ruhige, praktische Methode zur Förderung des logischen Denkens und des Problemlösungsverhaltens. Die mit Fächern unterteilte Box eignet sich sowohl zum Spielen als auch zur Aufbewahrung. Enthält: 45 geometrische Teile (je 7 in Rot, Blau, Grün, Gelb und Orange) und ein Aufbewahrungsbehälter.

Warning 0-3 Small parts Choking hazard.



WARNING:
CHOKING HAZARD - Small parts.
Not for children under 3 years.





Report No. 010225040135

DATED: 24 JUNE 2025

REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

Item Description: **5927 MOSAIC**

<u>Components</u>	<u>Report Number</u>	<u>Date of Issue</u>
<u>ASTM F963-23 Soluble Heavy Metals</u>		
1 LIGHT GREEN COATING ON WOOD	010225020008	20-Feb-25
2 ORANGE COATING ON WOOD	010225020011	20-Feb-25
3 YELLOW COATING ON WOOD	010225020253	18-Mar-25
4 CLEAR COATING ON WOOD	010224060179	16-Jul-24
5 RED COATING ON WOOD	010225020009	20-Feb-25
6 BLUE COATING ON WOOD	010225020254	18-Mar-25
7 MULTICOLOR ON WOOD (UV INK CY-CYAN, MG-MAGENTA, YL-YELLOW, BK-BLACK, W-WHITE, V-VARNISH)	010225040137	27-May-25
<u>Lead in Surface Coating</u>		
1 LIGHT GREEN COATING ON WOOD	010225020008	20-Feb-25
2 ORANGE COATING ON WOOD	010225020011	20-Feb-25
3 YELLOW COATING ON WOOD	010225020253	18-Mar-25
4 CLEAR COATING ON WOOD	010224060179	16-Jul-24
5 RED COATING ON WOOD	010225020009	20-Feb-25
6 BLUE COATING ON WOOD	010225020254	18-Mar-25
7 MULTICOLOR ON WOOD (UV INK CY-CYAN, MG-MAGENTA, YL-YELLOW, BK-BLACK, W-WHITE, V-VARNISH)	010225040137	27-May-25
<u>Phthalate Content</u>		
1 LIGHT GREEN COATING ON WOOD	010225020008	20-Feb-25
2 ORANGE COATING ON WOOD	010225020011	20-Feb-25
3 YELLOW COATING ON WOOD	010225020253	18-Mar-25
4 CLEAR COATING ON WOOD	010224060179	16-Jul-24
5 RED COATING ON WOOD	010225020009	20-Feb-25
6 BLUE COATING ON WOOD	010225020254	18-Mar-25
7 MULTICOLOR ON WOOD (UV INK CY-CYAN, MG-MAGENTA, YL-YELLOW, BK-BLACK, W-WHITE, V-VARNISH)	010225040137	27-May-25



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S):

ASTM F963-23 – Standard Consumer Safety Specification for Toy Safety (Mechanical and Physical Properties)

Test Method : Reference to ASTM F963-23.

Test Item(s)	Item / Component Description(s)
1	5927 MOSAIC

Clause	Requirement	Result
4.1	Material quality	M
4.2	Flammability	M See Results Annex A5
4.3	Toxicology	M 4.3.5.1 (1) & (2); 4.3.8
4.3.1	Hazardous Substance	NA
4.3.2	Manufacturing and Packaging of Food	NA
4.3.3	Indirect Food Additives	NA
4.3.4	Cosmetics	NA
4.3.5	Heavy Elements	M
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders and Items of Avian Feather Origin	NA
4.3.7	Stuffing Materials	NA
4.3.8	Phthalates	M
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.5.1.1	Close-to-the ear Toys	NA
4.5.1.2	Hand-held Toys	NA
4.5.1.3	Rattles	NA
4.5.1.4	Stationary or Self-propelled Tabletop, Floor, or Crib Toys	NA
4.5.1.5	User-propelled Tabletop, Floor or Crib Toys	NA
4.5.1.6	Push or Pull Toys	NA
4.5.1.7	Toys Using Explosive Action	NA
4.6	Small Objects	M
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	Small part warning label (at least 3 years but less than 6 years)	M
4.7	Accessible Edges	M
4.7.1	Potentially hazardous sharp metal and glass edges (under 8 years) this requirement before or after use and abuse testing, or both	NA
4.7.2	Toys containing potentially hazardous edges that are a necessary part of the function of a toy shall carry cautionary labelling (for use by children from 48 months to 96 months)	NA
4.7.3	Metal Toys	NA
4.7.4	Molded Toys	NA
4.7.5	Exposed Bolts or Threaded Rods	NA
4.8	Projections	NA
4.8.1	Bath Toy Projections	NA
4.9	Accessible Points	M
4.9.1	Potentially hazardous sharp points (under 8 years) this requirement before or after use and abuse testing, or both	M
4.9.2	Toys in which an accessible, potentially hazardous sharp point is a necessary function of the toy, such as a needle in a sewing kit, shall carry cautionary labelling (for use by children from 48 months to 96 months)	NA



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

Clause	Requirement	Result
4.9.3	Wood	M
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps, and Elastics	NA
4.14.1	Cord, Straps and Elastics in Toys	NA
4.14.2	Self-retracting Pull Cords	NA
4.14.3	Pull Toys	NA
4.14.4	Strings and Lines for Flying Devices	NA
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	NA
4.14.6	Ride-on Toys	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-on Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.16.1	Ventilation	NA
4.16.2	Closures	NA
4.16.3	Toys that Enclose the Head	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.18.1	Accessible Clearances for Moveable Segments	NA
4.18.2	Circular Holes in Rigid Materials	NA
4.18.3	Chains and Belts	NA
4.18.4	Inaccessibility of Mechanisms	NA
4.18.5	Winding Keys	NA
4.18.6	Coil Springs	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.26.1	Protrusions	NA
4.26.2	Crib Mobiles	NA
4.26.3	Crib Gyms	NA



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

Clause	Requirement	Result
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.32.1	Nearly spherical, hemispherical, circular flared or dome-shape ends of toys or components of toys	NA
4.32.2	Nearly spherical, hemispherical or dome-shaped ends of toy fasteners	NA
4.32.3	Preschool Play Figures	NA
4.33	Marbles	NA
4.34	Balls	NA
4.34.1	Small Ball	NA
4.34.2	Small Ball Labeling	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.38.1	As received loose hazardous magnet and magnetic component	NA
4.38.2	Hazardous magnet or a hazardous magnetic component after being tested in accordance with the Magnet Test Methods specified in 8.25	NA
4.38.3	Magnetic/electrical experimental sets intended for children eight years of age and over	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	M
5.1	Federal Government Requirements	M
5.2	Age Grading Labeling	M
5.3	Safety Labeling Requirements	M
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles and Balloons	M
5.12	Art Material	NA
5.13	Electric Toys	NA
5.14	Battery-operated Toys	NA
5.15	Promotional Materials	NA
5.16	Magnets	NA
6	Instructional Literature	M
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys	NA



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

Clause	Requirement	Result
7	Producer's Markings	M
7.1	Either a principal component of a toy or the package of a toy shall be marked with the name and address of the producer or the distributor	M
7.2	Battery-powered Ride-on Toys	NA
7.3	Toy Chests	NA

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

Flammability For Solid/ Soft Toy

Test Method : Reference to ASTM F963-23 Annex A5

Test Item(s)	Item / Component Description(s)
1	5927 MOSAIC

Test Item(s)	Length of Major Axis (in)	Burn Length (in)	Burn Time (s)	Regulatory Limit (in/s)	Burn Rate (in/s)	Result
1	6.3	0	5	0.1	DNI	PASS

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

IBE = Ignite but self-extinguished

DNI = Did Not Ignite

Consumer Product Safety Improvement Act Of 2008 Section 101 (f)/ 16 CFR Part 1303 / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.1(1) - Total Lead In Surface Coating

Test Method : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)
1	LIGHT GREEN COATING ON WOOD
2	ORANGE COATING ON WOOD
3	YELLOW COATING ON WOOD
4	CLEAR COATING ON WOOD
5	RED COATING ON WOOD
6	BLUE COATING ON WOOD
7	UV INK (CY-CYAN)
8	UV INK (MG-MAGENTA)
9	UV INK (YL-YELLOW)
10	UV INK (BK-BLACK)
11	UV INK (V-VARNISH)
12	UV INK (W-WHITE)

Test Item(s)	Unit	Permissible Limit	Result					
			1	2	3	4	5	6
Lead (Pb)	mg/kg	90	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Test Item(s)	Unit	Permissible Limit	Result					
			7	8	9	10	11	12
Lead (Pb)	mg/kg	90	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- mg/kg = milligrams per kilogram

- ND = Not Detected

- Reporting limit (Each): 2 mg/kg



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

410 ILCS 45 Lead Poisoning Prevention Act sec. 6(b) Children's Products (Illinois)

Test Method : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3, CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)
1	LIGHT GREEN COATING ON WOOD
2	ORANGE COATING ON WOOD
3	YELLOW COATING ON WOOD
4	CLEAR COATING ON WOOD
5	RED COATING ON WOOD
6	BLUE COATING ON WOOD
7	UV INK (CY-CYAN)
8	UV INK (MG-MAGENTA)
9	UV INK (YL-YELLOW)
10	UV INK (BK-BLACK)
11	UV INK (V-VARNISH)
12	UV INK (W-WHITE)

Test Item(s)	Unit	Permissible Limit	Result					
			1	2	3	4	5	6
Lead (Pb) in coating	mg/kg	90*	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Test Item(s)	Unit	Permissible Limit	Result					
			7	8	9	10	11	12
Lead (Pb) in coating	mg/kg	90*	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg

- ND = Not Detected
- * Result over 40 mg/kg – 90 mg/kg in coating and 40 mg/kg – 100 mg/kg in substrate, warning label must be added



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.1(2) - Soluble Heavy Metals Content in Surface Coating

Test Method : Reference to ASTM F963-23, Sections 8.3.2 to 8.3.4.

Test Item(s)	Item / Component Description(s)
1	LIGHT GREEN COATING ON WOOD
2	ORANGE COATING ON WOOD
3	YELLOW COATING ON WOOD
4	CLEAR COATING ON WOOD
5	RED COATING ON WOOD
6	BLUE COATING ON WOOD
7	UV INK (CY-CYAN)
8	UV INK (MG-MAGENTA)
9	UV INK (YL-YELLOW)
10	UV INK (BK-BLACK)
11	UV INK (V-VARNISH)
12	UV INK (W-WHITE)

Soluble Element(s)	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	25	1 000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

-	Unit	Result					
Test Item(s)	-	1	2	3	4	5	6
Parameter	-	-	-	-	-	-	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND
Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	ND
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	7	8	9	10	11	12
Parameter	-	-	-	-	-	-	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND
Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	ND
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key:

- mg/kg = milligrams per kilogram
- ND = Not Detected
- Reporting limit (Each): 2 mg/kg

Remark:

- ^c denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

**Consumer Product Safety Improvement Act Of 2008 Section 108/ 16 CFR Part 1307 / ASTM F963-23
Standard Consumer Safety Specification on Toy Safety Section 4.3.8 - Phthalates**

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	LIGHT GREEN COATING ON WOOD
2	ORANGE COATING ON WOOD
3	YELLOW COATING ON WOOD
4	CLEAR COATING ON WOOD
5	RED COATING ON WOOD
6	BLUE COATING ON WOOD
7	UV INK (CY-CYAN)
8	UV INK (MG-MAGENTA)
9	UV INK (YL-YELLOW)
10	UV INK (BK-BLACK)
11	UV INK (V-VARNISH)
12	UV INK (W-WHITE)

-	Abbrev.	Unit	Permissible Limit	Result					
Test Item(s)	-	-	-	1	2	3	4	5	6
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND	ND	ND	ND	ND	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-octyl phthalate	DNOP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Abbrev.	Unit	Permissible Limit	Result					
Test Item(s)	-	-	-	7	8	9	10	11	12
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND	ND	ND	ND	ND	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-octyl phthalate	DNOP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- Reporting limit (Each): 0.01 %
- ND = Not Detected
- Phthalate requirements are quoted in accordance with 16 CFR 1307, while Di-n-octyl phthalate (DNOP) and Di-iso-decyl phthalate (DIDP) were tested upon client request.



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

ANNEX					
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN
Di-iso-butyl phthalate	DIBP	84-69-5	Di-iso-nonyl phthalate	DINP	28553-12-0 / 68515-48-0
Di-butyl phthalate	DBP	84-74-2	Di-iso-decyl phthalate	DIDP	68515-49-1 / 26761-40-0
Di-n-pentyl phthalate	DPENP	131-18-0	Di-n-hexyl phthalate	DHEXP	84-75-3
Benzyl butyl phthalate	BBP	85-68-7	Di-n-octyl phthalate	DNOP	117-84-0
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-cyclohexyl phthalate	DCHP	84-61-7

CASRN: Chemical Abstracts Service Registry Number

California Proposition 65 – Phthalate Content

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	LIGHT GREEN COATING ON WOOD
2	ORANGE COATING ON WOOD
3	YELLOW COATING ON WOOD
4	CLEAR COATING ON WOOD
5	RED COATING ON WOOD
6	BLUE COATING ON WOOD
7	UV INK (CY-CYAN)
8	UV INK (MG-MAGENTA)
9	UV INK (YL-YELLOW)
10	UV INK (BK-BLACK)
11	UV INK (V-VARNISH)
12	UV INK (W-WHITE)

-	Abbrev.	Unit	Permissible Limit	Result					
Test Item(s)	-	-	-	1	2	3	4	5	6
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP / DnHP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Abbrev.	Unit	Permissible Limit	Result					
Test Item(s)	-	-	-	7	8	9	10	11	12
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP / DnHP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- Reporting limit (Each): 0.01 %

- ND = Not Detected



Report No. 010225040135

DATED: 24 JUNE 2025

TEST RESULT(S): (Continued)

ANNEX					
Compound	Abbrev.	CAS no.	Compound	Abbrev.	CAS no.
Di-butyl phthalate	DBP	84-74-2	Di-n-hexyl phthalate	DHEXP / DnHP	84-75-3
Di-iso-butyl phthalate	DIBP	84-69-5	Di-iso-nonyl phthalate	DINP	28553-12-0
Benzyl butyl phthalate	BBP	85-68-7	Di-iso-decyl phthalate	DIDP	26761-40-0
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7			

CASRN: Chemical Abstracts Service Registry Number

END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.