

# **TEST REPORT**

# Report No. 010224120131

**DATED: 26 FEBRUARY 2025** 

Client : PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG 92140 THAILAND

Buyer : /

Sample Description : HELICOPTER

Item No. : 6287

SKU No. : /

Model / Style : /

Client Specified Age Grade : 3Y+

Manufacturer : /

Country of Origin : THAILAND

Country of Destination : /

Test Sample Received : RECEIVED 18/02/2025

**Test Period** : FROM 18/02/2025 TO 26/02/2025

TEST REQUESTED	CONCLUSION	REMARK
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (MECHANICAL AND PHYSICAL PROPERTIES)	PASS	
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (FLAMMABILITY)	PASS	
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (A)/ 15 U.S.C 1278A / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)A – TOTAL LEAD IN SUBSTRATE	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (F)/ 16 CFR PART 1303 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.1(1) – TOTAL LEAD IN SURFACE COATING	PASS	-
ILCS 410 ILCS 45 LEAD POISONING PREVENTION ACT SEC. 6(B) CHILDREN'S PRODUCTS (ILLINOIS)	PASS	100
ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)(B) – SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE	PASS	#- 62
ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.1(2) SOLUBLE HEAVY METALS CONTENT IN SURFACE COATING	PASS	-

## **GIC Testing & Inspection Services Pte Ltd**

158 Kallang Way #08-01 Singapore 349245



**DATED: 26 FEBRUARY 2025** 

TEST REQUESTED	CONCLUSION	REMARK
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 108/ 16 CFR PART 1307 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.8 - PHTHALATES	PASS	
CALIFORNIA PROPOSITION 65 – PHTHALATE CONTENT	PASS	13

### Remark:

- 1. The sample is tested "3Y+" as per client requested.
- 2. The Labeled Age Grade is 3Y+.

For technical enquiries or any other concerns, please contact:

**GIC TESTING & INSPECTION SERVICES PTE LTD** 

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

**MOHAMED RIDZUAN** 

**TESTING ENGINEER** 

**APPROVED BY:** 

**ALEX LAU** 

TECHNICAL DIRECTOR



**DATED: 26 FEBRUARY 2025** 

## **SAMPLE PHOTO**









**DATED: 26 FEBRUARY 2025** 





**DATED: 26 FEBRUARY 2025** 

## **REMARK:**

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

Item Description: 6287 HELICOPT	ΓER
---------------------------------	-----

	<u>ponents</u> M F963-23 Soluble Heavy Metals	Report Number	Date of Issue
1	5263708 BLACK PLASTIC (ABS)	010224080067	29-Aug-24
2	5290131 GRAY RUBBER	010225010233	10-Feb-25
3	CLEAR COATING ON WOOD	010224060179	16-Jul-24
4	GRAY COATING ON WOOD	010225010234	20-Feb-25
5	WHITE COATING ON WOOD	010224040095	7-May-24
6	RED COATING ON WOOD	010225020009	20-Feb-25
Logo	I in Surface Coating		
1	CLEAR COATING ON WOOD	010224060179	16-Jul-24
2	GRAY COATING ON WOOD	010225010234	20-Feb-25
3	WHITE COATING ON WOOD	010224040095	7-May-24
4	RED COATING ON WOOD	010225020009	20-Feb-25
•	NEB CONTINC CIT WOOD	01022002000	2010020
Lead	I in Substrate		
1	5263708 BLACK PLASTIC (ABS)	010224080067	29-Aug-24
2	5290131 GRAY RUBBER	010225010233	10-Feb-25
			/
<u>Phth</u>	alate Content		* * * * V * A *
1	5263708 BLACK PLASTIC (ABS)	010224080067	29-Aug-24
2	5290131 GRAY RUBBER	010225010233	10-Feb-25
3	CLEAR COATING ON WOOD	010224060179	16-Jul-24
4	GRAY COATING ON WOOD	010225010234	20-Feb-25
5	WHITE COATING ON WOOD	010224040095	7-May-24
6	RED COATING ON WOOD	010225020009	20-Feb-25



**DATED: 26 FEBRUARY 2025** 

## TEST RESULT(S):

# ASTM F963-23 – Standard Consumer Safety Specification for Toy Safety (Mechanical and Physical Properties)

**Test Method**: Reference to ASTM F963-23.

Test Item(s)	Item / Component Description(s)
1	6287 HELICOPTER

Clause	Requirement	Result
4.1	Material quality	M
4.2	Flammability	See Results Annex A5
4.3	Toxicology	M 4.3.5.1 (1) & (2); 4.3.5.2 (2) a & b; 4.3.8
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	NA
4.7	Accessible Edges	M 4.7.4
4.8	Projections	NA
4.9	Accessible Points	M 4.9.1, 4.9.3
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA



**DATED: 26 FEBRUARY 2025** 

### **TEST RESULT(S): (Continued)**

Clause	Requirement	Result
5	Labeling Requirements	M 5.1, 5.2
6	Instructional Literature	M 6.1
7	Producer's Markings	M 7.1

Note:

M = Meet NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

## Flammability For Solid/ Soft Toy

Test Method : Reference to ASTM F963-23 Annex A5

Test Item(s)	Item / Component Description(s)
1	6287 HELICOPTER

Test Item(s)	Length of Major Axis (in)	Burn Length (in)	Burn Time (s)	Regulatory Limit (in/s)	Burn Rate (in/s)	Result
1	5.3	1	60	0.1	0.02	PASS

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

DNI = Did Not Ignite

# Consumer Product Safety Improvement Act Of 2008 Section 101 (a)/ 15 U.S.C 1278a / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)a & 8.3.1 – Total Lead In Substrate

Test Method: Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3

Test Item(s)	Item / Component Description(s)		
1	5263708 BLACK PLASTIC (ABS)		
2	5290131 GRAY RUBBER	7	

Toot Itom/o)	Unit	Permissible	Result		
Test Item(s)	Ollit	Limit	1	2	
Lead (Pb)	mg/kg	100	ND	ND	
Conclusion	-	V 1 1 1	PASS	PASS	

#### Note:

mg/kg = milligrams per kilogramReporting limit (Each): 2 mg/kg

- ND = Not Detected



**DATED: 26 FEBRUARY 2025** 

**TEST RESULT(S): (Continued)** 

Consumer Product Safety Improvement Act Of 2008 Section 101 (f)/ 16 CFR Part 1303 / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.1(1) - Total Lead In Surface Coating

Test Method: Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)			
1	CLEAR COATING ON WOOD			
2	GRAY COATING ON WOOD			
3	WHITE COATING ON WOOD			
4	RED COATING ON WOOD			

Test Item(s)	Unit	Init Permissible Limit	Result					
			1	2	3	4		
Lead (Pb)	mg/kg	90	ND	ND	ND	ND		
Conclusion	-		PASS	PASS	PASS	PASS		

#### Note:

- mg/kg = milligrams per kilogram

- ND = Not Detected

- Reporting limit (Each): 2 mg/kg

## 410 ILCS 45 Lead Poisoning Prevention Act sec. 6(b) Children's Products (Illinois)

Test Method: Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3, CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)
1	5263708 BLACK PLASTIC (ABS)
2	5290131 GRAY RUBBER

Test Item(s) Unit	1124	Permissible	X V F	Result
	Unit	Limit		2
Lead (Pb) in substrate	mg/kg	100*	ND	ND
Conclusion	723	4/4-2	PASS	PASS

Test Item(s)	Item / Component Description(s)	
1	CLEAR COATING ON WOOD	
2	GRAY COATING ON WOOD	1
3	WHITE COATING ON WOOD	M.
4	RED COATING ON WOOD	A

T ( 1( ( - )	l lmi4	Permissible	Result					
Test Item(s)	Unit '	Limit	1	2	3	4		
Lead (Pb) in coating	mg/kg	90*	ND	ND	ND	ND		
Conclusion	-	- 6.7	PASS	PASS	PASS	PASS		

#### Note:

- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg

- ND = Not Detected
- Result over 40 mg/kg 90 mg/kg in coating and 40 mg/kg 100 mg/kg in substrate, warning label must be added



**DATED: 26 FEBRUARY 2025** 

**TEST RESULT(S): (Continued)** 

## ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)(b) - Soluble Heavy Metals Content in Substrate

**Test Method**: Reference to ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3)).

Test Item(s) Item / Component Description(s)			
1	5263708 BLACK PLASTIC (ABS)		
2	5290131 GRAY RUBBER		

Soluble Element(s)	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	25	1 000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

-	Unit		Result
Test Item(s)		10	2
Parameter			
Arsenic (As)	mg/kg	ND	ND
Barium (Ba)	mg/kg	ND	ND
Cadmium (Cd)	mg/kg	ND	ND
Chromium (Cr)	mg/kg	ND	ND
Mercury (Hg)	mg/kg	ND	ND
Lead (Pb)	mg/kg	ND	ND
Antimony (Sb)	mg/kg	ND	ND
Selenium (Se)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

#### Note / Key:

- mg/kg = milligrams per kilogram

- Reporting limit (Each): 2 mg/kg

- ND = Not Detected

## Remark:

- <sup>C</sup> denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



**DATED: 26 FEBRUARY 2025** 

**TEST RESULT(S): (Continued)** 

# ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.1(2) - Soluble Heavy Metals Content in Surface Coating

**Test Method**: Reference to ASTM F963-23, Sections 8.3.2 to 8.3.4.

Test Item(s)	Item / Component Description(s)	
1	CLEAR COATING ON WOOD	
2	GRAY COATING ON WOOD	
3	WHITE COATING ON WOOD	
4	RED COATING ON WOOD	

Soluble Element(s)	As	Ва	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	25	1 000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

-	Unit		Re	sult	
Test Item(s)		1	2	3	4
Parameter		- W - M	9. 1. L	J 10	V
Arsenic (As)	mg/kg	ND	ND	ND	ND
Barium (Ba)	mg/kg	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	ND	ND	ND	ND
Chromium (Cr)	mg/kg	ND	ND	ND	ND
Mercury (Hg)	mg/kg	ND	ND	ND	ND
Lead (Pb)	mg/kg	ND	ND	ND	ND
Antimony (Sb)	mg/kg	ND	ND	ND	ND
Selenium (Se)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

## Note / Key:

- mg/kg = milligrams per kilogram

- Reporting limit (Each): 2 mg/kg

- ND = Not Detected

#### Remark:

- <sup>C</sup> denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



**DATED: 26 FEBRUARY 2025** 

**TEST RESULT(S): (Continued)** 

Consumer Product Safety Improvement Act Of 2008 Section 108/ 16 CFR Part 1307 / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.8 - Phthalates

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	5263708 BLACK PLASTIC (ABS)
2	5290131 GRAY RUBBER
3	CLEAR COATING ON WOOD
4	GRAY COATING ON WOOD
5	WHITE COATING ON WOOD
6	RED COATING ON WOOD

-	Abbrev.	Unit	Permissible Limit		Result			11/	
Test Item(s)	4777	20 m	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2	3	4	5	6
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND	ND	ND	ND	ND	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND -	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-octyl phthalate	DNOP	%	0.1	ND	ND	- ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		-	1	PASS	PASS	PASS	PASS	PASS	PASS

#### Note

- Reporting limit (Each): 0.01 %

ND = Not Detected

- Phthalate requirements are quoted in accordance with 16 CFR 1307, while Di-n-octyl phthalate (DNOP) and Di-iso-decyl phthalate (DIDP) were tested upon client request.

ANNEX									
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN				
Di-iso-butyl phthalate	DIBP	84-69-5	Di-iso-nonyl phthalate	DINP	28553-12-0 / 68515-48-0				
Di-butyl phthalate	DBP	84-74-2	Di-iso-decyl phthalate	DIDP	68515-49-1 / 26761-40-0				
Di-n-pentyl phthalate	DPENP	131-18-0	Di-n-hexyl phthalate	DHEXP	84-75-3				
Benzyl butyl phthalate	BBP	85-68-7	Di-n-octyl phthalate	DNOP	117-84-0				
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-cyclohexyl phthalate	DCHP	84-61-7				

CASRN: Chemical Abstracts Service Registry Number



**DATED: 26 FEBRUARY 2025** 

**TEST RESULT(S): (Continued)** 

## California Proposition 65 - Phthalate Content

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)					
1	5263708 BLACK PLASTIC (ABS)					
2	5290131 GRAY RUBBER					
3	CLEAR COATING ON WOOD					
4	GRAY COATING ON WOOD					
5	WHITE COATING ON WOOD					
6	RED COATING ON WOOD					

-	Abbrev.	Unit	Permissible Limit	Result				AF	
Test Item(s)	- ((1/2))		- 1 2 3			4	4 5 6		
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP / DnHP	%	0.1	ND	ND	ND	ND	ND	ND
Conclusion		11.0	A STATE OF	PASS	PASS	PASS	PASS	PASS	PASS

#### Note:

- Reporting limit (Each): 0.01 %

ND = Not Detected

ANNEX								
Compound	Abbrev.	CAS no.	Compound	Abbrev.	CAS no.			
Di-butyl phthalate	DBP	84-74-2	Di-(2-ethylhexyl) phthalate	DEHP	117-81-7			
Benzyl butyl phthalate	BBP	85-68-7	Di-n-hexyl phthalate	DHEXP / DnHP	84-75-3			
Di-iso-nonyl phthalate	DINP	28553-12-0	Di-iso-decyl phthalate	DIDP	26761-40-0			

CASRN: Chemical Abstracts Service Registry Number

**END OF REPORT** 

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.