



TEST REPORT

Report No. 010224120129

DATED: 27 JANUARY 2025

Client : PLAN CREATIONS CO., LTD.
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG 92140 THAILAND

Buyer : /

Sample Description : RUBBER ROAD & RAIL EXPANSION TRACKS SET C / SET A / SET B

Item No. : 6325/6323/6324

SKU No. : /

Model / Style : /

Client Specified Age Grade : 3Y+

Manufacturer : /

Country of Origin : THAILAND

Country of Destination : /

Test Sample Received : RECEIVED 20/01/2025

Test Period : FROM 20/01/2025 TO 27/01/2025

TEST REQUESTED	CONCLUSION	REMARK
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (MECHANICAL AND PHYSICAL PROPERTIES)	PASS	-
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (FLAMMABILITY)	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (A)/ 15 U.S.C 1278A / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)A – TOTAL LEAD IN SUBSTRATE	PASS	-
ILCS 410 ILCS 45 LEAD POISONING PREVENTION ACT SEC. 6(B) CHILDREN'S PRODUCTS (ILLINOIS)	PASS	-
ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)(B) – SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 108/ 16 CFR PART 1307 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.8 - PHTHALATES	PASS	-
CALIFORNIA PROPOSITION 65 – PHTHALATE CONTENT	PASS	-

GIC Testing & Inspection Services Pte Ltd

158 Kallang Way #08-01
Singapore 349245



Report No. 010224120129

DATED: 27 JANUARY 2025

Remark:

1. The sample is tested "3Y+" as per client requested.
2. The Labeled Age Grade is 3Y+.

For technical enquiries or any other concerns, please contact:

GIC TESTING & INSPECTION SERVICES PTE LTD

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

A handwritten signature in black ink, appearing to read 'Ridh', is placed over a small, light blue rectangular background.

MOHAMED RIDZUAN

TESTING ENGINEER

APPROVED BY:



A handwritten signature in black ink, appearing to read 'Wong', is placed over a small, light blue rectangular background.

WONG KOK LEONG


ASSISTANT MANAGER

GICG - ENABLING TRUST IN A CHANGING WORLD

SAMPLE PHOTO





SAMPLE PHOTO



SAMPLE PHOTO



Warning

[illegible]


Sustainable Play



Sustainable Play



Sustainable Play



6325 Rubber Road & Rail Extension Tracks - Set C
3y+



product info



PLAN CREATIONS CO., LTD.
51 Soi Charoen Krung 69, Charoen Krung Road,
Yannawa, Sathon, Bangkok 10120
Sustainably made in Thailand

ISO 9001, ISO 14001, ISO 45001, SA 8000 Certified



8 854740 063250
Copyright Reserved by PlanToys

Specifications may vary from pictures.
Technische Daten können vom Bild abweichen.
Les spécifications peuvent varier de la photo.
Las especificaciones pueden variar de imagen.

異なる場合があります。
121924

SAMPLE PHOTO




抵張道路は遊びの幅を広げます。柔らかないこみの両面道路で自在に街を広げて下さい。直線両面道路4本のセットで、他のフランドルシリーズと併せて遊べます。

Extensión de Kieles de Caucho para Carreteras y Kieles - Juego A
 Estos pistos de extensión pueden agregarse a la infraestructura de juego de su ciudad! La flexibilidad del caucho permite a los niños crear caminos y diseños de transporte únicos. Este juego viene con 4 cargas de goma rectas de dos lados. Compatible con otros sistemas de transporte de la serie PlanWorld.

Rolls & Routes en Caoutchouc - Extension A
La flexibilité de notre caoutchouc 100% naturel permet aux enfants de créer des infrastructures urbaines uniques pour jouer. Cet ensemble comprend 4 éléments droits réversibles (Rolls/routes) en caoutchouc.

Straßen und Schienen Erweiterung Set A

Rubber Road & Rail Extension Tracks - Set A
These Extension Tracks can add even more dynamic to your city's play infrastructure! The flexibility of the rubber allows kids to create unique pathways and transportation designs. This set comes with 4 two-sided straight rubber tracks. Compatible with other transportation systems in the PlanWorld series.

6323 Rubber Road & Rail
Extension Tracks - Set A

Sustainable Play



Sustainable **Play**



Sustainable **Play**



6323

Rubber Road & Rail Extension Tracks - Set A
3y+



product int



PLAN CREATIONS CO., LTD.
51 Soi Charoen Krung 69, Charoen Krung Road,
Yannawa, Sathon, Bangkok 10120
Sustainably made in Thailand

ISO 9001, ISO 14001, ISO 45001, SA 8000 Certified



8 854740 063236
Copyright Reserved by PlanToys

Specifications may vary from pictures.
Technische Daten können vom Bild abweichen.
Les spécifications peuvent varier de la photo.
Las especificaciones pueden variar de imagen.

121924

SAMPLE PHOTO



Warning

ロード&レールビー 拡張8
 拡張道路は遊びの幅を広げます。柔らかないこみの両面道路で自在に街を広げてください。カーブ両面道路4本のセットで、他のフラッグシップシリーズとも併せて遊べます。

Existe una gran variedad de modelos para cubrir todas las necesidades y gustos. Elige el que mejor se adapte a tus necesidades y presupuesto. El precio varía entre 1.500 y 2.500 millones de pesos. El tiempo de entrega es de 4 a 6 meses. El mantenimiento es muy sencillo y económico. El seguro es muy barato. El transporte es muy cómodo y seguro. El combustible es muy barato. El ruido es muy bajo. El espacio es muy amplio. El confort es muy alto. El diseño es muy moderno. El acabado es muy elegante. El mantenimiento es muy sencillo. El seguro es muy barato. El transporte es muy cómodo. El combustible es muy barato. El ruido es muy bajo. El espacio es muy amplio. El confort es muy alto. El diseño es muy moderno. El acabado es muy elegante.

Extensión de Rieles de Caucho para Carreteras y Rieles - Juego B



La flexibilité de notre caoutchouc 100% naturel permet aux enfants de créer des structures uniques pour jouer. Cet ensemble comprend 4 éléments :
- 3 bagues réversibles (trois/coutres/en caoutchouc).

Kolls & Routes en Caoutchouc - Extension B
La flexibilité de notre caoutchouc 100% naturel permet aux fonts de créer des
Kollis, Komposit mit anderen Transportsystemen der PlanWorld-Serie.
stödische hinsturkt zum spielen zu schufen. Dieses Set enthält vier zusammenlag
verschieden! Die Flexibilität des Gummis ermöglicht es Kindern, eine einzigartige
Szenen Erweiterungskunst kann der spezialisierten Struktur der Stadt noch mehr Dynamik

Straßen und Schienen Erweiterung Set B

Künder Road & Rail Extension Rocks - Set B
These Kiersan rocks can add even more dynamic to your city's play infrastructure! The flexibility of the rubber allows slides to create unique pathways and transportation designs. This set comes with 4 two-sided curved rubber tracks. Compatible with other transportation systems in the HandWorld series.

Rubber Road & Rail Extension Tracks - Set B



+ 6301 Rubber Road & Rail Set - Large

+ 6209 Road & Rail - Rubber

+ 6300 Rubber Road & Rail Set - Small

6324 Rubber Road & Rail
Extension Tracks - Set B

Sustainable Play



Sustainable Play



Sustainable **Play**



6324

Rubber Road & Rail Extension Tracks - Set B

 $3y +$ 

product info



PLAN CREATIONS CO., LTD.
51 Sai Charoen Krung 69, Charoen Krung Road,
Yannawa, Sathon, Bangkok 10120
Sustainably made in Thailand

ISO 9001, ISO 14001, ISO 45001, SA 8000 Certified

Conforms to
ASTM



8 854740 063243
Copyright Reserved by PlanToys

Specifications may vary from pictures.
Technische Daten können vom Bild abweichen.
Les spécifications peuvent varier de la photo.
Las especificaciones pueden variar de imagen.
仕様は、画像と異なる場合があります。

121924



Report No. 010224120129

DATED: 27 JANUARY 2025

REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

Item Description: 6325/6323/6324 RUBBER ROAD & RAIL EXPANSION TRACKS SET C / SET A / SET B

Components

ASTM F963-23 Soluble Heavy Metals

1 GRAY RUBBER

Report Number

010224020205

Date of Issue

18-Mar-24

Lead in Substrate

1 GRAY RUBBER

010224020205

18-Mar-24

Phthalate Content

1 GRAY RUBBER

010224020205

18-Mar-24

GICG - ENABLING TRUST IN A CHANGING WORLD



Report No. 010224120129

DATED: 27 JANUARY 2025

TEST RESULT(S):

ASTM F963-23 – Standard Consumer Safety Specification for Toy Safety (Mechanical and Physical Properties)

Test Method : Reference to ASTM F963-23.

Test Item(s)	Item / Component Description(s)
1	6325/6323/6324 RUBBER ROAD & RAIL EXPANSION TRACKS SET C / SET A / SET B

Clause	Requirement	Result
4.1	Material quality	M
4.2	Flammability	See Results Annex A5
4.3	Toxicology	M 4.3.5.2 (2) a & b; 4.3.8
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	NA
4.7	Accessible Edges	M 4.7.4
4.8	Projections	NA
4.9	Accessible Points	M 4.9.1
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA



Report No. 010224120129

DATED: 27 JANUARY 2025

TEST RESULT(S): (Continued)

Clause	Requirement	Result
5	Labeling Requirements	M 5.1, 5.2
6	Instructional Literature	M 6.1
7	Producer's Markings	M 7.1

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

Flammability For Solid/ Soft Toy

Test Method : Reference to ASTM F963-23 Annex A5

Test Item(s)	Item / Component Description(s)
1	6325/6323/6324 RUBBER ROAD & RAIL EXPANSION TRACKS SET C / SET A / SET B

Test Item(s)	Length of Major Axis (in)	Burn Length (in)	Burn Time (s)	Regulatory Limit (in/s)	Burn Rate (in/s)	Result
1	9.2	0	5	0.1	DNI	PASS

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

DNI = Did Not Ignite

Consumer Product Safety Improvement Act Of 2008 Section 101 (a)/ 15 U.S.C 1278a / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)a & 8.3.1 – Total Lead In Substrate

Test Method : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3

Test Item(s)	Item / Component Description(s)
1	GRAY RUBBER

Test Item(s)	Unit	Permissible Limit	Result
			1
Lead (Pb)	mg/kg	100	ND
Conclusion	-	-	PASS

Note:

- mg/kg = milligrams per kilogram

- ND = Not Detected

- Reporting limit (Each): 2 mg/kg



Report No. 010224120129

DATED: 27 JANUARY 2025

TEST RESULT(S): (Continued)

410 ILCS 45 Lead Poisoning Prevention Act sec. 6(b) Children's Products (Illinois)

Test Method : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3, CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)		
1	GRAY RUBBER		
Test Item(s)	Unit	Permissible Limit	Result
			1
Lead (Pb) in substrate	mg/kg	100*	ND
Conclusion	-	-	PASS

Note:

- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg
- ND = Not Detected
- * Result over 40 mg/kg – 90 mg/kg in coating and 40 mg/kg – 100 mg/kg in substrate, warning label must be added

ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)(b) - Soluble Heavy Metals Content in Substrate

Test Method : Reference to ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3)).

Test Item(s)	Item / Component Description(s)							
1	GRAY RUBBER							
Soluble Element(s)	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	25	1 000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60

-	Unit	Result
Test Item(s)	-	1
Parameter	-	-
Arsenic (As)	mg/kg	ND
Barium (Ba)	mg/kg	ND
Cadmium (Cd)	mg/kg	ND
Chromium (Cr)	mg/kg	ND
Mercury (Hg)	mg/kg	ND
Lead (Pb)	mg/kg	ND
Antimony (Sb)	mg/kg	ND
Selenium (Se)	mg/kg	ND
Conclusion	-	PASS

Note / Key:

- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg
- ND = Not Detected

Remark:

- ^c denotes as reported result(s) was (were) adjusted by analytical correction shown in limit table.



Report No. 010224120129

DATED: 27 JANUARY 2025

TEST RESULT(S): (Continued)

Consumer Product Safety Improvement Act Of 2008 Section 108/ 16 CFR Part 1307 / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.8 - Phthalates

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	GRAY RUBBER

-	Abbrev.	Unit	Permissible Limit	Result
Test Item(s)	-	-	-	1
Di-iso-butyl phthalate	DIBP	%	0.1	ND
Di-butyl phthalate	DBP	%	0.1	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND
Benzyl butyl phthalate	BBP	%	0.1	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND
Di-n-octyl phthalate	DNOP	%	0.1	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND
Conclusion	-	-	-	PASS

Note:

- Reporting limit (Each): 0.01 %
- ND = Not Detected
- Phthalate requirements are quoted in accordance with 16 CFR 1307, while Di-n-octyl phthalate (DNOP) and Di-iso-decyl phthalate (DIDP) were tested upon client request.

ANNEX					
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN
Di-iso-butyl phthalate	DIBP	84-69-5	Di-iso-nonyl phthalate	DINP	28553-12-0 / 68515-48-0
Di-butyl phthalate	DBP	84-74-2	Di-iso-decyl phthalate	DIDP	68515-49-1 / 26761-40-0
Di-n-pentyl phthalate	DPENP	131-18-0	Di-n-hexyl phthalate	DHEXP	84-75-3
Benzyl butyl phthalate	BBP	85-68-7	Di-n-octyl phthalate	DNOP	117-84-0
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-cyclohexyl phthalate	DCHP	84-61-7

CASRN: Chemical Abstracts Service Registry Number



Report No. 010224120129

DATED: 27 JANUARY 2025

TEST RESULT(S): (Continued)

California Proposition 65 – Phthalate Content

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	GRAY RUBBER

-	Abbrev.	Unit	Permissible Limit	Result
Test Item(s)	-	-	-	1
Benzyl butyl phthalate	BBP	%	0.1	ND
Di-butyl phthalate	DBP	%	0.1	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND
Di-n-hexyl phthalate	DHEXP / DnHP	%	0.1	ND
Conclusion	-	-	-	PASS

Note:

- Reporting limit (Each): 0.01 %

- ND = Not Detected

ANNEX					
Compound	Abbrev.	CAS no.	Compound	Abbrev.	CAS no.
Di-butyl phthalate	DBP	84-74-2	Di-(2-ethylhexyl) phthalate	DEHP	117-81-7
Benzyl butyl phthalate	BBP	85-68-7	Di-n-hexyl phthalate	DHEXP / DnHP	84-75-3
Di-iso-nonyl phthalate	DINP	28553-12-0	Di-iso-decyl phthalate	DIDP	26761-40-0

CASRN: Chemical Abstracts Service Registry Number

END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.