



# TEST REPORT

Report No. 010224090036R1

DATED: 20 DECEMBER 2024

**Client** : PLAN CREATIONS CO., LTD.  
8 MOO 8, TRANG-PALIAN RD.,  
YANTAKAO, TRANG 92140 THAILAND

**Buyer** : /

**Sample Description** : PLANSAPCE BATHROOM

**Item No.** : 7614

**SKU No.** : /

**Model / Style** : /

**Client Specified Age Grade** : 3Y+

**Manufacturer** : /

**Country of Origin** : THAILAND

**Country of Destination** : /

**Test Sample Received** : RECEIVED 11/09/2024

**Test Period** : FROM 11/09/2024 TO 19/09/2024

*\*Report was revised and shall supersede Report # 010224090036, dated 19 September 2024*

TEST REQUESTED	CONCLUSION	REMARK
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (MECHANICAL AND PHYSICAL PROPERTIES)	PASS	-
ASTM F963-23 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (FLAMMABILITY)	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (A)/ 15 U.S.C 1278A / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)A – TOTAL LEAD IN SUBSTRATE	PASS	-
ILCS 410 ILCS 45 LEAD POISONING PREVENTION ACT SEC. 6(B) CHILDREN'S PRODUCTS (ILLINOIS)	PASS	-
ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.5.2(2)(B) – SOLUBLE HEAVY METALS CONTENT IN SUBSTRATE	PASS	-
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 108/ 16 CFR PART 1307 / ASTM F963-23 STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY SECTION 4.3.8 - PHTHALATES	PASS	-
CALIFORNIA PROPOSITION 65 – PHTHALATE CONTENT	PASS	-

**GIC Testing & Inspection Services Pte Ltd**

158 Kallang Way #08-01  
Singapore 349245



# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## Remark:

1. The sample is tested "3Y+" as per client requested.
2. The Labeled Age Grade is 3Y+.

For technical enquiries or any other concerns,  
please contact:

**GIC TESTING & INSPECTION SERVICES PTE LTD**

Tel: +65 6741 2260

Email: [services.sg@gicgrp.com](mailto:services.sg@gicgrp.com)

## PREPARED BY:

A handwritten signature in black ink, appearing to read 'Wong Kok Leong'.

**WONG KOK LEONG**

Laboratory Supervisor

## APPROVED BY:

A handwritten signature in blue ink, appearing to read 'Suzen Chong'.

**SUZEN CHONG**

Senior Vice President

GICG - ENABLING TRUST IN A CHANGING WORLD

**SAMPLE PHOTO**





SAMPLE PHOTO





# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## REMARK:

As per customer request, results for chemical tests listed below were referenced from the corresponding reports, issued no more than 12 months prior to this report.

## Item Description: 7614 PLANSACE BATHROOM

### Components

#### ASTM F963-23 Soluble Heavy Metals

		Report Number	Date of Issue
1	5080098 WHITE-CREAM FELT	010223120155	11-Jan-24
2	5260170/ 5260172 CREAM PLASTIC	010223120090	4-Jan-24
3	WHITE ELASTIC	010224020099	5-Mar-24
4	WARM GRAY 2C SAWDUST	010223120141	16-Jan-24
5	WHITE SAWDUST	010223120149	16-Jan-24
6	LIGHT BLUE SAWDUST	010223120139	16-Jan-24

### Lead in Substrate

1	5080098 WHITE-CREAM FELT	010223120155	11-Jan-24
2	5260170/ 5260172 CREAM PLASTIC	010223120090	4-Jan-24
3	WHITE ELASTIC	010224020099	5-Mar-24
4	WARM GRAY 2C SAWDUST	010223120141	16-Jan-24
5	WHITE SAWDUST	010223120149	16-Jan-24
6	LIGHT BLUE SAWDUST	010223120139	16-Jan-24

### Phthalate Content

1	5260170/ 5260172 CREAM PLASTIC	010223120090	4-Jan-24
2	WHITE ELASTIC	010224020099	5-Mar-24
3	WARM GRAY 2C SAWDUST	010223120141	16-Jan-24
4	WHITE SAWDUST	010223120149	16-Jan-24
5	LIGHT BLUE SAWDUST	010223120139	16-Jan-24



# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## TEST RESULT(S):

### ASTM F963-23 – Standard Consumer Safety Specification for Toy Safety (Mechanical and Physical Properties)

Test Method : Reference to ASTM F963-23.

Clause	Requirement	Result
4.1	Material quality	M
4.2	Flammability	See Results Annex A5
4.3	Toxicology	M 4.3.5.2 (2) a & b; 4.3.8
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	NA
4.7	Accessible Edges	M
4.8	Projections	NA
4.9	Accessible Points	M 4.9.1, 4.9.3
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA





# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## TEST RESULT(S): (Continued)

5	Labeling Requirements	M 5.1, 5.2, 5.3
6	Instructional Literature	M 6.1
7	Producer's Markings	M 7.1

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

## Flammability For Solid/ Soft Toy

**Test Method** : Reference to ASTM F963-23 Annex A5

Test Item(s)	Item / Component Description(s)
1	7614 Planspace Bathroom

Test Item(s)	Length of Major Axis (in)	Burn Length (in)	Burn Time (s)	Regulatory Limit (in/s)	Burn Rate (in/s)	Result
1	10.75	0	5	0.1	DNI	PASS

Note:

M = Meet

NM = Not Meet

NA = Not Applicable

R = Refer to Comment Section

NR = Not Requested

NT = Not Tested

NP = Not Present

DNI = Did Not Ignite

## Consumer Product Safety Improvement Act Of 2008 Section 101 (a)/ 15 U.S.C 1278a / ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)a & 8.3.1 – Total Lead In Substrate

**Test Method** : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3

Test Item(s)	Item / Component Description(s)
1	5080098 WHITE-CREAM FELT
2	5260170/ 5260172 CREAM PLASTIC
3	WHITE ELASTIC
4	WARM GRAY 2C SAWDUST
5	WHITE SAWDUST
6	LIGHT BLUE SAWDUST

Test Item(s)	Unit	Permissible Limit	Result					
			1	2	3	4	5	6
Lead (Pb)	mg/kg	100	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- mg/kg = milligrams per kilogram

- ND = Not Detected

- Reporting limit (Each): 2 mg/kg



# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## TEST RESULT(S): (Continued)

### 410 ILCS 45 Lead Poisoning Prevention Act sec. 6(b) Children's Products (Illinois)

**Test Method** : Reference to ASTM F963-23 Section 8.3.1 - CPSC-CH-E1002-08.3, CPSC-CH-E1003-09.1

Test Item(s)	Item / Component Description(s)
1	5080098 WHITE-CREAM FELT
2	5260170/ 5260172 CREAM PLASTIC
3	WHITE ELASTIC
4	WARM GRAY 2C SAWDUST
5	WHITE SAWDUST
6	LIGHT BLUE SAWDUST

Test Item(s)	Unit	Permissible Limit	Result					
			1	2	3	4	5	6
Lead (Pb) in substrate	mg/kg	100*	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>	-	-	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

Note:

- mg/kg = milligrams per kilogram
- ND = Not Detected
- Reporting limit (Each): 2 mg/kg
- \* Result over 40 mg/kg – 90 mg/kg in coating and 40 mg/kg – 100 mg/kg in substrate, warning label must be added

### ASTM F963-23 Standard Consumer Safety Specification on Toy Safety Section 4.3.5.2(2)(b) - Soluble Heavy Metals Content in Substrate

**Test Method** : Reference to ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3)).

Test Item(s)	Item / Component Description(s)
1	5080098 WHITE-CREAM FELT
2	5260170/ 5260172 CREAM PLASTIC
3	WHITE ELASTIC
4	WARM GRAY 2C SAWDUST
5	WHITE SAWDUST
6	LIGHT BLUE SAWDUST

Soluble Element(s)	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
<b>Maximum Allowable Limit (mg/kg)</b>	<b>25</b>	<b>1 000</b>	<b>75</b>	<b>60</b>	<b>60</b>	<b>90</b>	<b>60</b>	<b>500</b>
<b>Analytical Correction (%)</b>	<b>60</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>50</b>	<b>30</b>	<b>60</b>	<b>60</b>

-	Unit	Result					
Test Item(s)	-	1	2	3	4	5	6
Parameter	-	-	-	-	-	-	-
Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND
Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND
Chromium (Cr)	mg/kg	ND	ND	ND	ND	ND	ND
Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND
Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>	-	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

Note / Key:

- mg/kg = milligrams per kilogram
- ND = Not Detected
- Reporting limit (Each): 2 mg/kg





# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## TEST RESULT(S): (Continued)

**Consumer Product Safety Improvement Act Of 2008 Section 108/ 16 CFR Part 1307 / ASTM F963-23  
Standard Consumer Safety Specification on Toy Safety Section 4.3.8 - Phthalates**

**Test Method** : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	5260170/ 5260172 CREAM PLASTIC
2	WHITE ELASTIC
3	WARM GRAY 2C SAWDUST
4	WHITE SAWDUST
5	LIGHT BLUE SAWDUST

-	Abbrev.	Unit	Permissible Limit	Result				
Test Item(s)	-	-	-	1	2	3	4	5
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND	ND	ND	ND	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND
Di-n-octyl phthalate	DNOP	%	0.1	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND
<b>Conclusion</b>	-	-	-	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

**Note:**

- Reporting limit (Each): 0.01 %
- ND = Not Detected
- Phthalate requirements are quoted in accordance with 16 CFR 1307, while Di-n-octyl phthalate (DNOP) and Di-iso-decyl phthalate (DIDP) were tested upon client request.

ANNEX					
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN
Di-iso-butyl phthalate	DIBP	84-69-5	Di-iso-nonyl phthalate	DINP	28553-12-0 / 68515-48-0
Di-butyl phthalate	DBP	84-74-2	Di-iso-decyl phthalate	DIDP	68515-49-1 / 26761-40-0
Di-n-pentyl phthalate	DPENP	131-18-0	Di-n-hexyl phthalate	DHEXP	84-75-3
Benzyl butyl phthalate	BBP	85-68-7	Di-n-octyl phthalate	DNOP	117-84-0
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-cyclohexyl phthalate	DCHP	84-61-7

CASRN: Chemical Abstracts Service Registry Number



# Report No. 010224090036R1

DATED: 20 DECEMBER 2024

## TEST RESULT(S): (Continued)

### California Proposition 65 – Phthalate Content

Test Method : Reference to ASTM F963-23 Section 4.3.8.1- CPSC-CH-C1001-09.4

Test Item(s)	Item / Component Description(s)
1	5260170/ 5260172 CREAM PLASTIC
2	WHITE ELASTIC
3	WARM GRAY 2C SAWDUST
4	WHITE SAWDUST
5	LIGHT BLUE SAWDUST

-	Abbrev.	Unit	Permissible Limit	Result				
Test Item(s)	-	-	-	1	2	3	4	5
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND	ND	ND
Di-n-hexyl phthalate	DHEXP / DnHP	%	0.1	ND	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS	PASS

Note:

- Reporting limit (Each): 0.01 %

- ND = Not Detected

ANNEX					
Compound	Abbrev.	CAS no.	Compound	Abbrev.	CAS no.
Di-butyl phthalate	DBP	84-74-2	Di-(2-ethylhexyl) phthalate	DEHP	117-81-7
Benzyl butyl phthalate	BBP	85-68-7	Di-n-hexyl phthalate	DHEXP / DnHP	84-75-3
Di-iso-nonyl phthalate	DINP	28553-12-0	Di-iso-decyl phthalate	DIDP	26761-40-0

CASRN: Chemical Abstracts Service Registry Number

## END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.