

The report shall not be reproduced without written approval from Intertek



Issued Date: Jul 21, 2020

The results relate only to the item tested.

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.RATCHADA

#### Sample description:

Quantity of sample:One (1) setSample description:Wooden toyDate sample received:May 20, 2020Date information received:July 21, 2020

#### **Client Information:**

One (1) set of submitted sample said to be GIRAFFE PUZZLE

Item Name: GIRAFFE PUZZLE

Item Number:4634Label Age grading:18m+Country of origin:Thailand





#### **Test conducted:**

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladtel

Ladtaka Wongwiboonporn Laboratory Manager

Hardlines Department





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

_			•	
ı.v	nc	lusi	ınn	٠.
υU	IIL	ıus	w	١.

Tested samples	<u>Standard</u>	<u>Result</u>
Submitted sample	U.S. ASTM F963-17 for Physical and mechanical tests	Pass
	U.S. ASTM F963-17 for Flammability test of materials other than textile materials	Pass
	U.S. ASTM F963-17 for Heavy elements Test	Pass
	U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in non-surface coating material (subst	Pass rate)
	US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	Phthalate Content Requirement base on the California Proposition 65	Pass
	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (public act 095-1019)	Pass





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

#### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

<u>Components</u>	Report No.	<u>Date</u>
ASTM F963-17: Heavy metal		
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
RED SAWDUST	BKKH19008027S1	Jul 18, 2019
LIGHT ORANGE SAWDUST	BKKH19008555	Jul 08, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019
<u>Lead in substrate</u>		
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
RED SAWDUST	BKKH19008027S1	Jul 18, 2019
LIGHT ORANGE SAWDUST	BKKH19008555	Jul 08, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019
Phthalate content		
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
RED SAWDUST	BKKH19008027S1	Jul 18, 2019
LIGHT ORANGE SAWDUST	BKKH19008555	Jul 08, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing: For age over 18 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

Test **FHSA** Parameter Section 1500.52(b) Drop test 4 x 3.0 ft Torque test Section 1500.53(e) 4 in-lbf Tension test Section 1500.53(f) 15 lbf Compression test Section 1500.53(g) 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2▲	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20(4.20.1 <sup>▲</sup> )	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

#### Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25 (4.25.1	0,	NA
4.25.11 <sup>▲</sup> )	Battery-operated toys	
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37 <sup>▲</sup>	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	Р
6	Instructional literature	Р
7	Producer's markings	V
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: May 22, 2020 to July 16, 2020



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

2 Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite

Testing period: May 22, 2020 to July 16, 2020







The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

### Test conducted:

### 3 Heavy Elements Analysis

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result		<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg		mg/kg	mg/kg	
	(1)	(2)	(3)	(4)			
Sol. Barium (Ba)	82	<5	27	<5	1	5	1000
Sol. Lead (Pb)	<5	<5	ND	<5	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	YELLOW SAWDUST	Refer	BKKH19008027S1
(2) =	RED SAWDUST	Refer	BKKH19008027S1
(3) =	LIGHT ORANGE SAWDUST	Refer	BKKH19008555
(4) =	SAWDUST WOOD	Refer	BKKH19015542

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH20005467

Test conducted:

#### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

### (II) Non-surface coating

Tested Component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
rested component	<u>mg/kg</u>	<u>(mg/kg)</u>	(mg/kg)	<u>(mg/kg)</u>
(1)	<13	1	13	100
(2)	<13	1	13	100
(3)	<13	1	13	100
(4)	<13	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

 (1) = YELLOW SAWDUST
 Refer
 BKKH19008027S1

 (2) = RED SAWDUST
 Refer
 BKKH19008027S1

 (3) = LIGHT ORANGE SAWDUST
 Refer
 BKKH19008555

 (4) = SAWDUST WOOD
 Refer
 BKKH19015542

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

4 Total lead (Pb) content in substrate material- non-metal children's product As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for

children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content

was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result	LOD LOQ	<u>Limit mg/kg</u>
	<u>mg/kg</u>	mg/kg mg/kg	
(1)	<13	1 13	100
(2)	<13	1 13	100
(3)	<13	1 13	100
(4)	<13	1 13	100

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million Remark:

> LOD = Limit of Detection Limit of Quantitation LOQ =

ND = Not detected (Less than LOD) < = Less than

Tested components:

(1) =YELLOW SAWDUST Refer BKKH19008027S1 (2) =**RED SAWDUST** Refer BKKH19008027S1 (3) =LIGHT ORANGE SAWDUST Refer BKKH19008555 (4) =SAWDUST WOOD Refer BKKH19015542



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



#### Test conducted:

#### 5 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result		<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			<u>(%, w/w)</u>	<u>l</u>	(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

> NPR Notice of proposed rulemaking Percentage weight by weight %, w/w

Limit of Detection LOD LOQ Limit of Quantitation ND

Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

#### Tested components:

(1) =	YELLOW SAWDUST	Refer	BKKH19008027S1
(2) =	RED SAWDUST	Refer	BKKH19008027S1
(3) =	LIGHT ORANGE SAWDUST	Refer	BKKH19008555
(4) =	SAWDUST WOOD	Refer	BKKH19015542



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

### 6 Phthalate content test 4

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			<u>Result</u>		<u>LOD LOQ Limit</u>
			(%, w/w)	_	(%, w/w) (%, w/w) (%, w/w)
	(1)	(2)	(3)	(4)	
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015 0.0090 0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015 0.0030 0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015 0.0090 0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	0.0015 0.0030 0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

### Tested components:

(1) =	YELLOW SAWDUST		Refer	BKKH19008027S1
(2) =	RED SAWDUST		Refer	BKKH19008027S1
(3) =	LIGHT ORANGE SAWDUST		Refer	BKKH19008555
(4) =	SAWDUST WOOD		Refer	BKKH19015542

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

#### 7 Total Lead (Pb) Content ▲

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

#### Ш Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>mg/kg</u>	mg/kg	<u>mg/kg</u>
(1)	<13	1	13	100
(2)	<13	1	13	100
(3)	<13	1	13	100
(4)	<13	1	13	100

Remark: < = Less than

> Milligram per kilogram based on weight of sample; = ppm = Parts per million mq/kq =

Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

### Tested components:

(1)	=	YELLOW SAWDUST	Refer	BKKH19008027S1
(2)	=	RED SAWDUST	Refer	BKKH19008027S1
(3)	=	LIGHT ORANGE SAWDUST	Refer	BKKH19008555
(4)	=	SAWDUST WOOD	Refer	BKKH19015542

LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.

Page 12 of 12

