

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Applicant: PLAN CREATIONS CO., LTD.
8 MOO 8, TRANG-PALIAN RD.,
YANTAKAO, TRANG, THAILAND 92140
ATTN: K.NARONG, K.RATCHADA

Issued Date: May 19, 2020

Sample description:

Quantity of sample:	One (1) set
Sample description:	Wooden toy
Date sample received:	May 08, 2020
Date information received:	May 15, 2020

Client Information:

One (1) set of submitted sample said to be MOBILE

Item Name: MOBILE
Item Number: 5249



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by :
For Intertek Testing Services (Thailand) Ltd.,
Hardlines Laboratory



Ladtaka Wongwiboonporn
Laboratory Manager
Hardlines Department

TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.



Number: BKKH20005012

Conclusion:

Tested samples

Submitted sample

Standard

U.S. ASTM F963-16 and ASTM F963-17
for Heavy elements Test

Result

Pass

Standard - U.S. CFR title 16

(CPSC regulations)
Part 1303 total Lead content

Pass

Standard

U.S. Consumer product safety improvement
Act 2008(H.R. 4040) Title I, Section 101
For total lead content in surface coating

Pass

U.S. Consumer product safety improvement
Act 2008(H.R. 4040) Title I, Section 101
For total lead content in non-surface coating material (substrate)

Pass

US 16 CFR Part 1307 for Prohibition of Children’s Toys
and Child Care Articles Containing Specified Phthalates

Pass

Phthalate Content Requirement base
on the California Proposition 65

Pass

Illinois Lead Poisoning Prevention
Act 410 ILCS 45 section 6 (public act 095-1019)

Pass



TEST REPORT

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

Number: BKKH20005012

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

<u>Components</u>	<u>Report No.</u>	<u>Date</u>
<u>ASTM F963-17: Heavy metal</u>		
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
PINK COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BLUE COATING ON WOOD (No.4)	BKKH19008028S1	Jul 18, 2019
LIGHT ORANGE COATING ON WOOD	BKKH19009836	Aug 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
LIGHT YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
LIGHT PURPLE COATING ON WOOD	BKKH19012332	Sep 24, 2019
LACQUER COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
<u>Lead in surface coating</u>		
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
PINK COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BLUE COATING ON WOOD (No.4)	BKKH19008028S1	Jul 18, 2019
LIGHT ORANGE COATING ON WOOD	BKKH19009836	Aug 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
LIGHT YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
LIGHT PURPLE COATING ON WOOD	BKKH19012332	Sep 24, 2019
LACQUER COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
<u>Lead in substrate</u>		
CREAM CORD	BKKH19012333	Sep 24, 2019
<u>Phthalate content</u>		
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
PINK COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BLUE COATING ON WOOD (No.4)	BKKH19008028S1	Jul 18, 2019
LIGHT ORANGE COATING ON WOOD	BKKH19009836	Aug 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
LIGHT YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
LIGHT PURPLE COATING ON WOOD	BKKH19012332	Sep 24, 2019
LACQUER COATING ON WOOD	BKKH19015175	Nov 13, 2019



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

2 Total Lead (Pb) content[▲]

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD %	LOQ %	Limit %
(1)	ND	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	ND	0.0002	0.0013	0.0090
(4)	<0.0013	0.0002	0.0013	0.0090
(5)	ND	0.0002	0.0013	0.0090
(6)	ND	0.0002	0.0013	0.0090
(7)	ND	0.0002	0.0013	0.0090
(8)	ND	0.0002	0.0013	0.0090
(9)	ND	0.0002	0.0013	0.0090

Remark: % = percentage < = Less than
 LOD = Limit of Detection LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)
 ▲ = Tested items are not included in the TISI Accreditation

Tested components:

- | | | |
|------------------------------------|-------|----------------|
| (1) = BROWN COATING ON WOOD | Refer | BKKH19007791S1 |
| (2) = PINK COATING ON WOOD | Refer | BKKH19007790S1 |
| (3) = BLUE COATING ON WOOD (No.4) | Refer | BKKH19008028S1 |
| (4) = LIGHT ORANGE COATING ON WOOD | Refer | BKKH19009836 |
| (5) = GRAY COATING ON WOOD | Refer | BKKH19007792S1 |
| (6) = LIGHT GRAY COATING ON WOOD | Refer | BKKH19008312S1 |
| (7) = LIGHT YELLOW COATING ON WOOD | Refer | BKKH19009836 |
| (8) = LIGHT PURPLE COATING ON WOOD | Refer | BKKH19012332 |
| (9) = LACQUER COATING ON WOOD | Refer | BKKH19007792S1 |



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

5 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u>					<u>LOD</u>	<u>LOQ</u>	<u>(16CFR1307)</u>	<u>NPR</u>
	(1)	(2)	(3)	(4)	(5)	(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	--	--
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	--	--
Di-isobutyl phthalate (DIBP) [▲]	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) [▲]	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) [▲]	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) [▲]	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) [▲]	ND	ND	ND	ND	ND	0.0015	0.0090	--	--

Remark : The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children’s Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

- NPR = Notice of proposed rulemaking
- %, w/w = Percentage weight by weight
- LOD = Limit of Detection
- LOQ = Limit of Quantitation
- ND = Not detected (Less than LOD)
- ▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) = BROWN COATING ON WOOD	Refer	BKKH19007791S1
(2) = PINK COATING ON WOOD	Refer	BKKH19007790S1
(3) = BLUE COATING ON WOOD (No.4)	Refer	BKKH19008028S1
(4) = LIGHT ORANGE COATING ON WOOD	Refer	BKKH19009836
(5) = GRAY COATING ON WOOD	Refer	BKKH19007792S1



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u>				<u>LOD</u>	<u>LOQ</u>	<u>(16CFR1307)</u>	<u>NPR</u>
	<u>(%, w/w)</u>				<u>(%, w/w)</u>	<u>(%, w/w)</u>	<u>Limit (%, w/w)</u>	<u>(%, w/w)</u>
	(6)	(7)	(8)	(9)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015	0.0030	--	--
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015	0.0090	--	--
Di-isobutyl phthalate (DIBP) [▲]	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) [▲]	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) [▲]	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) [▲]	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) [▲]	ND	ND	ND	ND	0.0015	0.0090	--	--

Remark : The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children’s Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

- NPR = Notice of proposed rulemaking
- %, w/w = Percentage weight by weight
- LOD = Limit of Detection
- LOQ = Limit of Quantitation
- ND = Not detected (Less than LOD)
- ▲ = Tested items are not included in the TISI Accreditation

Tested components:

(6) = LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(7) = LIGHT YELLOW COATING ON WOOD	Refer	BKKH19009836
(8) = LIGHT PURPLE COATING ON WOOD	Refer	BKKH19012332
(9) = LACQUER COATING ON WOOD	Refer	BKKH19015175



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

6 Phthalate content test[▲]

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u>					<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	(1)	(2)	(3)	(4)	(5)	(%, w/w)	(%, w/w)	(%, w/w)
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark : %, w/w = Percentage weight by weight
 LOD = Limit of Detection
 LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)
 ▲ = Tested items are not included in the TISI Accreditation

Note : The above limit was quoted according to the California Proposition 65

Tested components:

(1) = BROWN COATING ON WOOD	Refer	BKKH19007791S1
(2) = PINK COATING ON WOOD	Refer	BKKH19007790S1
(3) = BLUE COATING ON WOOD (No.4)	Refer	BKKH19008028S1
(4) = LIGHT ORANGE COATING ON WOOD	Refer	BKKH19009836
(5) = GRAY COATING ON WOOD	Refer	BKKH19007792S1



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

Phthalate content test[▲]

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result</u>				<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>(%, w/w)</u>				<u>(%, w/w)</u>	<u>(%, w/w)</u>	<u>(%, w/w)</u>
	(6)	(7)	(8)	(9)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015	0.0090	0.1
Diocetyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark : %, w/w = Percentage weight by weight
 LOD = Limit of Detection
 LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)
 ▲ = Tested items are not included in the TISI Accreditation

Note : The above limit was quoted according to the California Proposition 65

Tested components:

(6) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(7) =	LIGHT YELLOW COATING ON WOOD	Refer	BKKH19009836
(8) =	LIGHT PURPLE COATING ON WOOD	Refer	BKKH19012332
(9) =	LACQUER COATING ON WOOD	Refer	BKKH19015175



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

7 Total Lead (Pb) Content[▲]

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

I Surface coating material

<u>Tested component</u>	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>mg/kg</u>	<u>mg/kg</u>	<u>mg/kg</u>
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	<13	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90
(8)	ND	2	13	90
(9)	ND	2	13	90

Remark: < = Less than
mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
LOD = Limit of Detection
LOQ = Limit of Quantitation
ND = Not detected (Less than LOD)
▲ = Tested items are not included in the TISI Accreditation

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1) = BROWN COATING ON WOOD	Refer	BKKH19007791S1
(2) = PINK COATING ON WOOD	Refer	BKKH19007790S1
(3) = BLUE COATING ON WOOD (No.4)	Refer	BKKH19008028S1
(4) = LIGHT ORANGE COATING ON WOOD	Refer	BKKH19009836
(5) = GRAY COATING ON WOOD	Refer	BKKH19007792S1
(6) = LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(7) = LIGHT YELLOW COATING ON WOOD	Refer	BKKH19009836
(8) = LIGHT PURPLE COATING ON WOOD	Refer	BKKH19012332
(9) = LACQUER COATING ON WOOD	Refer	BKKH19007792S1



TEST REPORT

The report shall not be reproduced without written approval from Intertek
The results relate only to the item tested.

Number: BKKH20005012

Test conducted:

II Non-surface coating material (substrate)

<u>Tested component</u>	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
(10)	<u>mg/kg</u>	<u>mg/kg</u>	<u>mg/kg</u>	<u>mg/kg</u>
	ND	1	13	100

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million
 LOD = Limit of Detection
 LOQ = Limit of Quantitation
 ND = Not detected (Less than LOD)

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(10) = CREAM CORD

Refer BKKH19012333

Note: LOD and LOQ value in this test report were effective since October, 2014

*****END*****/KS/NK

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.

