

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH20005443

Issued Date: Jun 18, 2020

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.RATCHADA

Sample description:

Quantity of sample:One (1) setSample description:Wooden toyDate sample received:May 20, 2020Date information received:June 15, 2020

Client Information:

One (1) set of submitted sample said to be FRACTION BLOCKS

Item Name: FRACTION BLOCKS

Item Number:5371Label Age grading:18M+Country of origin:Thailand



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladteles W

Ladtaka Wongwiboonporn

Laboratory Manager Hardlines Department

Page 1 of 13



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



('Onc	usion:
COLIC	usivii.

<u>Tested samples</u>	Standard	Result
Submitted sample	U.S. ASTM F963-17 for Physical and mechanical tests	Pass
	U.S. ASTM F963-17 for Flammability test of materials other than textile materials	Pass
	U.S. ASTM F963-17 for Heavy elements Test	Pass
	Standard - U.S. CFR title 16 (CPSC regulations) Part 1303 total Lead content	Pass
	Standard U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating	Pass
	US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	Phthalate Content Requirement base on the California Proposition 65	Pass
	Illinois Lead Poisoning Prevention	Pass

Act 410 ILCS 45 section 6 (public act 095-1019)





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.


Components	Report No.	<u>Date</u>
ASTM F963-17: Heavy metal		
WHITE COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
Lead in surface coating		
WHITE COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
Phthalate content		
WHITE COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019

Page 3 of 13





The report shall not be reproduced without written approval from Intertek





Number: BKKH20005443

Test conducted:

1 Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's specified testing age : For age over 18 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.52(b)
 4 x 3.0 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2▲	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	NA
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20(4.20.1 ^A)	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25 (4.25.10, 4.25.11 [▲])	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37 [▲]	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	Р
6	Instructional literature	Р
7	Producer's markings - name of producer (toy and package) - address (package)	Yes Yes

Remark : P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: May 22, 2020 to June 09, 2020





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

2 Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite

Testing period: May 22, 2020 to June 09, 2020





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result		<u>LOD</u>	LOQ	Limit mg/kg
			mg/kg		mg/kg	mg/kg	
	(1)	(2)	(3)	(4)			
Sol. Barium (Ba)	ND	<5	ND	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(1) =	WHITE COATING ON WOOD		Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD		Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD		Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD		Refer	BKKH19007793S1

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
rested component	<u>mg/kg</u>	<u>(mg/kg)</u>	(mg/kg)	<u>(mg/kg)</u>
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) =	WHITE COATING ON WOOD		Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD		Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD		Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD		Refer	BKKH19007793S1



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

4 Total Lead (Pb) content ▲

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

T <u>ested component</u>	Result %	LOD %	LOQ %	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	ND	0.0002	0.0013	0.0090
(4)	ND	0.0002	0.0013	0.0090

Remark: % = percentage

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) =	WHITE COATING ON WOOD	Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
	<u>mg/kg</u>	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) =	WHITE COATING ON WOOD	Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

6 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result		<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			<u>(%, w/w)</u>	_	(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Tested components:

(1) =	WHITE COATING ON WOOD	Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1

(N)



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

7 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result		<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
		<u>(</u>	(%, w/w)	<u>(%, w/w) (%, w/w)</u>	(%, w/w)
	(1)	(2)	(3)	(4)		
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	0.0015 0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.0015 0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	0.0015 0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	0.0015 0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	0.0015 0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	0.0015 0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	0.0015 0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) =	WHITE COATING ON WOOD		Refer	BKKH19007793S1
(2) =	LIGHT GRAY COATING ON WOOD		Refer	BKKH19008312S1
(3) =	GRAY COATING ON WOOD		Refer	BKKH19007792S1
(4) =	BLACK COATING ON WOOD		Refer	BKKH19007793S1





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

8 Total Lead (Pb) Content ▲

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Τ Surface coating material

Tested component	<u>Result</u>	LOD LOQ	<u>Limit</u>
	<u>mg/kg</u>	mg/kg mg/kg	mg/kg
(1)	ND	2 13	90
(2)	ND	2 13	90
(3)	ND	2 13	90
(4)	ND	2 13	90

Remark:

Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection Limit of Quantitation LOQ =

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1)	= WHITE COATING ON WOOD	Refer	BKKH19007793S1
(2)	= LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(3)	= GRAY COATING ON WOOD	Refer	BKKH19007792S1
(4)	= BLACK COATING ON WOOD	Refer	BKKH19007793S1

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.