

The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested



Number: BKKH19016534

Issued Date: Jan 06, 2020

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN

Sample description:

Quantity of sample: One (1) set Sample description: Wooden toy

Date sample received: December 09, 2019
Date information received: December 26, 2019

Client Information:

One (1) set of submitted sample said to be WILD ANIMAL SET/LION/GIRAFFE/ZEBRA/ELEPHANT

Item Name: WILD ANIMAL SET/LION/GIRAFFE/ZEBRA/ELEPHANT

Item Number: 6128/6134/6135/6136/6137



Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

adteles h

Ladtaka Wongwiboonporn

Intertek Testing Services (Thailand) Ltd.

Laboratory Manager Hardlines Department

Page 1 of 18



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested



Conclusion:

Tested samplesStandardResultSubmitted sampleU.S. ASTM F963-17 for Physical and mechanical testsPass

U.S. ASTM F963-17 for Flammability test of materials Pass

other than textile materials

U.S. ASTM F963-17 Pass

for Heavy elements Test

Standard - U.S. CFR title 16

(CPSC regulations) Pass

Part 1303 total Lead content

Standard

U.S. Consumer product safety improvement Pass Act 2008(H.R. 4040) Title I, Section 101

For total lead content in surface coating

U.S. Consumer product safety improvement Pass

Act 2008(H.R. 4040) Title I, Section 101

on the California Proposition 65

For total lead content in non-surface coating material (substrate)

US 16 CFR Part 1307 for Prohibition of Children's Toys

Pass

and Child Care Articles Containing Specified Phthalates

Phthalate Content Requirement base Pass

Illinois Lead Poisoning Prevention Pass

Act 410 ILCS 45 section 6 (public act 095-1019)

As requested by the applicant, the test was conducted only on components listed in this report.

Other components were not tested.



Remark:



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

Components	Report No.	<u>Date</u>
ASTM F963-17: Heavy metal	DVVI 14 000770464	L.14E 2010
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
BLUE SAWDUST	BKKH19009832	Aug 15, 2019
ORANGE SAWDUST	BKKH19008027S1	Jul 18, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019
Lead in surface coating		
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
<u>Lead in substrate</u>		
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
BLUE SAWDUST	BKKH19009832	Aug 15, 2019
ORANGE SAWDUST	BKKH19008027S1	Jul 18, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019
Phthalate content		
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
YELLOW SAWDUST	BKKH19008027S1	Jul 18, 2019
BLUE SAWDUST	BKKH19009832	Aug 15, 2019
		~
ORANGE SAWDUST	BKKH19008027S1	Jul 18, 2019
SAWDUST WOOD	BKKH19015542	Nov 20, 2019

Page 3 of 18





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

1 Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing : For age over 12 months.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.51(b)
 10 x 4.5 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	Р
4.6.2 [▲]	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20(4.20.1	A) Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

<u>Clause</u>	<u>Testing items</u>	Assessment
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25 (4.25.10), Dattern an aretail to us	NA
4.25.11 [▲])	Battery-operated toys	
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37 [▲]	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P#
6	Instructional literature	Р
7	Producer's markings	V
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

- ▲ = Tested items are not included in the TISI Accreditation
- # = Only artwork of packaging was provided for review.

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: December 09, 2019 to January 06, 2020

(n)



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

2 Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Results: Did not ignite

Testing period: December 09, 2019 to December 16, 2019





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			<u>Result</u>	LOD	<u>LOQ</u>	<u>Limit mg/kg</u>
			<u>mg/kg</u>	mg/kg	mg/kg	
	(1)	(2)				
Sol. Barium (Ba)	ND	ND		1	5	1000
Sol. Lead (Pb)	ND	ND		1	5	90
Sol. Cadmium (Cd)	ND	ND		1	5	75
Sol. Antimony (Sb)	ND	ND		2	5	60
Sol. Selenium (Se)	ND	ND		1	5	500
Sol. Chromium (Cr)	ND	ND		2	5	60
Sol. Mercury (Hg)	ND	ND		1	5	60
Sol. Arsenic (As)	ND	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = BROWN COATING ON WOOD

Refer BKKH19007791S1

(2) = BLACK COATING ON WOOD

Refer BKKH19007793S1

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

(n)



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result		<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
			mg/kg		mg/kg	mg/kg	
	(3)	(4)	(5)	(6)			
Sol. Barium (Ba)	82	ND	ND	<5	1	5	1000
Sol. Lead (Pb)	<5	ND	<5	<5	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(3) =	YELLOW SAWDUST	Refer	BKKH19008027S1
(4) =	BLUE SAWDUST	Refer	BKKH19009832
(5) =	ORANGE SAWDUST	Refer	BKKH19008027S1
(6) =	SAWDUST WOOD	Refer	BKKH19015542

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

<u>Tested Component</u>	<u>Result</u>	<u>LOD LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>(mg/kg)</u> (mg/kg)	<u>(mg/kg)</u>
(1)	ND	2 13	90
(2)	ND	2 13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = BROWN COATING ON WOOD Refer BKKH19007791S1 (2) = BLACK COATING ON WOOD Refer BKKH19007793S1



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tosted Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
<u>Tested Component</u>	<u>mg/kg</u>	<u>(mg/kg)</u> (mg/kg)	<u>(mg/kg)</u>
(3)	<13	1 13	100
(4)	ND	1 13	100
(5)	ND	1 13	100
(6)	<13	1 13	100

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million Remark:

> LOD = Limit of Detection LOQ = Limit of Quantitation

Not detected (Less than LOD) ND = < = Less than

Tested components:

(3) =YELLOW SAWDUST Refer BKKH19008027S1 (4) =**BLUE SAWDUST** Refer BKKH19009832 (5) =**ORANGE SAWDUST** Refer BKKH19008027S1 (6) =SAWDUST WOOD Refer BKKH19015542

www.intertek.com



TFST RFPORT

The report shall not be reproduced without written approval from Intertek





Number: BKKH19016534

Test conducted:

4 Total Lead (Pb) content [▲]

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD % LOQ %	<u>Limit %</u>
(1)	ND	0.0002 0.0013	0.0090
(2)	ND	0.0002 0.0013	0.0090

Remark: % = percentage

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(1) = BROWN COATING ON WOOD

Refer BKKH19007791S1

(2) = BLACK COATING ON WOOD

Refer BKKH19007793S1

5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOO</u>	<u>Limit mg/kg</u>
	mg/kg	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = BROWN COATING ON WOOD

Refer BKKH19007791S1

(2) = BLACK COATING ON WOOD

Refer BKKH19007793S1





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

6 Total lead (Pb) content in substrate material- non-metal children's product
As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content

was determined by Inductively Couple Plasma Optical Emission Spectrometry.

vas acteriminea by maactivery cou	apic i lasilla Optical Ellission s	pectionicii y	•	
Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
	<u>mg/kg</u>	mg/kg	mg/kg	
(1)	<13	1	13	100
(2)	ND	1	13	100
(3)	ND	1	13	100
(4)	<13	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(1) = YELLOW SAWDUST
(2) = BLUE SAWDUST
(3) = ORANGE SAWDUST
(4) = SAWDUST WOOD

Refer BKKH19008027S1
Refer BKKH19008027S1
Refer BKKH19015542



The report shall not be reproduced without written approval from Intertek





Test conducted:

7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			<u>(%, w/w</u>)		(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

> NPR Notice of proposed rulemaking Percentage weight by weight %, w/w

Limit of Detection LOD LOQ Limit of Quantitation Not detected (Less than LOD) ND

Tested items are not included in the TISI Accreditation

Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(2) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1
(3) =	YELLOW SAWDUST	Refer	BKKH19008027S1
(4) =	BLUE SAWDUST	Refer	BKKH19009832
(5) =	ORANGE SAWDUST	Refer	BKKH19008027S1



www.intertek.com



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
		<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(6)					
Dibutyl Phthalate (DBP)	ND		0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND		0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND		0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND		0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND		0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND		0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND		0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND		0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) [▲]	ND		0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND		0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND		0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Tested components:

(6) = SAWDUST WOOD Refer BKKH19015542





The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

8 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) =	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(2) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1
(3) =	YELLOW SAWDUST	Refer	BKKH19008027S1
(4) =	BLUE SAWDUST	Refer	BKKH19009832
(5) =	ORANGE SAWDUST	Refer	BKKH19008027S1





The report shall not be reproduced without written approval from Intertek



Number: BKKH19016534

Test conducted:

Phthalate content test *

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
		<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	(%, w/w)
	(6)				
Dibutyl Phthalate (DBP)	ND		0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND		0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND		0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND		0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND		0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND		0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND		0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

> LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

The above limit was quoted according to the California Proposition 65 Note:

Tested components:

SAWDUST WOOD Refer BKKH19015542





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

9 Total Lead (Pb) Content ▲

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

I Surface coating material

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>mg/kg</u> <u>mg/kg</u>	mg/kg
(1)	ND	2 13	90
(2)	ND	2 13	90

Remark: < = Less than

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested items are not included in the TISI Accreditation

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1) = BROWN COATING ON WOOD

Refer BKKH19007791S1

(2) = BLACK COATING ON WOOD

Refer BKKH19007793S1





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

Ш Non-surface coating material (substrate)

Tested component	Result	LOD	LOQ	<u>Limit</u>
rested component	mg/kg	mg/kg	mg/kg	mg/kg
(3)	<13	1	13	100
(4)	ND	1	13	100
(5)	ND	1	13	100
(6)	<13	1	13	100

Remark: Less than

> mg/kg =Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(3)	=	YELLOW SAWDUST			Refer	BKKH19008027S1
(4)	=	BLUE SAWDUST			Refer	BKKH19009832
(5)	=	ORANGE SAWDUST			Refer	BKKH19008027S1
(6)	=	SAWDUST WOOD			Refer	BKKH19015542

LOD and LOQ value in this test report were effective since October, 2014 Note:

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.

Page 18 of 18



www.intertek.com