

The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.RATCHADA Issued Date: Mar 24, 2020

This report supersedes The previous report Date Mar 23, 2020

### Sample description:

Quantity of sample:One (1) setSample description:Wooden toyDate sample received:March 03, 2020Date information received:March 24, 2020

### **Client Information:**

One (1) set of submitted sample said to be LIVING ROOM-NEO

Item Name: LIVING ROOM-NEO

Item Number:7307Label Age grading:3Y+Country of origin:Thailand





### **Test conducted:**

As requested by the applicant, for details please refer to attached page(s)

To be continued

For and on behalf of:

Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladtch

Ladtaka Wongwiboonporn Laboratory Manager Hardlines Department

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand Tel + 662 765 2999 Fax + 662 765 2936 www.intertek.com



Page 1 of 20



The report shall not be reproduced without written approval from Intertek



Number: BKKH20002720S1

The results relate only to the item tested

_			•	
ı.v	nc	lusi	$\mathbf{n}$	٦.
vu	116	ıusı	IVI	1.

**Tested samples** Standard Result Submitted sample U.S. ASTM F963-17 for Physical and mechanical tests Pass U.S. ASTM F963-17 for Flammability test of materials Pass other than textile materials U.S. ASTM F963-17 **Pass** for Heavy elements Test Standard - U.S. CFR title 16 **Pass** (CPSC regulations) Part 1303 total Lead content Standard **Pass** U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating Pass U.S. Consumer product safety improvement Act 2008(H.R. 4040) Title I, Section 101 For total lead content in non-surface coating material (substrate) Pass US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates Pass Phthalate Content Requirement base on the California Proposition 65 Pass Illinois Lead Poisoning Prevention

Act 410 ILCS 45 section 6 (public act 095-1019)

\*





The report shall not be reproduced without written approval from Intertek





Number: BKKH20002720S1

### Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

<u>Components</u>	Report No.	<u>Date</u>
ASTM F963-17: Heavy metal		
RED COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
ORANGE COATING ON WOOD	BKKH19008028S1	Jul 18, 2019
YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
PURPLE COATING ON WOOD	BKKH19009831S1	Aug 19, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
LIGHT BROWN PLASTIC	BKKH19012980	Oct 03, 2019
PRINT FABRIC SCOTT	BKKH19012772	Oct 01, 2019
Lead in surface coating		
RED COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
ORANGE COATING ON WOOD	BKKH19008028S1	Jul 18, 2019
YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
PURPLE COATING ON WOOD	BKKH19009831S1	Aug 19, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019
<u>Lead in substrate</u>		
LIGHT BROWN PLASTIC	BKKH19012980	Oct 03, 2019
PRINT FABRIC SCOTT	BKKH19012772	Oct 01, 2019
Phthalate content		
RED COATING ON WOOD	BKKH19007790S1	Jul 15, 2019
BROWN COATING ON WOOD	BKKH19007791S1	Jul 15, 2019
LIGHT GRAY COATING ON WOOD	BKKH19008312S1	Jul 15, 2019
ORANGE COATING ON WOOD	BKKH19008028S1	Jul 18, 2019
YELLOW COATING ON WOOD	BKKH19009836	Aug 15, 2019
PURPLE COATING ON WOOD	BKKH19009831S1	Aug 19, 2019
GRAY COATING ON WOOD	BKKH19007792S1	Jul 15, 2019
BLACK COATING ON WOOD	BKKH19007793S1	Jul 15, 2019

Page 3 of 20





The report shall not be reproduced without written approval from Intertek





Number: BKKH20002720S1

### Test conducted:

1 Physical And Mechanical Tests

Test Standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing : For age over 3 years.

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: -

 Test
 FHSA
 Parameter

 Drop test
 Section 1500.53(b)
 4 x 3.0 ft

 Torque test
 Section 1500.53(e)
 4 in-lbf

 Tension test
 Section 1500.53(f)
 15 lbf

 Compression test
 Section 1500.53(g)
 30 lbf

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	Material quality	Р
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2▲	Mouth-actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months (small part warning)	NA
4.7	Accessible edges	Р
4.8	Projections	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20(4.20.1 <sup>▲</sup> )	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA

www.intertek.com



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

### Test conducted:

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25 (4.25.1	O, Battami an anatad tawa	NA
4.25.11 <sup>▲</sup> )	Battery-operated toys	
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	Р
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37 <sup>▲</sup>	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	Р
6	Instructional literature	Р
7	Producer's markings	
	- name of producer (toy and package)	Yes
	- address (package)	Yes

Remark: P = Pass NA = Not applicable

▲ = Tested items are not included in the TISI Accreditation

The submitted samples were undergone the tests in accordance with clause 8.5 through clause 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Testing period: March 03, 2020 to March 09, 2020

Page 5 of 20



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Test conducted:

#### 2 Flammability Test

Test Standard: Clause 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

<u>Sample</u>	Ignition point	Burn length (inch)	Time (sec)	Actual burn rate (inch/sec)	rate (inch/sec)	<u>Limit</u> (inch/sec)
Big cushion	Corner to top	4.9	4.5	0.11	=	0.10

The above result only showed the most severe burn rate of the samples and components.

Testing period: March 03, 2020 to March 09, 2020





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

## 3 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg			mg/kg	mg/kg	
	(1)	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	ND	ND	<5	ND	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(1) =	RED COATING ON WOOD			Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD			Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD			Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD			Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD			Refer	BKKH19009836

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

(N)



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### **Heavy Elements Analysis**

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result mg/kg	<u>LOD</u> mg/kg	<u>LOQ</u> mg/kg	Limit mg/kg
	(6)	(7)	(8)	ilig/kg	mg/ kg	
Sol. Barium (Ba)	<5	ND	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

### Tested components:

(6) =	PURPLE COATING ON WOOD		Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD		Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD		Refer	BKKH19007793S1

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

### **Heavy Elements Analysis**

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
			mg/kg	mg/kg	mg/kg	
	(9)	(10)				
Sol. Barium (Ba)	ND	<5		1	5	1000
Sol. Lead (Pb)	ND	ND		1	5	90
Sol. Cadmium (Cd)	ND	ND		1	5	75
Sol. Antimony (Sb)	ND	ND		2	5	60
Sol. Selenium (Se)	ND	ND		1	5	500
Sol. Chromium (Cr)	ND	ND		2	5	60
Sol. Mercury (Hg)	ND	<5		1	5	60
Sol. Arsenic (As)	ND	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) <= Less than

Tested components:

(9) = LIGHT BROWN PLASTIC Refer BKKH19012980 (10) = PRINT FABRIC SCOTT Refer BKKH19012772

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

(n)



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

### (I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
rested component	<u>mg/kg</u>	<u>(mg/kg)</u>	<u>(mg/kg)</u>	<u>(mg/kg)</u>
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90
(8)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

### Tested components:

(1) =	RED COATING ON WOOD	Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD	Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD	Refer	BKKH19009836
(6) =	PURPLE COATING ON WOOD	Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

### Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

<u>Tested Component</u>	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	(mg/kg) (	(mg/kg)	<u>(mg/kg)</u>
(9)	ND	1	13	100
(10)	ND	1	13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(9) = LIGHT BROWN PLASTIC Refer BKKH19012980 (10) = PRINT FABRIC SCOTT Refer BKKH19012772

\*



The results relate only to the item tested



Number: BKKH20002720S1

### Test conducted:

### Total Lead (Pb) content ▲ 4

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result %	LOD %	LOQ %	<u>Limit %</u>
(1)	ND	0.0002	0.0013	0.0090
(2)	ND	0.0002	0.0013	0.0090
(3)	ND	0.0002	0.0013	0.0090
(4)	ND	0.0002	0.0013	0.0090
(5)	ND	0.0002	0.0013	0.0090
(6)	ND	0.0002	0.0013	0.0090
(7)	ND	0.0002	0.0013	0.0090
(8)	ND	0.0002	0.0013	0.0090

Remark: percentage

> LOD = Limit of Detection Limit of Quantitation LOQ =

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(1) =	RED COATING ON WOOD		Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD		Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD		Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD		Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD		Refer	BKKH19009836
(6) =	PURPLE COATING ON WOOD		Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD		Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD		Refer	BKKH19007793S1



Bangkok 10800 Thailand



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

5 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	Result	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
	<u>mg/kg</u>	mg/kg	mg/kg	
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90
(8)	ND	2	13	90

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection

LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

### Tested components:

(1) =	RED COATING ON WOOD	Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD	Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD	Refer	BKKH19009836
(6) =	PURPLE COATING ON WOOD	Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

Total lead (Pb) content in substrate material- non-metal children's product

As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

was acterimica by madetively coup	ole i lasilia optical Ellission s	pectionictiy.	
Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit mg/kg</u>
	<u>mg/kg</u>	<u>mg/kg</u> <u>mg/kg</u>	
(1)	ND	1 13	100
(2)	ND	1 13	100

Remark: mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = LIGHT BROWN PLASTIC
(2) = PRINT FABRIC SCOTT

Refer BKKH19012980
Refer BKKH19012772

\*



The report shall not be reproduced without written approval from Intertek





Number: BKKH20002720S1

### Test conducted:

### 7 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			<u>(%, w/w)</u>			(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)				
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) <sup>▲</sup>	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(1) =	RED COATING ON WOOD	Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD	Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD	Refer	BKKH19009836

(n)



The report shall not be reproduced without written approval from Intertek





Test conducted:

### Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	<u>LOD</u>	<u>LOQ</u>	(16CFR1307)	<u>NPR</u>
			<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	Limit (%, w/w)	(%, w/w)
	(6)	(7)	(8)				
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015	0.0090	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	0.0015	0.0030		
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015	0.0090		
Di-isobutyl phthalate (DIBP) ▲	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-pentyl phthalate (DPENP) ▲	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-n-hexyl phthalate (DHEXP) ▲	ND	ND	ND	0.0015	0.0030	0.1	0.1
Di-cyclohexyl phthalate (DCHP) ▲	ND	ND	ND	0.0015	0.0030	0.1	0.1
Diisooctyl phthalate (DIOP) ▲	ND	ND	ND	0.0015	0.0090		

Remark: The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates except the Phthalate no.5-6,11 was conducted as per applicant requested only.

NPR = Notice of proposed rulemaking %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

### Tested components:

(6) =	PURPLE COATING ON WOOD	Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1

\*

(N)



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.



Number: BKKH20002720S1

### Test conducted:

## 8 Phthalate content test A

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
			(%, w/w)			(%, w/w)	(%, w/w)	(%, w/w)
	(1)	(2)	(3)	(4)	(5)			
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

### Tested components:

(1) =	RED COATING ON WOOD		Refer	BKKH19007790S1
(2) =	BROWN COATING ON WOOD		Refer	BKKH19007791S1
(3) =	LIGHT GRAY COATING ON WOOD		Refer	BKKH19008312S1
(4) =	ORANGE COATING ON WOOD		Refer	BKKH19008028S1
(5) =	YELLOW COATING ON WOOD		Refer	BKKH19009836

\*





The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested.

Test conducted:

## Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
			<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	(%, w/w)
	(6)	(7)	(8)			
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015	0.0030	0.1
Di(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.0015	0.0030	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015	0.0090	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	0.0015	0.0030	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015	0.0090	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	0.0015	0.0030	0.1

Remark: %, w/w = Percentage weight by weight

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

▲ = Tested items are not included in the TISI Accreditation

Note: The above limit was quoted according to the California Proposition 65

## Tested components:

(6) =	PURPLE COATING ON WOOD	Refer	BKKH19009831S1
(7) =	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(8) =	BLACK COATING ON WOOD	Refer	BKKH19007793S1

\*





### TFST RFPORT

The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

### 9 Total Lead (Pb) Content <sup>▲</sup>

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

### I Surface coating material

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	mg/kg	mg/kg	<u>mg/kg</u>
(1)	ND	2	13	90
(2)	ND	2	13	90
(3)	ND	2	13	90
(4)	ND	2	13	90
(5)	ND	2	13	90
(6)	ND	2	13	90
(7)	ND	2	13	90
(8)	ND	2	13	90

### Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection

LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

= Tested items are not included in the TISI Accreditation

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

### Tested components:

(1)	=	RED COATING ON WOOD	Refer	BKKH19007790S1
(2)	=	BROWN COATING ON WOOD	Refer	BKKH19007791S1
(3)	=	LIGHT GRAY COATING ON WOOD	Refer	BKKH19008312S1
(4)	=	ORANGE COATING ON WOOD	Refer	BKKH19008028S1
(5)	=	YELLOW COATING ON WOOD	Refer	BKKH19009836
(6)	=	PURPLE COATING ON WOOD	Refer	BKKH19009831S1
(7)	=	GRAY COATING ON WOOD	Refer	BKKH19007792S1
(8)	=	BLACK COATING ON WOOD	Refer	BKKH19007793S1

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

(N)



The report shall not be reproduced without written approval from Intertek



The results relate only to the item tested

Test conducted:

II Non-surface coating material (substrate)

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	mg/kg mg/kg	<u>mg/kg</u>
(9)	ND	1 13	100
(10)	ND	1 13	100

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement: According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6

(public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(9) = LIGHT BROWN PLASTIC Refer BKKH19012980 (10) = PRINT FABRIC SCOTT Refer BKKH19012772

Note: LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

