

TEST REPORT

Number: BKKH17002821S1

Applicant: PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN Date: May 04, 2017
This report supersedes
The previous report
Date Apr 19, 2017

Sample description:

Quantity of sample:

Sample description:

Date sample received:

Date sample resubmitted:

Date information received:

Mooden toy

March 01, 2017

April 10, 2017

May 03, 2017

Client Information:

One (1) set of submitted sample said to be BIRD HOUSE I

Item Name: BIRD HOUSE I

Item Number: 8606





Test conducted:

As requested by the applicant, for details please refer to attached page(s)

To be continued

Authorized by:

For Intertek Testing Services (Thailand) Ltd.,

Hardlines Laboratory

Ladtaka Wongwiboonporn Laboratory Manager Hardlines Department

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

TEST REPORT

Conclusion:
Tested samples Standard Result

Submitted sample

U.S. ASTM F963-11 and F963-16 for Heavy elements Test

Pass

Standard - U.S. CFR title 16

(CPSC regulations) Pass

Part 1303 total Lead content

Standard

U.S. Consumer product safety improvement Pass

Act 2008(H.R. 4040) Title I, Section 101 For total lead content in surface coating

U.S. Consumer product safety improvement Pass

Act 2008(H.R. 4040) Title I, Section 101

For total lead content in non-surface coating material (substrate)

U.S. Consumer product safety improvement Pass

Act 2008(H.R. 4040) Title I, Section 108

Requirement on phthalates

Phthalate Content Requirement base Pass

on the California Proposition 65

Illinois Lead Poisoning Prevention Pass

Act 410 ILCS 45 section 6 (public act 095-1019)

Remark: As requested by the applicant, the test was conducted only on components listed in this report.

Other components were not tested.

Comment: The testing scope of the following standards was not applicable to the submitted samples.

However, the test results of the samples met the related requirements as stated in this report.

.....



TEST REPORT

Remark:

The chemical test results was not conducted on the below components of samples. Applicant claimed the components were tested on our previous test report.

Components	Report No.	<u>Date</u>
ASTM F963-11: Heavy metal		
LACQUER COATING ON WOOD	BKKH16008147	Jun 09,2016
White Sawdust 5%	BKKH16007214	May 23,2016
ROPE COTTON	BKKH16016708	Nov 29,2016
Solid Wood	BKKH17000142	Jan 10,2017
ASTM F963-16: Heavy metal		
CREAM PLASTIC JOINT	BKKH17003197	Mar 13,2017
Lead in surface coating		
LACQUER COATING ON WOOD	BKKH16008147	Jun 09,2016
Lead in substrate		
White Sawdust 5%	BKKH16007214	May 23,2016
ROPE COTTON	BKKH16016708	Nov 29,2016
Solid Wood	BKKH17000142	Jan 10,2017
CREAM PLASTIC JOINT	BKKH17003197	Mar 13,2017
Phthalate content		
White Sawdust 5%	BKKH16007214	May 23,2016
LACQUER COATING ON WOOD	BKKH16008147	Jun 09,2016
CREAM PLASTIC JOINT	BKKH17003197	Mar 13,2017



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

TEST REPORT

Test conducted:

1 Heavy Elements Analysis

As per clause 4.3.5.1(2) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

		<u>Result</u> mg/kg	<u>LOD</u> <u>mg/kg</u>	<u>LOQ</u> mg/kg	Limit mg/kg
	(1)	<u></u>	<u></u>		
Sol. Barium (Ba)	ND		1	5	1000
Sol. Lead (Pb)	ND		1	5	90
Sol. Cadmium (Cd)	ND		1	5	75
Sol. Antimony (Sb)	ND		2	5	60
Sol. Selenium (Se)	ND		1	5	500
Sol. Chromium (Cr)	ND		2	5	60
Sol. Mercury (Hg)	ND		1	5	60
Sol. Arsenic (As)	ND		2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = LACQUER COATING ON WOOD Refer BKKH16008147

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Intertek Testing Services (Thailand) Ltd.



The report shall not be reproduced without written approval from Intertek

The results relate only to the item tested.

TEST REPORT

Test conducted:

Heavy Elements Analysis

As per clause 4.3.5.2(2)(b) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16, acid extraction method was used and heavy elements migration content were determined by ICP-OES analysis.

			Result		<u>LOD</u>	<u>LOQ</u>	Limit mg/kg
			mg/kg		mg/kg	mg/kg	
	(2)	(3)	(4)	(5)			
Sol. Barium (Ba)	ND	ND	ND	ND	1	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	1	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	1	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	2	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	1	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	2	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	1	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2	5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(2) =	White Sawdust 5%	Refer	BKKH16007214
(3) =	ROPE COTTON	Refer	BKKH16016708
(4) =	Solid Wood	Refer	BKKH17000142
(5) =	CREAM PLASTIC JOINT	Refer	BKKH17003197

Note: The results of soluble toxic elements were adjusted by subtracting the analytical correction factor.

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.1(1) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1003-09.1:2011 was used and total Lead content was determined by ICP-OES analysis.

(I) Surface coating

Tested Component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>(mg/kg)</u> (mg/kg)	<u>(mg/kg)</u>
(1)	ND	2 13	90

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = LACQUER COATING ON WOOD Refer BKKH16008147

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

Total Lead (Pb) Content

As per clause 4.3.5.2(2)(a) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11 and F963-16, test method CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012 were used and total Lead content was determined by ICP-OES analysis.

(II) Non-surface coating

Tested Component	<u>Result</u>	<u>LOD LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	(mg/kg) (mg/kg)	<u>(mg/kg)</u>
(2)	ND	1 13	100
(3)	ND	1 13	100
(4)	ND	1 13	100
(5)	ND	1 13	100

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(2)	=	White Sawdust 5%	Refer	BKKH16007214
(3)	=	ROPE COTTON	Refer	BKKH16016708
(4)	=	Solid Wood	Refer	BKKH17000142
(5)	=	CREAM PLASTIC JOINT	Refer	BKKH17003197
	also de			and the state of t

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand Tel.: (662) 837-2999 Fax: (662) 837-2936

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



TEST REPORT

Test conducted:

2 Total Lead (Pb) content

As per U.S. Code of Federal Regulations title 16 Part 1303. Acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u> <u>LOQ</u>	<u>Limit</u>
	<u>%</u>	<u>%</u>	<u>%</u>
(1)	ND	0.0002 0.0013	0.009

Remark: % = percentage

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = LACQUER COATING ON WOOD Refer BKKH16008147

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

3 Total lead (Pb) content in surface coating

As per U.S. Consumer Product Safety Improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing Lead, CPSC-CH-E1003-09.1:2011 method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u>	<u>LOD</u>	<u>LOQ</u>	<u>Limit mg/kg</u>
	<u>mg/kg</u>	<u>mg/kg</u>	mg/kg	
(1)	ND	2	13	90

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) = LACQUER COATING ON WOOD Refer BKKH16008147

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

4 Total lead (Pb) content in substrate material- non-metal children's product As per U.S. Consumer product safety improvement Act of 2008 (H.R. 4040), Title I, Section 101 for children's products containing lead, CPSC-CH-E1002-08.3:2012 method was used and total lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

Tested component	<u>Result</u> <u>mg/kg</u>	<u>LOD</u> <u>LOQ</u> mg/kg mg/kg	<u>Limit mg/kg</u>
(1)	ND	1 13	100
(2)	ND	1 13	100
(3)	ND	1 13	100
(4)	ND	1 13	100

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Tested components:

(1) =	White Sawdust 5%	Refer	BKKH16007214
(2) =	ROPE COTTON	Refer	BKKH16016708
(3) =	Solid Wood	Refer	BKKH17000142
(4) =	CREAM PLASTIC JOINT	Refer	BKKH17003197

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

5 Phthalate content

As per CPSC-CH-C1001-09.3:2010 and U.S. Consumer Product Safety Improvement Act 2008 (H.R. 4040), Title I, Section 108 requirement on Phthalates, solvent extraction method was used and Phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	LOD	<u>LOQ</u>	<u>Limit</u>	NPR
			(%, w/w)	(%, w/w)	(%, w/w)	<u>(%, w/w)</u>	(%, w/w)
	(1)	(2)	(3)				
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015	0.003	0.1	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	0.0015	0.003	0.1	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015	0.003	0.1	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015	0.009	0.1	0.1
Di-n-octyl Phthalate (DNOP)	ND	ND	ND	0.0015	0.003	0.1	
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015	0.009	0.1	
Di-isobutyl phthalate (DIBP)	ND	ND	ND	0.0015	0.009		0.1
Di-n-pentyl phthalate (DnPP)	ND	ND	ND	0.0015	0.009		0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	0.0015	0.009		0.1
Di-cyclohexyl phthalate (DCHP)	ND	ND	ND	0.0015	0.009		0.1
Diisooctyl phthalate (DIOP)	ND	ND	ND	0.0015	0.009		

Remark: The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

NPR = Notice of proposed rulemaking

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) % w/w = Percentage weight by weight

Tested components:

(1) =	White Sawdust 5%	Refer	BKKH16007214		
(2) =	LACQUER COATING ON WOOD	Refer	BKKH16008147		
(3) =	CREAM PLASTIC JOINT	Refer	BKKH17003197		

Intertek Testing Services (Thailand) Ltd.



TEST REPORT

Test conducted:

6 Phthalate content test

By solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

			Result	<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>
			<u>(%, w/w)</u>	(%, w/w)	(%, w/w)	<u>(%, w/w)</u>
	(1)	(2)	(3)			
Dibutyl Phthalate (DBP)	ND	ND	ND	0.0015	0.003	0.1
Diethyl hexyl Phthalate (DEHP)	ND	ND	ND	0.0015	0.003	0.1
Benzyl butyl Phthalate (BBP)	ND	ND	ND	0.0015	0.003	0.1
Di-iso-nonyl Phthalate (DINP)	ND	ND	ND	0.0015	0.009	0.1
Dioctyl Phthalate (DNOP)	ND	ND	ND	0.0015	0.003	0.1
Di-iso-decyl Phthalate (DIDP)	ND	ND	ND	0.0015	0.009	0.1
Di-n-hexyl Phthalate (DnHP)	ND	ND	ND	0.0015	0.003	0.1

Remark:

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD) % w/w = Percentage weight by weight

Note: The above limit was quoted according to the California Proposition 65

Tested components:

(1) :	= White Sawdust 5%	Refer	BKKH16007214	
(2) :	LACQUER COATING ON WOOD	Refer	BKKH16008147	
(3) :	= CREAM PLASTIC JOINT	Refer	BKKH17003197	



The

The results relate only to the item tested.

TEST REPORT

Test conducted:

7 Total Lead (Pb) Content

As per Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Couple Plasma Optical Emission Spectrometry.

I Surface coating material

Tested component	Result	LOD	<u>LOQ</u>	<u>Limit</u>
	<u>mg/kg</u>	<u>mg/kg</u>	mg/kg	<u>mg/kg</u>
(1)	ND	2	13	90

Remark:

mg/kg = Milligram per kilogram based on weight of sample; = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal or state law or regulation.

Tested components:

(1)	=	LACQUER COATING ON WOOD	Refer	BKKH16008147
	******	********************	******	******



TEST REPORT

Test conducted:

II Non-surface coating material (substrate)

Tested component	<u>Result</u> <u>mg/kg</u>	LOD LOQ mg/kg mg/kg	<u>Limit</u> <u>mg/kg</u>
(2)	ND	1 13	100
(3)	ND	1 13	100
(4)	ND	1 13	100
(5)	ND	1 13	100

Remark:

mg/kg = Milligram per kilogram = ppm = Parts per million

LOD = Limit of Detection LOQ = Limit of Quantitation

ND = Not detected (Less than LOD)

Requirement:

According to Illinois Lead poisoning prevention act 410 ILCS 45 section 6 (public act 095-019), appropriate warning statement is required when the Lead content of the submitted sample is more than 40 ppm but less than 90 ppm for surface coatings and less than 100 ppm for substrates by total weight or a lower standard for Lead content as may be established by federal

or state law or regulation.

Tested components:

(2)	=	White Sawdust 5%	Refer	BKKH16007214
(3)	=	ROPE COTTON	Refer	BKKH16016708
(4)	=	Solid Wood	Refer	BKKH17000142
(5)	=	CREAM PLASTIC JOINT	Refer	BKKH17003197

Note: LOD and LOQ value in this test report were effective since October, 2014

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936