

Report No. 120050063R1

Dated JUN 26, 2020

Client : PLAN CREATIONS CO., LTD.

8 MOO 8, TRANG-PALIAN RD., YANTAKAO, TRANG 90140

ATTN: MS RATCHADA KONGTHON

Buyer : /

Test Sample Received : RECEIVED ON 27/05/2020

Test Period : FROM 12/06/2020 TO 22/06/2020

Report Revision Date : 25/06/2020

Sample Description : GRANDFATHER

Product Code : 9850

Age Grade: : 3Y+

Manufacturer : /

Country of Destination : /

Country of Origin : THAILAND

TEST REQUESTED	CONCLUSION	REMARK
ASTM F963-17 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (MECHANICAL AND PHYSICAL PROPERTIES)	PASS	<u>-</u>
CPSC 2020 AGE DETERMINATION GUIDELINES	DATA	(G) Y-
ASTM F963-17 - STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (FLAMMABILITY)	PASS	-
CPSIA 2008 SECTION 101 CHILDREN'S PRODUCTS CONTAINING LEAD	PASS	-
CPSIA 2008 SECTION 101 CHILDREN'S PRODUCTS CONTAINING LEAD; LEAD PAINT RULE	PASS	-
ILCS 410 ILCS 45 LEAD POISONING PREVENTION ACT SEC. 6(B) CHILDREN'S PRODUCTS (ILLINOIS)	PASS	-
ASTM F963-17 – STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY (SOLUBLE HEAVY METAL CONTENT)	PASS	-
CPSIA 2008 SECTION 108 PROHIBITION OF SALE OF CERTAIN PRODUCTS CONTAINING SPECIFIED PHTHALATES	PASS	-
CALIFORNIA PROPOSITION 65 – PHTHALATE CONTENT	PASS	-

GIC Testing & Inspection Services Pte. Ltd. 158 Kallang Way, #08-01, Singapore 349245 Contact No.: +65 6741 2260

Page 1 of 9



Report No. 120050063R1

Dated JUN 26, 2020

For technical enquiries or any other concerns, please contact:

GIC TESTING & INSPECTION SERVICES

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:

APPROVED BY:

EDMUND YAP

LABORATORY MANAGER

SUZEN CHONG SENIOR VICE PRESIDENT



Page 2 of 9



Report No. 120050063R1

Dated JUN 26, 2020

SAMPLE PHOTO











Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S):

Standard Consumer Safety Specification for Toy Safety (Mechanical and Physical Properties)

Test Method: Reference to ASTM F963-17.

Section	Requirement	Result
4.1	Material quality	M
4.2	Flammability	See Results
4.3	Toxicology	See Results
4.4	Electrical/Thermal Energy	NA
4.5	Sound-Producing Toys	NA
4.6	Small Objects	M
4.7	Accessible Edges	M
4.8	Projections	NA
4.9	Accessible Points	M
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	M
6	Instructional Literature	NA
7	Producer's Markings	М

Note:

 $M = Meet \hspace{1cm} NM = Not \hspace{1cm} Meet \hspace{1cm} NA = Not \hspace{1cm} Applicable \hspace{1cm} R = Refer \hspace{1cm} to \hspace{1cm} Comment \hspace{1cm} Section$

NR = Not Requested NT = Not Tested NP = Not Present



Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S): (Continued)

CPSC 2020 Age Determination Guidelines

Test Method: Reference to CPSC 2020 Age Determination Guidelines.

Claimed Age Grade	Recommended Age Grade
3Y+	3Y+

ASTM F963-17 - Standard Consumer Safety Specification for Toy Safety (Flammability)

Test Method: Reference to ASTM F963-17 Annex A5.

Test Item(s)	Item / Component Description(s)	
1	9850 Grandfather	

Test Item(s)	Length of Major Axis (in)	Burn Time (s)	Req. (in/s)	Burn Rate (in/s)	Result
1	5.0	DNI	0.1	DNI	DNI
Conclusion	-	-	-	-	PASS

Note:

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

CPSIA 2008 Section 101 Children's Products Containing Lead

Test Method : Reference to CPSC-CH-E1002-08.3 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)	
1	Green Fabric	
2	Khaki Fabric	
3	Denim	
4	Gray Yarn	K = 2007

	Unit	Req.	Result				
Test Item(s)			1	2	3	4	
Lead	mg/kg	100	ND	ND	ND	ND	
Conclusion		-	PASS	PASS	PASS	PASS	

Note:

Page 5 of 9

mg/kg = milligrams per kilogramReporting limit (Each): 10 mg/kg

ND = Not Detected

GIC Testing & Inspection Services Pte. Ltd. 158 Kallang Way, #08-01, Singapore 349245 Contact No.: +65 6741 2260



Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S): (Continued)

CPSIA 2008 Section 101 Children's Products Containing Lead; Lead Paint Rule

Test Method: Reference to CPSC-CH-E1003-08.3 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)		
1	Brown Coating on Wood		
2	White Coating on Wood		
3	Black Coating on Wood		

-	Unit	Req.	Result			
Test Item(s)		-	1	2	3	
Lead	mg/kg	90	ND	ND	ND	
Conclusion	-	- 11.7	PASS	PASS	PASS	

Note:

mg/kg = milligrams per kilogramReporting limit (Each): 10 mg/kg

- ND = Not Detected

410 ILCS 45 Lead Poisoning Prevention Act sec. 6(b) Children's Products (Illinois)

Test Method : Reference to CPSC-CH-E1002-08.3, CPSC-CH-E1003-08.3 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)				
1	Green Fabric	16-29-1			
2	Khaki Fabric				
3	Denim	Marie No. 1			
4	Gray Yarn				
5	Brown Coating on Wood				
6	White Coating on Wood				
7	Black Coating on Wood				

	Unit	Req.	Result						
Test Item(s)	-	· -	1	2	3	4	5	6	7
Total Lead (Pb)	mg/kg	40	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

Note:

- mg/kg = milligrams per kilogram

- Reporting limit (Each): 10 mg/kg

- ND = Not Detected



Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S): (Continued)

ASTM F963-17 - Standard Consumer Safety Specification for Toy Safety (Soluble Heavy Metal Content)

Test Method : Reference to ASTM F963-17 Analysis by ICP-MS.

Test Item(s)	Item / Component Description(s)				
1	Green Fabric				
2	Khaki Fabric				
3	Denim				
4	Gray Yarn				
5	Brown Coating on Wood				
6	White Coating on Wood				
7	Black Coating on Wood				

	Unit	Req.	Result					
Test Item(s)	- (20)	-	1	2	3	4		
Antimony (Sb)	mg/kg	60	ND	ND	ND	ND		
Arsenic (As)	mg/kg	25	ND	ND	ND	ND		
Barium (Ba)	mg/kg	1000	ND	ND	ND	ND		
Cadmium (Cd)	mg/kg	75	ND	ND	ND	ND		
Chromium III (Cr III)	mg/kg	60	ND	ND	ND	ND		
Lead (Pb)	mg/kg	90	ND	ND	ND	ND		
Mercury (Hg)	mg/kg	60	ND	ND	ND	ND		
Selenium (Se)	mg/kg	500	ND	ND	28.7	ND		
Conclusion	-	-	PASS	PASS	PASS	PASS		

1 - 1	Unit	Req.		Result	
Test Item(s)	-	-	5	6	7
Antimony (Sb)	mg/kg	60	ND	ND	ND
Arsenic (As)	mg/kg	25	ND	ND	ND
Barium (Ba)	mg/kg	1000	ND	ND	ND
Cadmium (Cd)	mg/kg	75	ND	ND	ND
Chromium III (Cr III)	mg/kg	60	ND	ND	ND
Lead (Pb)	mg/kg	90	ND	ND	ND
Mercury (Hg)	mg/kg	60	ND	ND	ND
Selenium (Se)	mg/kg	500	ND	ND	ND
Conclusion		-	PASS	PASS	PASS

Note:

ppm = mg/kg Reporting limit (each) = 10 mg/kg

ND = Not Detected



Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S): (Continued)

CPSIA 2008 Section 108 Prohibition of Sale of Certain Products Containing Specified Phthalates

Test Method : Reference to CPSC-CH-C1001-09.4 Analysis by GC-MS.

Test Item(s)	Item / Component Description(s)					
1	Brown Coating on Wood					
2	White Coating on Wood					
3	Black Coating on Wood					

-	Abbrev.	Unit	Req.	Result		
Test Item(s)			-	1	2	3
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND
Di-iso-butyl phthalate	DIBP	%	0.1	ND	ND	ND
Di-n-pentyl phthalate	DPENP	%	0.1	ND	ND	ND
Di-n-hexyl phthalate	DHEXP	%	0.1	ND	ND	ND
Di-cyclohexyl phthalate	DCHP	%	0.1	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS

Note

- Reporting limit (Each): 0.01 %

ND = Not Detected

ANNEX								
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN			
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-iso-butyl phthalate	DIBP	84-69-5			
Di-butyl phthalate	DBP	84-74-2	Di-n-pentyl phthalate	DPENP	84-61-7			
Benzyl butyl phthalate	BBP	85-68-7	Di-n-hexyl phthalate	DHEXP	28553-12-0 / 68515-48-0			
Di-iso-nonyl phthalate	DINP	131-18-0	Di-cyclohexyl phthalate	DCHP	84-75-3			

CASRN: Chemical Abstracts Service Registry Number

California Proposition 65 - Phthalate Content

Test Method: Reference to CPSC-CH-C1001-09.4 Analysis by GC-MS.

Test Item(s)	Item / Component Description(s)
1	Brown Coating on Wood
2	White Coating on Wood
3	Black Coating on Wood

-	Abbrev.	Unit	Req.	Result		
Test Item(s)	-	-	-	1	2	3
Benzyl butyl phthalate	BBP	%	0.1	ND	ND	ND
Di-butyl phthalate	DBP	%	0.1	ND	ND	ND
Di-(2-ethylhexyl) phthalate	DEHP	%	0.1	ND	ND	ND
Di-iso-decyl phthalate	DIDP	%	0.1	ND	ND	ND
Di-iso-nonyl phthalate	DINP	%	0.1	ND	ND	ND
Di-n-hexyl phthalate	DNHP	%	0.1	ND	ND	ND
Conclusion		-	-	PASS	PASS	PASS

Note:

- Reporting limit (Each): 0.01 %

ND = Not Detected

GIC Testing & Inspection Services Pte. Ltd. 158 Kallang Way, #08-01, Singapore 349245 Contact No.: +65 6741 2260



Report No. 120050063R1

Dated JUN 26, 2020

TEST RESULT(S): (Continued)

ANNEX								
Compound	Abbrev.	CASRN	Compound	Abbrev.	CASRN			
Di-butyl phthalate	DBP	84-74-2	Di-iso-decyl phthalate	DIDP	68515-49-1 / 26761-40-0			
Benzyl butyl phthalate	BBP	85-68-7	Di-iso-nonyl phthalate	DINP	131-18-0			
Di-(2-ethylhexyl) phthalate	DEHP	117-81-7	Di-n-hexyl phthalate	DNHP	28553-12-0 / 68515-48-0			

CASRN: Chemical Abstracts Service Registry Number



This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.