

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Applicant: PLAN CREATIONS CO., LTD.  
8 MOO 8, TRANG-PALIAN RD.,  
YANTAKAO, TRANG, THAILAND 92140  
ATTN: K.NARONG, K.SUPAPORN

Date: May 28, 2019

### Sample description:

Quantity of sample:	One (1) set
Sample description:	Wooden toy
Date sample received:	October 03, 2018
Date Information received:	May 21, 2019

### Client Information:

One (1) set of submitted sample said to be FIRE STATION

Item Name:	FIRE STATION
Item Number:	6619



### Tests conducted:

As requested by the applicant, for details please refer to attached pages.

\*\*\*\*\*

For and on behalf of :  
Intertek Testing Services (Thailand) Ltd.,  
Hardlines Laboratory

*Ladtaka W.*

Ladtaka Wongwiboonporn  
Laboratory Manager  
Hardlines Department

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

### Conclusion:

<u>Tested samples</u>	<u>Standard</u>	<u>Result</u>
Submitted samples	EN71-1 : 2014+A1:2018 Mechanical and physical properties	Pass
	EN71-2 : 2011 + A1 : 2014 Flammability test	Pass
	EN71-3 : 2013 + A2 : 2017 and EN71-3 : 2013 + A3 : 2018 Migration of certain elements	Pass**

\*\*\*\*\*

### Note:

\*\*The chemical test results was not conducted on the below components of samples.  
Applicant claimed the components were tested on our previous test report.

<u>Components</u>	<u>Report No.</u>	<u>Date</u>
PLYWOOD	BKKH18008767	Jul 10, 2018
Red Coating on Sawdust	BKKH18008869	Jul 10, 2018
White Coating on Sawdust	BKKH18008869	Jul 10, 2018
RED SAWDUST	BKKH18008768	Jul 10, 2018
SOLID WOOD	BKKH18008754	Jul 10, 2018
White Elastic	BKKH18008758	Jul 11, 2018
Yellow Coating on Sawdust	BKKH18008867	Jul 10, 2018
Brown Coating on Sawdust	BKKH18008867	Jul 10, 2018
YELLOW COATING ON WOOD	BKKH18008771	Jul 12, 2018
WHITE COATING ON WOOD	BKKH18008771	Jul 12, 2018
BROWN COATING ON WOOD	BKKH18008771	Jul 12, 2018
LACQUER COATING ON WOOD	BKKH18008771	Jul 12, 2018
ORANGE COATING ON WOOD (8771)	BKKH18008771	Jul 12, 2018
BLACK COATING ON WOOD	BKKH18008772	Jul 18, 2018
LIGHT GRAY COATING ON WOOD	BKKH18008772	Jul 18, 2018
RED COATING ON WOOD	BKKH18008770	Jul 12, 2018
ORANGE COATING ON WOOD	BKKH18010022	Aug 03, 2018
WHITE PLASTIC JOINT	BKKH18008761	Jul 11, 2018
WHITE CORD (PP)	BKKH18008763	Jul 11, 2018
FRONT AXLE + TIRE (BLACK RUBBER)	BKKH18012545	Sep 20, 2018
FRONT AXLE + TIRE (WHITE PLASTIC)	BKKH18012545	Sep 20, 2018
GRAY COATING ON SAWDUST	BKKH18013956	Oct 31, 2018
BLACK ELASTIC	BKKH18016414	Dec 20, 2018

\*\*\*\*\*



## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

1 Mechanical and Physical Test<sup>▲</sup>

Test standard: European Standard on Safety of toys EN71-1 : 2014 + A1 : 2018

Age group for testing : For age over 3 years.

The submitted samples were undergone the following abuse tests:

Clause	Testing items
8.3	Torque test ( 0.34 Nm )
8.4.2.1	Tension test ( 90 N )
8.5	Drop test ( 850 mm x 5 )
8.7	Impact test (1 kg)
8.8	Compression test ( 110 N )
8.9	Soaking test

Clause	Requirements	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.1	Cords of toy kites and other flying toys	NA

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

Clause	Requirements	Assessment
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P *1
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.2	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

Clause	Requirements	Assessment
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation :

P = Pass

NA = Not Applicable

Remark: ▲

= Tested items are not included in the TISI Accreditation

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

### Test conducted:

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement.  
These information also appears as a note within the EN71 but are not standard requirements  
and not accredited:

#### Marking

The manufacturer's and importer's name, registered trade name or registered trade mark,  
the address and type, batch, serial or model number or other element allowing their identification  
shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present

Testing period : October 19, 2018 to November 16, 2018

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

\*1 Sound producing toys test

Test Standard : European Standard on Safety of toys EN71-1 : 2014+A1:2018, clause 4.20 for Acoustics.

Section	Test item	Assessment
4.20.2.1	Close-to-the-ear toys	NA
4.20.2.2	Toys that can be confused with a close-to-the-ear toy	NA
4.20.2.3	Table-top toys	NA
4.20.2.4	Hand-held toys	P
4.20.2.5	Toys using headphones or earphones	NA
4.20.2.6	Rattles	NA
4.20.2.7	Squeeze toys	NA
4.20.2.8	Pull-along or push toys	NA
4.20.2.9	Percussion toys	NA
4.20.2.10	Wind toys	NA
4.20.2.11	Cap-firing toys	NA
4.20.2.12	Voice toys	NA

Remark : P = Pass NA = Not applicable

Tested component	A weighted time-averaged emission sound pressure level (Aeq)	Limit (dB)
Bell	65.9	90

  

Tested component	C-weighted emission peak sound pressure level (Cpk)	Limit (dB)
Bell	85.0	110

Testing period : October 19, 2018 to November 16, 2018

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

### 2 Flammability Test

As per European Standard on Safety of Toys EN71-2 : 2011 + A1 : 2014.

<u>Clause</u>	<u>Testing items</u>	<u>Assessment</u>
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Remark : P = Pass NA = Not applicable

Testing period : October 19, 2018 to November 16, 2018

\*\*\*\*\*





## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

3 19 Toxic elements migration test<sup>▲</sup>

(A) Test result

With reference to EN 71-3: 2013 + A2 : 2017. Determined by ICP-MS, LC-ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)	Result (mg/kg)					LOD	LOQ	Limit
	(1)	(2)	(3)	(4)	(5)	(mg/kg)	(mg/kg)	(mg/kg)
Aluminium (Al)	<5	382	844	5	ND	1	5	70000
Antimony (Sb)	ND	ND	ND	ND	ND	1	5	560
Arsenic (As)	ND	ND	ND	ND	ND	0.02	0.1	47
Barium (Ba)	ND	ND	ND	<5	7	1	5	18750
Boron (B)	14	6	8	44	<5	1	5	15000
Cadmium (Cd)	0.2	ND	ND	ND	ND	0.02	0.1	17
Chromium (Cr) Δ	0.022	0.023	0.176	0.013	0.033	0.001	0.005	-
Chromium (III) (Cr III)	NC	NC	NC	NC	NC	-	-	460
Chromium (VI) (Cr VI)	NC	NC	NC	NC	NC	-	0.2	0.2
Cobalt (Co)	ND	ND	ND	ND	ND	0.2	1	130
Copper (Cu)	ND	ND	ND	ND	ND	1	5	7700
Lead (Pb)	ND	ND	ND	1	2	0.2	1	23 <sup>▲▲</sup>
Manganese (Mn)	52	ND	<5	71	64	1	5	15000
Mercury (Hg)	ND	ND	ND	ND	ND	0.2	1	94
Nickel (Ni)	ND	ND	ND	ND	ND	1	5	930
Selenium (Se)	ND	ND	ND	ND	ND	1	5	460
Strontium (Sr)	12	ND	ND	15	11	1	5	56000
Tin (Sn) ΔΔ	ND	ND	ND	2	ND	0.2	1	180000
Organic tin	NC	NC	NC	NC	NC	1	3	12
Zinc (Zn)	63	157	11	14	19	1	5	46000

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

19 Toxic elements migration test<sup>▲</sup>

(A) Test result

With reference to EN 71-3: 2013 + A2 : 2017. Determine by ICP-MS, LC-ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)	Result (mg/kg)					LOD	LOQ	Limit
	(6)	(7)	(8)	(9)	(10)	(mg/kg)	(mg/kg)	(mg/kg)
Aluminium (Al)	<5	859	410	939	4124	1	5	70000
Antimony (Sb)	ND	ND	ND	ND	ND	1	5	560
Arsenic (As)	ND	ND	ND	0.2	0.1	0.02	0.1	47
Barium (Ba)	ND	ND	ND	<5	10	1	5	18750
Boron (B)	ND	12	15	27	8	1	5	15000
Cadmium (Cd)	ND	ND	ND	<0.1	ND	0.02	0.1	17
Chromium (Cr) Δ	0.027	0.026	0.037	0.504	0.507	0.001	0.005	-
Chromium (III) (Cr III)	NC	NC	NC	0.504	0.507	-	-	460
Chromium (VI) (Cr VI)	NC	NC	NC	<0.2#	<0.2#	-	0.2	0.2
Cobalt (Co)	ND	ND	ND	ND	ND	0.2	1	130
Copper (Cu)	ND	ND	ND	7	ND	1	5	7700
Lead (Pb)	ND	ND	ND	2	<1	0.2	1	23 <sup>▲▲</sup>
Manganese (Mn)	ND	ND	<5	30	9	1	5	15000
Mercury (Hg)	ND	ND	ND	ND	ND	0.2	1	94
Nickel (Ni)	ND	ND	ND	ND	ND	1	5	930
Selenium (Se)	ND	ND	ND	ND	ND	1	5	460
Strontium (Sr)	ND	ND	ND	<5	ND	1	5	56000
Tin (Sn) ΔΔ	ND	ND	ND	ND	ND	0.2	1	180000
Organic tin	NC	NC	NC	NC	NC	1	3	12
Zinc (Zn)	144	150	310	59	100	1	5	46000

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

19 Toxic elements migration test<sup>▲</sup>

(A) Test result

With reference to EN 71-3: 2013 + A2 : 2017. Determine by ICP-MS, LC-ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)	Result (mg/kg)					LOD	LOQ	Limit
	(11)	(12)	(13)	(14)	(15)	(mg/kg)	(mg/kg)	(mg/kg)
Aluminium (Al)	80	10	236	16	1841	1	5	70000
Antimony (Sb)	ND	ND	ND	ND	ND	1	5	560
Arsenic (As)	ND	ND	ND	ND	ND	0.02	0.1	47
Barium (Ba)	572	<5	11	5	5	1	5	18750
Boron (B)	11	35	33	19	21	1	5	15000
Cadmium (Cd)	ND	ND	0.2	ND	0.7	0.02	0.1	17
Chromium (Cr) Δ	0.201	0.168	1.227	0.16	16.08	0.001	0.005	-
Chromium (III) (Cr III)	0.201	NC	1.227	NC	16.08	-	-	460
Chromium (VI) (Cr VI)	<0.2#	NC	<0.2#	NC	<0.2#	-	0.2	0.2
Cobalt (Co)	ND	ND	ND	ND	ND	0.2	1	130
Copper (Cu)	ND	ND	<5	<5	9	1	5	7700
Lead (Pb)	<1	<1	13	1	2	0.2	1	23 <sup>▲▲</sup>
Manganese (Mn)	21	23	79	34	47	1	5	15000
Mercury (Hg)	ND	ND	ND	ND	ND	0.2	1	94
Nickel (Ni)	ND	ND	<5	ND	<5	1	5	930
Selenium (Se)	ND	ND	ND	ND	ND	1	5	460
Strontium (Sr)	<5	6	9	6	5	1	5	56000
Tin (Sn) ΔΔ	ND	ND	ND	ND	ND	0.2	1	180000
Organic tin	NC	NC	NC	NC	NC	1	3	12
Zinc (Zn)	15	26453	ND	24	2078	1	5	46000

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

19 Toxic elements migration test<sup>▲</sup>

(A) Test result

With reference to EN 71-3: 2013 + A2 : 2017. Determine by ICP-MS, LC-ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)	Result (mg/kg)				LOD	LOQ	Limit
	(16)	(17)	(18)	(19)	(mg/kg)	(mg/kg)	(mg/kg)
Aluminium (Al)	237	250	ND	ND	1	5	70000
Antimony (Sb)	ND	ND	ND	6	1	5	560
Arsenic (As)	ND	ND	ND	ND	0.02	0.1	47
Barium (Ba)	604	ND	ND	ND	1	5	18750
Boron (B)	<5	<5	ND	ND	1	5	15000
Cadmium (Cd)	ND	0.9	ND	ND	0.02	0.1	17
Chromium (Cr) Δ	0.796	0.245	ND	0.018	0.001	0.005	-
Chromium (III) (Cr III)	0.796	0.245	NC	NC	-	-	460
Chromium (VI) (Cr VI)	<0.2#	<0.2#	NC	NC	-	0.2	0.2
Cobalt (Co)	ND	ND	ND	ND	0.2	1	130
Copper (Cu)	ND	<5	ND	ND	1	5	7700
Lead (Pb)	ND	1	ND	ND	0.2	1	23 <sup>▲▲</sup>
Manganese (Mn)	5	10	ND	ND	1	5	15000
Mercury (Hg)	ND	ND	ND	ND	0.2	1	94
Nickel (Ni)	ND	ND	ND	ND	1	5	930
Selenium (Se)	ND	ND	ND	ND	1	5	460
Strontium (Sr)	<5	ND	ND	ND	1	5	56000
Tin (Sn) ΔΔ	5	ND	ND	ND	0.2	1	180000
Organic tin	NC	NC	NC	NC	1	3	12
Zinc (Zn)	7	10	17	ND	1	5	46000

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Test conducted:

19 Toxic elements migration test<sup>▲</sup>

(A) Test result

With reference to EN 71-3: 2013 + A3 : 2018. Determine by ICP-MS, LC-ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)	Result (mg/kg)				LOD	LOQ	Limit
	(20)	(21)	(22)	(23)	(mg/kg)	(mg/kg)	(mg/kg)
Aluminium (Al)	ND	ND	261	5	1	5	70000
Antimony (Sb)	ND	ND	ND	ND	1	5	560
Arsenic (As)	ND	ND	ND	ND	0.02	0.1	47
Barium (Ba)	ND	ND	<5	ND	1	5	18750
Boron (B)	ND	ND	14	ND	1	5	15000
Cadmium (Cd)	ND	ND	ND	ND	0.02	0.1	17
Chromium (Cr) Δ	0.012	0.006	0.077	0.101	0.001	0.005	-
Chromium (III) (Cr III)	NC	NC	0.077	0.101	-	-	460
Chromium (VI) (Cr VI)	NC	NC	<0.040#	<0.040#	-	0.04	0.053 <sup>▲▲▲</sup>
Cobalt (Co)	ND	ND	ND	ND	0.2	1	130
Copper (Cu)	ND	ND	ND	ND	1	5	7700
Lead (Pb)	ND	ND	ND	ND	0.2	1	23 <sup>▲▲</sup>
Manganese (Mn)	ND	ND	ND	ND	1	5	15000
Mercury (Hg)	ND	ND	ND	ND	0.2	1	94
Nickel (Ni)	ND	ND	ND	ND	1	5	930
Selenium (Se)	ND	ND	ND	ND	1	5	460
Strontium (Sr)	ND	ND	ND	ND	1	5	56000
Tin (Sn) ΔΔ	ND	ND	ND	ND	0.2	1	180000
Organic tin	NC	NC	NC	NC	1	3	12
Zinc (Zn)	ND	ND	936	1412	1	5	46000

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

Remark: mg/kg = Milligram per kilogram = ppm  
< = Less than  
NC = Not conducted  
ND = Not detected (Less than LOD)  
LOD = Limit of Detection  
LOQ = Limit of Quantitation  
▲ = Tested items are not included in the TISI Accreditation  
▲▲ = The new lead migration limit [(2.0mg/kg for Category (I), 0.5mg/kg for category (II) and 23 mg/kg for Category (III)] was quoted from directive (EU) 2017/738 amending 2009/48/EC effective from 28 October 2018.

▲▲▲ = The new chromium (VI) migration limit (0.053mg/kg) for Category (III) was quoted from directive (EU) Directive 2018/725 amending 2009/48/EC effective from 18 November 2019.

Δ = If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium (III) and Chromium (VI).

ΔΔ = If the migration of total Tin is below the maximum limit for Organic Tin, it can be inferred that the material complies with the requirements for Organic Tin.

- Organic tin test result was expressed as tributyl tin.

- As per EC decision 2013/492/EU of 7 October 2013 and in accordance with Court's Order of 15 May 2013 in case T-198/12R, the European Commission authorizes that the national provisions notified by the Federal Republic of Germany concerning limit values for Antimony(Sb)(60mg/kg), Arsenic (As)(25mg/kg), Mercury (Hg)(60mg/kg), Barium (Ba)(1000mg/kg) and Lead (Pb)(90mg/kg) in toys be maintained beyond 20 July 2013.

# = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

\* = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation.

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

Tested components:

	Report	Date
(1) PLYWOOD	REFER BKKH18008767	Jul 10, 2018
(2) Red Coating on Sawdust	REFER BKKH18008869	Jul 10, 2018
(3) White Coating on Sawdust	REFER BKKH18008869	Jul 10, 2018
(4) RED SAWDUST	REFER BKKH18008768	Jul 10, 2018
(5) SOLID WOOD	REFER BKKH18008754	Jul 10, 2018
(6) White Elastic	REFER BKKH18008758	Jul 11, 2018
(7) Yellow Coating on Sawdust	REFER BKKH18008867	Jul 10, 2018
(8) Brown Coating on Sawdust	REFER BKKH18008867	Jul 10, 2018
(9) YELLOW COATING ON WOOD	REFER BKKH18008771	Jul 12, 2018
(10) WHITE COATING ON WOOD	REFER BKKH18008771	Jul 12, 2018
(11) BROWN COATING ON WOOD	REFER BKKH18008771	Jul 12, 2018
(12) LACQUER COATING ON WOOD	REFER BKKH18008771	Jul 12, 2018
(13) ORANGE COATING ON WOOD (8771)	REFER BKKH18008771	Jul 12, 2018
(14) BLACK COATING ON WOOD	REFER BKKH18008772	Jul 18, 2018
(15) LIGHT GRAY COATING ON WOOD	REFER BKKH18008772	Jul 18, 2018
(16) RED COATING ON WOOD	REFER BKKH18008770	Jul 12, 2018
(17) ORANGE COATING ON WOOD	REFER BKKH18010022	Aug 03, 2018
(18) WHITE PLASTIC JOINT	REFER BKKH18008761	Jul 11, 2018
(19) WHITE CORD (PP)	REFER BKKH18008763	Jul 11, 2018
(20) FRONT AXLE + TIRE (BLACK RUBBER)	REFER BKKH18012545	Sep 20, 2018
(21) FRONT AXLE + TIRE (WHITE PLASTIC)	REFER BKKH18012545	Sep 20, 2018
(22) GRAY COATING ON SAWDUST	REFER BKKH18013956	Oct 31, 2018
(23) BLACK ELASTIC	REFER BKKH18016414	Dec 20, 2018

Note:

1. The toxic elements of EN71-3 was not conducted on the above components of samples. Applicant claimed the components were tested on our previous test report.
2. According to European standard on safety of toys EN71-3. As received, the test portion of the components are less than 10 mg, therefore such components were not tested for toxic.

\*\*\*\*\*

## TEST REPORT

The report shall not be reproduced without written approval from Intertek  
The results relate only to the item tested.

Number: BKKH18013516

Test conducted:

(B) Categories of various toy materials

Category I: dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. the material can be ingested. contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or Sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Comment:

When tested as specified, the results of the tested components MET the 19 toxic elements limits of the European Council Directive 2009/48/EC and amendment 2012/7/EU on the Safety of Toys.

Note: LOD and LOQ value in this test report were effective since October, 2014

\*\*\*\*\*END\*\*\*\*\*/KS/NK

*Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.*