

TEST REPORT

Applicant:

Number: BKKH15014039S1

PLAN CREATIONS CO., LTD.

 $8\ \mathsf{MOO}\ 8$, TRANG-PALIAN RD.,

YANTAKAO, TRANG, THAILAND 92140 ATTN: K.NARONG, K.SUPAPORN Date: Nov 24, 2015
This report supersedes
The previous report
Date Nov 24, 2015

Sample description:

Quantity of sample: One (1) set Sample description: Wooden toy

Date sample received: November 06, 2015

Date information Received: November 24, 2015

Client Information:

One (1) set of submitted sample said to be COAT RACK

Item Name: COAT RACK
Item Number: 8618



Tests conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by:

For Intertek Testing Services (Thailand)

Ladtaka Wongwiboonporn Laboratory Manager Hardlines Department

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The results relate only to the item tested.

TEST REPORT

Number: BKKH15014039S1

Conclusion:

Tested samplesStandardResultSubmitted samplesEN71-1:2014Pass* #

Mechanical and physical properties excluding requirement of clause 6 and 7

EN71-2: 2011 + A1: 2014 Pass #

Flammability test

EN71-3: 2013 + A1: 2014 Pass** #

Migration of certain elements

Remark: * = Please draw your attention on clause 7 in test report.

Comment: # The testing scope of the following standards was not applicable to the submitted sample.

However, the test results of the samples met the related requirements as stated in this report.

Note: ** = The components as below was comply to EN71-3 : 2013 + A1 : 2014,

Other component was comply to EN71-3: 2013.

 Components
 Report No.
 Date

 Solid wood
 BKKH14015597
 Dec 11, 2014

 5023014: Blue Sawdust
 BKKH14015929
 Dec 17, 2014

 5080248: Cream Cotton Fabric
 BKKH15013807
 Nov 04, 2015

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936

E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.



The results relate only to the item tested.

TEST REPORT

Test conducted:

1 Mechanical and Physical Test

As per European Standard on Safety of toys EN71-1: 2014.

Appropriate age group for testing: For age over 12 months.

Clause	Requirements	<u>Results</u>
4	General requirements	
4.1	Material cleanliness	Pass
4.2	Assembly	Pass
4.8	Points and metallic wires	Pass
5	Toys intended for children under 36 months	Pass
5.1	General requirements	Pass
7	Warnings, markings and instructions for use	See remark
7.1	General	#

Note: The above clauses appropriate to this item. Those clauses not referred to were considered not applicable.

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.6 (Tip over test), 8.8 (Compression test) and 8.9 (Soaking test).

= No packaging was submitted for testing. Hence, clause 7.1 General requirement for Warnings, markings and instructions for use was not assessed.

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com



The results relate only to the item tested.

TEST REPORT

Number: BKKH15014039S1

Test conducted:

Remark:

Below are additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking.

After checking, it was found that:

- Manufacturer's name was on the toy.
- Manufacturer's address was missed on the toy.
- Importer's name was missed on the toy.
- Importer's address was missed on the toy.
- Product identification code was missed on the toy.
- CE-marking was not on the toy.

2. Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was not found on the submitted samples.

Testing period: November 06, 2015 to November 11, 2015

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com



The results relate only to the item tested.

TEST REPORT

Test conducted:

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011 + A1: 2014.

Clause	Testing items	<u>Assessment</u>					
4.1	General	Р					
4.2	Toys to be worn	NA					
4.3	Toy disguise cos	NA					
4.4	Toys intended to	NA					
4.5	Soft filled toys	NA					
Remark :	P = Pass	NA = Not applicable					

Testing period: November 06, 2015 to November 11, 2015

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936

E-mail Address: tfh.thailand@intertek.com



TEST REPORT

Test conducted:

3 <u>19 Toxic elements migration test</u>

(A) Test result

With reference to BS EN 71-3: 2013 +A1: 2014. Determined by ICP-MS and GC-MS.

Category (III): Scraped-off toy material

Element (Soluble)		Result (mg/kg)			<u>LOD</u>	<u>LOQ</u>	<u>Limit</u>		
	(1)	(2)	(3)		(mg/kg)	(mg/kg)	(mg/kg)		
Aluminium (Al)	ND	8	<5		1	5	70000		
Antimony (Sb)	ND	ND	ND		1	5	560		
Arsenic (As)	0.18	0.29	ND		0.02	0.1	47		
Barium (Ba)	ND	<5	<5		1	5	18750		
Boron (B)	<5	120	<5		1	5	15000		
Cadmium (Cd)	<0.1	<0.1	ND		0.02	0.1	17		
Chromium (Cr) Δ	0.008	0.025	0.056		0.001	0.005	-		
Chromium (III) (Cr III)	NC	NC	NC		-	-	460		
Chromium (VI) (Cr VI)	NC	NC	NC		-	-	0.2		
Cobalt (Co)	ND	ND	ND		0.2	1	130		
Copper (Cu)	ND	<5	ND		1	5	7700		
Lead (Pb)	1	1	ND		0.2	1	160		
Manganese (Mn)	16	43	<5		1	5	15000		
Mercury (Hg)	ND	ND	ND		0.2	1	94		
Nickel (Ni)	ND	ND	ND		1	5	930		
Selenium (Se)	ND	ND	ND		1	5	460		
Strontium (Sr)	11	7	<5		1	5	56000		
Tin (Sn) ΔΔ	ND	ND	ND		0.2	1	180000		
Organic tin	NC	NC	NC		1	3	12		
Zinc (Zn)	7	9	<5		1	5	46000		

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com



TEST REPORT

Test conducted:

Remark: mg/kg = Milligram per kilogram = ppm

< = Less than NC = Not conducted

ND = Not detected (Less than LOD)

LOD = Limit of Detection LOQ = Limit of Quantitation

 Δ = If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium (III) and Chromium (VI).

 $\Delta\Delta$ = If the migration of total Tin is below the maximum limit for Organic Tin, it can be inferred that the material complies with the requirements for Organic Tin.

- Organic tin test result was expressed as tributyl tin.
- As per EC decision 2013/492/EU of 7 October 2013 and in accordance with Court's Order of 15 May 2013 in case T-198/12R, the European Commission authorizes that the national provisions notified by the Federal Republic of Germany concerning limit values for Antimony(Sb)(60mg/kg), Arsenic (As)(25mg/kg), Mercury (Hg)(60mg/kg),

Barium (Ba)(1000mg/kg) and Lead (Pb)(90mg/kg) in toys be maintained beyond 20 July 2013.

- # = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).
- * = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation.

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com



TEST REPORT

Test conducted:

Tested components:

 Report
 Date

 (1) Solid wood
 REFER BKKH14015597
 Dec 11, 2014

 (2) 5023014 : Blue Sawdust
 REFER BKKH14015929
 Dec 17, 2014

 (3) 5080248 : Cream Cotton Fabric
 REFER BKKH15013807
 Nov 04, 2015

Note:

- 1. The toxic elements of EN71-3(2013) was not conducted on the above components of samples. Applicant claimed the components were tested on our previous test report.
- 2. According to European standard on safety of toys EN71-3 (2013). As received, the test portion of the components are less than 10 mg, therefore such components were not tested for toxic.
- 3. As requested by the applicant, EN71-3 (2013) test was conducted only on components listed in this report. Other components were not tested.

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com



TEST REPORT

Test conducted:

(B) Categories of various toy materials

Category I: dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. the material can be ingested. contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or Sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Comment:

When tested as specified, the results of the tested components MET the 19 toxic elements limits of the European Council Directive 2009/48/EC and amendment 2012/7/EU on the Safety of Toys.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk. This report shall not be reproduced, except in full.

Intertek Testing Services (Thailand) Ltd.

1285/5 Prachachuen Road, Wong-Sawang, Bangsue, Bangkok 10800 Thailand

Tel.: (662) 837-2999 Fax: (662) 837-2936 E-mail Address: tfh.thailand@intertek.com

Attention is drawn to the Terms and Conditions printed overleaf.