

Starrett®

Precision, Quality, Innovation

BAND SAW BLADES

Bi-Metal

Carbide Tipped

Carbide Grit

Carbon

Portaband

Diamond Grit

Wood Cutting

Food Processing

Power Hacksaws

Accessories

Services

Catalog 60R



WOOD CUTTING

WOOD CUTTING

WOODPECKER™ PRO

BI-METAL



FEATURES


- Manufactured from high-speed steel M42 containing 8% cobalt
- Electron beam welded bi-metal construction
- Rockwell tooth hardness C67-69 ensures longer blade life
- XPW technology available on select materials

BENEFITS

- Wide range widths and thickness to cover fine contour cutting and tougher cutting applications like lumber re-saws and pallet dismantling work
- Increased blade lifespan with bi-metal construction and tooth geometry
- High fatigue resistance ensures long lasting durability
- Improved cutting performance producing precise cuts with minimal waste
- Can be resharpened

APPLICATIONS

- Blades are available for all band saws
- Highly effective on all types of softwoods, hardwoods and exotic woods
- XPW technology ideal for sawmill and re-saw applications



Width x Thickness		Tooth Shape	Tooth Pitch (TPI)	Rake	Material No.	XPW
in	mm					
1/4 x .025	6.5 x 0.65	Hook	6	HK-P-R	92100	-
3/8 x .025	10 x 0.65	Hook	4	HK-P-R	92101	-
1/2 x .025	13 x 0.65	Hook	3	HK-P-R	92102	-
3/4 x .035	19 x 0.90	Hook	3	HK-P-R	92103	-
1 x .035	27 x 0.90	Hook	2	HK-P-R	92104	-
1-1/4 x .035	34 x 0.90	Hook	1.1	HK-P-R	92105	XPW
		Hook	1.3	HK-P-R	92106	XPW
1-1/4 x .042	34 x 1.10	Hook	1.1	HK-P-R	92109	XPW
		Hook	1.3	HK-P-R	92108	XPW
1-1/2 x .050	41 x 1.30	Hook	1.1	HK-P-R	92110	XPW
2 x .063	54 x 1.30	Hook	1.1	HK-P-R	92111	XPW

HK - Hook tooth profile | P - Positive rake | R - Raker set
 Available in 100' (30m), 250' (75m), random length coils and welded bands.
 All coils supplied within plus or minus 10% of ordered size.
 Special products on request.