


**KUZCO**  
LIGHTING



## LUMINAIRE PHOTOMETRIC REPORT

**Filename:** PD7920-WOR-5CCT - Dalton @3000K**Manufacturer:** KUZCO LIGHTING**Luminaire:** CEILING MOUNT/PENDANT**Luminaire Cat:** PD7920-WOR-5CCT**Lamp:** AC LED**Lamp Cat:** KUZCO5K30X2W-240 GGU-2750/ 120VAC 60HZ  
0.28A 30W**Lamp Output:** Total luminaire Lumens: 1889**Max Candela:** 354.7 at Horizontal: 270°, Vertical: 20°**Input Wattage:** 30.6**Luminous Opening:** Circular (Dia: 20")**Test:** 2399-24**Test Date:** 31 January 2024**Test Lab:** KUZCO LIGHTING**Photometry :** Type C**CIE Class:** Semi-Direct**Cutoff Class:** Noncutoff**Zonal Lumen Summary**

Zone	Lumens	% Luminaire
0-30	293.2	15.5%
0-40	495.6	26.2%
0-60	936.7	49.6%
60-90	459.4	24.3%
70-100	369.4	19.6%
90-120	286.8	15.2%
0-90	1,396.1	73.9%
90-180	492.9	26.1%
0-180	1,889.0	100%

**Lumens Per Zone**

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	32.9	1.7%	90-100	103.9	5.5%
10-20	99.7	5.3%	100-110	97.4	5.2%
20-30	160.5	8.5%	110-120	85.5	4.5%
30-40	202.5	10.7%	120-130	71.0	3.8%
40-50	222.1	11.8%	130-140	53.8	2.8%
50-60	218.9	11.6%	140-150	39.0	2.1%
60-70	193.8	10.3%	150-160	26.1	1.4%
70-80	152.2	8.1%	160-170	12.9	0.7%
80-90	113.3	6.0%	170-180	3.4	0.2%



Photometrics Pro 1.3.29 copyright 2003-2024 by jSolutions, Inc.

Reported data calculated from manufacturer's data file, based on IES recommended methods.