

# KUZCO LED LIGHTING

**Filename:** SF0703215WH - Uma

**Luminaire Cat:** SF0703215WH

**Lamp Cat:** AC

**Lamp Output:** Total luminaire Lumens: 2601.8

**Max Candela:** 961.2 at Horizontal: 170°, Vertical: 1°

**Input Wattage:** 35.9

**Luminous Opening:** Point

**Test:** ZSIES-00276-20250904-A

**Test Date:** 2025-09-04


**Test Lab:** Kuzco ZhongShan LAB

**Photometry :** Type C

**CIE Class:** Direct

**Cutoff Class:** Cutoff

**Nema Type:** 7 X 7





## Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	736.6	28.3%
0-40	1,198.3	46.1%
0-60	2,085.1	80.1%
60-90	487.2	18.7%
70-100	188.9	7.3%
90-120	8.3	0.3%
0-90	2,572.4	98.9%
90-180	29.4	1.1%
0-180	2,601.8	100%

## Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	90.6	3.5%	90-100	1.9	0.1%
10-20	258.2	9.9%	100-110	2.7	0.1%
20-30	387.8	14.9%	110-120	3.7	0.1%
30-40	461.7	17.7%	120-130	4.4	0.2%
40-50	471.4	18.1%	130-140	4.8	0.2%
50-60	415.5	16.0%	140-150	4.5	0.2%
60-70	300.2	11.5%	150-160	3.8	0.1%
70-80	155.6	6.0%	160-170	2.6	0.1%
80-90	31.5	1.2%	170-180	1.0	0%



Photometrics Pro 1.3.29 copyright 2003-2025 by jSolutions, Inc.  
 Reported data calculated from manufacturer's data file, based on IES recommended methods.