

# KUZCO LIGHTING

## LUMINAIRE PHOTOMETRIC REPORT

**Filename:** WV301001MB-Globo

**Manufacturer:** KUZCO LIGHTING

**Luminaire:** Wall mount/Wall Sconce

**Luminaire Cat:** WV301001MB

**Lamp:** AC LED

**Ballast Desc:** N/A

**Ballast Cat:** N/A

**Lamp Output:** Total luminaire Lumens: 507

**Max Candela:** 98.2 at Horizontal: 2.5°, Vertical: 90°

**Input Wattage:** 7.5

**Luminous Opening:** Circular (Dia: 7.09")

**Test:** 1507-20

**Test Date:** 25 November 2020

**Test Lab:** KUZCO LIGHTING


**Photometry :** Type C

**CIE Class:** General Diffuse

**Cutoff Class:** Noncutoff


### Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	31.5	6.2%
0-40	55.6	11%
0-60	121.8	24%
60-90	130.8	25.8%
70-100	136.5	26.9%
90-120	131.6	25.9%
0-90	252.6	49.8%
90-180	254.4	50.2%
0-180	507.0	100%



### Lumens Per Zone

Zone	Lumens	% Total	Zone	Lumens	% Total
0-10	3.5	0.7%	90-100	46.3	9.1%
10-20	10.6	2.1%	100-110	44.4	8.8%
20-30	17.4	3.4%	110-120	40.9	8.1%
30-40	24.1	4.7%	120-130	36.2	7.1%
40-50	30.3	6.0%	130-140	30.5	6%
50-60	35.9	7.1%	140-150	24.3	4.8%
60-70	40.6	8.0%	150-160	17.6	3.5%
70-80	44.1	8.7%	160-170	10.7	2.1%
80-90	46.1	9.1%	170-180	3.6	0.7%



Photometrics Pro 1.3.29 copyright 2003-2023 by jSolutions, Inc.  
Reported data calculated from manufacturer's data file, based on IES recommended methods.