



1 1/4" ALPHA SCREW CAP WITH TRI-FOIL F-217

Part #: 1251

Size:	1 1/4"
Color:	SILVER
Material:	METAL
Style:	SCREW CAP
Additional Info:	TRI-FOIL F- 217
Case Pack:	2,700 / EACH
Pallet Pack:	81,000 / EACH

Represented by





ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

1251




**THIS DRAWING SUPERCEDES ALL
PREVIOUS DATED SPECIFICATION
DRAWINGS**

SIZE	A	B	C	D	PITCH	PLATE
1 1/4"	1.300 $\pm$.010	1.466 $\pm$.015	.500 $\pm$.010	1.375 $\pm$.015	7	90 #

DWG. N.	010-1	B
ALPHA CAP SPECIFICATIONS		
VAN BLARCOM CLOSURES, INC. 156 SANFORD ST., BROOKLYN, N. Y.		
RE- DRAWN BY JR.	APPR. BY <i>[Signature]</i>	
MARCH-17-83	AL-1004-S	


TRI-SEALTM PRODUCT DATA SHEET


- This data sheet describes Tri-Foil® WP F-217® products
- A clear PET film bonded to a white LDPE film bonded to aluminum foil bonded to three-ply co-extruded F-217® liner


Typical Product Attributes
Construction

Structure PET / White LDPE / Alum foil / F-217®	12,7µm / 50,8µm / 8,9µm / F-217®	0.0005" / 0.002" / 0.00035" / F-217®
Color	White or as Specified	White or as Specified
Density for 20 ~ 30 mil (0,51 ~ 0,76 mm) of F-217® for 35 ~ 125 mil (0,89 ~ 3,18 mm) of F-217®	0,48 ± 0,03 g / cm ³ 0,40 ± 0,03 g / cm ³	30 ± 2 lbs / ft ³ 25 ± 2 lbs / ft ³
Thickness Tolerance for 20 ~ 60 mil (0,51 ~ 1,52 mm) of F-217® for 65 ~ 90 mil (1,65 ~ 2,29 mm) of F-217® for 95 ~ 125 mil (2,41 ~ 3,18 mm) of F-217®	± 0,127 mm ± 0,178 mm ± 0,254 mm	± 5 mil ± 7 mil ± 10 mil
Available Width for 20 ~ 60 mil (0,51 ~ 1,52 mm) of F-217® for 65 ~ 125 mil (1,65 ~ 3,18 mm) of F-217®	25,4 ~ 482,6 mm 25,4 ~ 228,6 mm	1 ~ 19 inch 1 ~ 9 inch
Width tolerance	± 1,6 mm	± 1/16 inch

Regulatory Compliance

FDA Compliance	21 CFR 177.1520 (Olefin Polymers) 21 CFR 177.1210 (Closures with Sealing Gaskets for Food Containers) 21 CFR 178.2010 (Antioxidants and/or Stabilizers for Polymers) 21 CFR 175.300 (Resinous and Polymeric Coatings)
Drug Master File (DMF)	2434
Other Compliances	USFDA Food Allergen Guidelines; California Proposition 65 labeling requirements; Limitations of heavy metals in packaging per CONEG & EU 94/62/EC, article 11

Original Date: 06/20/2001
 Revised Date: 02/07/2011
 Revision Number: 4
 Revised by SR

DISCLAIMER: This information is believed to be accurate at the time of printing and is subject to change without notice. Providing this information does not convey any licenses under any patent rights or other intellectual property rights of TRI-SEAL or others. **TRI-SEAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT.** TRI-SEAL's only warranties for this product are those written warranties as may be agreed to by TRI-SEAL and its customers. **TRI-SEAL SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.**

Tri-Seal
 900 Bradley Hill Road
 Blauvelt, NY 10913
 Tel: (845) 353-3300 – Fax: (845) 353-3376
<http://www.tri-seal.com>