

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet


Illing Part#

2101G

5 GAL GRAY STEEL OH 26G PAIL PHENOLIC LINER UN(Y1.9/100)

Part #: 2101G

Size:	5 Gallon
Color:	Gray
Material:	Steel
Style:	OH Steel Pail
Additional Info:	Phenolic Liner UN(Y1.9/100) 120, 26 Gauge
Case Pack:	each
Pallet Pack:	120 each



NOTE
PAILS ARE AVAILABLE IN STANDARD AND U.N. CERTIFIED.

DRAWN BY:	SCALE:	REV. BY:	NO.	DATE:	REVISION DESCRIPTION:
JZ	"				
CHECKED BY:	DATE:				
2-07-13					
APPROVED BY:	THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED IS THE EXCLUSIVE PROPRIETARY PROPERTY OF THE MANUFACTURE OR ITS SUBSIDIARIES, AND IS TO BE RETAINED IN CONFIDENCE. IT IS NOT TO BE DUPLICATED, OR TO BE USED FOR ANY PURPOSE OTHER THAN WHAT IT WAS DISCLOSED, AND IS TO BE RETURNED TO THE MANUFACTURE, ON DEMAND.				



Beverly Corporation
8607 Roberts Dr., Suite 250, Atlanta GA 30350

11-1/4" DIAMETER - 5 GALLON
OPEN HEAD 2-1/16" DOUBLE BEAD
TAPERED PAIL

SUPERCEDES	MATERIAL	PRINT NO.	REV.
	PO500-5-026		A

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#



Corporation

Customer Coating Data Sheet

Liner Description/Color: Red-brown

Film Resin: Phenolic

Use: Cover, Top, Body & Bottom

FDA Status: Compliant 175.300

Application Method: Roll coat or Airless Spray

Cure Temperature: 425°F PMT

Typical Uses

This enamel system has a high degree of acid and solvent resistance. It is not suggested for alkaline products and has limited flexibility. Typical products packaged with this enamel include: strong acids, agricultural chemicals, insecticides, strong solvents, nitrocellulose lacquers, inks and essential oils.

Compatibility

Formulated products have different characteristics and do not always perform the same. In the absence of commercial packaging history, commodity testing is suggested to confirm liner and product compatibility. Testing should be conducted prior to commercial filling.