

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet

Illing Part#

3011UNWPVTFE

5 GALLON WHITE HDPE COVER W/ PVTFE SPOUT UN (Y1.5/30)(Y43/S)

Part #: 3011UNWPVTFE

Size:	5 Gallon
Color:	White
Material:	HDPE
Style:	Plastic Round Cover
Additional Info:	With PVTFE Vented Spout
Case Pack:	240 each
Pallet Pack:	240 each



Product Specifications

5.0 Gallon 90mil UN Pail with UN Cover

Multiple Uses

UN-liquids rated in US and Canada to
 1.5 SpGr, 30kPa (Y1.5/30)
 UN Solids rated in US to Y43/S
 May also be used for non-hazardous
 liquids and solids.

Product Codes

Container: **5500 Series, 55100**
 Description: 5 gallon UN Pail

Cover: 2500 Series

Description: 5 gallon Standard UN Cover

*Note: *Multiple fitting and venting options available*

Features

Gauge: 90 mil.
 Nominal capacity: 5.0 USG / 19.0 L
 Stack performance: 350 lbs.*
 Tare weights: Body: 2.08 lbs. / .948 kgs
 Cover: .77 lbs. / .350 kgs.

*Note: *Ratings will be reduced with uneven load distribution.*

Specifications with Cover


Dimensions: 12-5/16" D X 14-11/16"H
 Maximum capacity: 5.3 USG / 20.2 L
 Tare weight: 2.85 lbs. / 1.29 kgs.

Colors

Standard: White, Black and Natural
 Custom: Available at manufacturer's discretion

Decorating Options

Four color offset printing
 Print area: 33"W x 8-1/2"H
 Sleeve or pressure sensitive labeling



Shipping Data

Qty. per pallet/carton:
 Gross Weight (lbs/kgs.)**:
 Length (in./cm.):
 Width (in./cm.):
 Height (in./cm.):

Bodies

240*
 499 / 226
 48 / 122
 36 / 91.4
 45 / 114

Covers

1,200*
 924 / 419
 49.5 / 126
 40 / 102
 97.5 / 248

Filled Containers

36 (12 per layer / 3 layers high)
 Pallet Height: 47"

Estimated truckload quantity of 5,520 bodies and covers***

Notes: *Quantity can vary based on customer request

**Weight does not include pallet/packaging

***Truckload quantity based on 53' trailer

Materials

FDA approved materials
 Resin: Body: High-Density Polyethylene (HDPE)
 Cover: High-Density Polyethylene (HDPE)

Optional Carrying Handle

Wire or Plastic



Rieke Packaging Systems® Customer Product Specification	
Description	FS-10-10-231 PTFE1 FSII® FlexSpout® Assembly
Specification Number	03160006
Date	May 11, 2016
Prepared By	Lee Olinske
Approved By	Brian Jordan

Parameter	Specification
Material(s) of Construction	Type:- Polyethylene / Mild Steel ~ All components that come in contact with contents as shipped comply to FDA regulation 21 CFR (code of Federal requirements) 177.1520 paragraph C2.1 along with FDA regulation 21 CFR 175.300 paragraphs C & D.
Standard Color (Other Colors Available Upon Request)	Natural body / Gray Cap / Plated retainer
Nominal Dimensions in Inches (mm)	Maximum print area: 1.36" (34.5mm) diameter
Opening Print Drawing Number Revision	M0531-02 (plastic) Revision: C M0036 (metal inside curl) Revision: D
Special Markings	
Accessories	PVTFE1 Microporous Vent
Applied Torque	There is no torque required for this closure because it is a crimp on fitting.
Method of Delivery	500 pcs/carton ~32 lbs gross/carton 24 cartons/pallet
Components	Body (anti-glug) / Cap / Plated retainer • Do not exceed temperature of 125° F
Drawing Number Revision	28002337 C

