Represented by

ILLING™ PACKAGING

Product Specification Sheet

Illing Part# 33E7907L

48 OZ CLEAR PP ROUND TAMPER EVIDENT LID 140mm

Part #: 33E7907L


Size:	48 oz
Color:	CLEAR
Material:	POLYPROPYLENE
Style:	ROUND LID
Additional Info:	TAMPER EVIDENT
Case Pack:	300 / EACH
Pallet Pack:	13,200 / EACH

Represented by

ILLING™ PACKAGING

Product Specification Sheet

Illing Part# **33E7907L**



Represented by

ILLING™ PACKAGING

Product Specification Sheet

Illing Part# **33E7907L**

elfe PLASTIK

TECHNICAL SPEC. SHEET

Printed on: May 08 2024

7907.00.00
Secure Round TE Clear 140 mm Lid (1.5 liter)

Typical application

- Take out item
- Soup
- Sauce
- Fruit salad
- Prepared salads
- Nutritional supplements
- Confectionary
- Spreads

Features & Benefits

- Easy to open and use
- Liquid tight
- High definition photo quality IML decoration

Use

- To open : Insert your finger in the break-tab on the container
- To close : Press on the center of the lid to evacuate the air and close the snap



Material

Clear Polypropylene (BPA Free)

Technical Specifications

Product Code	Capacity under lid [mL]	Wall Thickness [in]	Approx Weight [g]	Overall Height [in]	Overall Height [mm]	Overall Diameter [in]	Overall Diameter [mm]
7907.00.00		0,027	17,60			5,70	144,78

Decoration IML

- In-Mold-Labeling (IML) : 4 color process (CMYK) and 4 additionnal PMS colors if required
- Container: Die line to be supplied
- Lid: Die line to be supplied

Ordering Information

Code				Qty/ box	Box/ pallet	Weight/ box[kg]	Weight/ pallet [kg]	Box Dimensions [in]			Pallet Dimensions [in]		
Product	Color	Material	IML					Length	Width	Height	Length	Width	Height
7907 .	XXX .	XX .	XXX	300	44	5,3	232,254	23,375	17,375	6,5	48	43	78

Contact your representative or customer service for exact ordering code

Packaged in cardboard boxes with inner bag

Top loading resistance

kg lbs

at 73 F (23 C) for 30 days

Product temperature when filling containers and warehouse temperature will affect container performance. Elfe Plastik recommends performing necessary testing prior to full production.

Storing and distribution

No double pallet stacking. Shelving in a dry and tempered space is recommended.
For sale to manufacturers, distributors and end consumers. Storage period is 3 years.

Recommendations

- Handling conditions vary from customer to customer; therrefore, we recommend to validate your processes (filling, conveying, warehousing, etc.) with specific product testing.
- For optimal stacking stability and top load resistance, we recommend releasing the air from the container when putting on the lid.
- All containers to be packed in carboard box.
- Do not exceed pallets edges with containes.
- Stretch wrapping machine tension should be adjusted to container.
- Maximum filling temperature is at 212 F (100 C) Before closing temperature to be tested by the customer.
- Minimum temperature use is 4 °C.
- Can be used in microwave or washing machine.

Chemical compatibility

Some chemicals can affect the integrity of the container. Any product requiring a Material Safety data Sheet (MSDS) has to be submitted to Elfe Plastik. If the buyer fails to adhere to this clause the related product guarantees will be void.

Certifications

Raw materials used are tested according to ASTM standards for polymers, approved for food contact and meet FDA (Food and Drug Administration USA) and CFIA (Canadian Food Inspection Agency) regulations.

Elfe Plastik Inc., 100 rue du Parc Industriel, St-Léon-de-Standon (Qc), G0R 4L0 Tel: 418-642-3533 Fax: 418-642-3333 info@elfeplastik.com