

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3508N

8 OZ 89-400 NAT PP REGULAR WALL JAR

Part #: 3508N

Size:	8 OZ
Color:	NATURAL
Material:	PP
Style:	REGULAR ROUND JAR
Additional Info:	89-400 NECK FINISH
Case Pack:	120 / EACH
Pallet Pack:	3,360 / EACH

Represented by






ILLINGTM
P A C K A G I N G


Product Specification Sheet

Illing Part#

3508N



SECTION A-A



STATIC TORQUE RECOMMENDATION: 40-70 in-lbs
REQUIREMENT MAY VARY DEPENDING UPON CONTAINER MATERIAL,
NECK FINISH, AND CAPPING EQUIPMENT

DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS
AND NO TOLERANCE LIMITS ARE ESTABLISHED

DIMENSIONS PRECEDED BY AN *** INDICATE THE DIMENSION IS
PROCESS SENSITIVE. PROCESS SENSITIVE DIMENSIONS ARE
VERIFIED TO BE WITHIN THE TOLERANCE LIMITS DURING THE
PRODUCTION RUN. ALL REMAINING DIMENSIONS ARE VERIFIED AT
PRODUCTION VALIDATION.

PROPRIETARY AND CONFIDENTIAL

THIS DRAWING IS PROTECTED BY COPYRIGHT AND CONTAINS
INFORMATION PROPRIETARY TO MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES. ANY REPRODUCTION, DISCLOSURE, OR USE OF
ITS CONTENTS OR ANY PART THEREOF IS EXPRESSLY
PROHIBITED EXCEPT AS MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES OTHERWISE MAY AGREE IN WRITING.

THIS MASTER DOCUMENT IS CONTROLLED ELECTRONICALLY.
PRINTED OR DOWNLOADED COPIES ARE UNCONTROLLED.
DOCUMENT USERS ARE RESPONSIBLE FOR ENSURING THEY HAVE
THE LATEST REVISION PRIOR TO USE.

THE PART DIMENSIONS DEPICTED ARE THOSE WHICH HAVE GENERALLY BEEN FOUND TO BE FUNCTIONAL BASED ON INDUSTRY EXPERIENCE.
BECAUSE OF VARIABILITY IN CONTAINER FINISHES, EACH CLOSURE/FINISH SYSTEM SHOULD BE INDIVIDUALLY EVALUATED AND TESTED TO
ENSURE IT MEETS APPLICABLE PERFORMANCE CRITERIA.

MOLD-RITE PLASTICS AND ITS SUBSIDIARIES RESERVE THE RIGHT TO REVISE ANY OR ALL SPECIFICATIONS AND REQUIREMENTS.

REFERENCE	DIMENSION	TOLERANCE	UNITS
ϕT	3.486 [88.54]	± 0.017 [0.43]	in [mm]
ϕE	3.374 [85.70]	± 0.017 [0.43]	in [mm]
ϕI	3.230 [82.04]	± 0.015 [0.38]	in [mm]
OAH	2.520 [64.01]	± 0.015 [0.38]	in [mm]
H	0.520 [13.21]	± 0.015 [0.38]	in [mm]
ϕOD	3.506 [89.05]	± 0.017 [0.43]	in [mm]
PART WEIGHT	32.90	± 2.50	g
VOLUME	10.48 [310.0]	REFERENCE	fl oz [cc]
THREAD DETAIL INFORMATION:	5 THREADS PER INCH	0.200" [5.08] PITCH	450° FULL DEPTH THREADS
DRAWN BY:	DAS	11/21/2017	DWG SIZE: 8.5" x 11"
ENG APPR:	LES	3/14/2024	SCALE: 1 OF 3
QA APPR:	HW	03/17/2024	2.3 & NOTED



DRAWING TITLE:

8oz 89mm Jar
REGULAR WALL PP

MATERIAL: POLYPROPYLENE

DRAWING TYPE: CUSTOMER DISTRIBUTION CODE: D

REPLACES DRAWINGS: J-101, CQA10025

MODEL NUMBER: PM 11072 8oz 89mm Jar

DWG SIZE: 8.5" x 11" DRAWING NUMBER: CQA 10705 REVISION: 00.AD

SHEET: 1 OF 3

Represented by






ILLINGTM
P A C K A G I N G


Product Specification Sheet

Illing Part#

3508N



SECTION A-A



STATIC TORQUE RECOMMENDATION: 40-70 in-lbs
REQUIREMENT. MAY VARY DEPENDING UPON CONTAINER MATERIAL,
NECK FINISH, AND CAPPING EQUIPMENT

DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS
AND NO TOLERANCE LIMITS ARE ESTABLISHED

DIMENSIONS PRECEDED BY AN *** INDICATE THE DIMENSION IS
PROCESS SENSITIVE. PROCESS SENSITIVE DIMENSIONS ARE
VERIFIED TO BE WITHIN THE TOLERANCE LIMITS DURING THE
PRODUCTION RUN. ALL REMAINING DIMENSIONS ARE VERIFIED AT
PRODUCTION VALIDATION.

PROPRIETARY AND CONFIDENTIAL

THIS DRAWING IS PROTECTED BY COPYRIGHT AND CONTAINS
INFORMATION PROPRIETARY TO MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES. ANY REPRODUCTION, DISCLOSURE, OR USE OF
ITS CONTENTS OR ANY PART THEREOF IS EXPRESSLY
PROHIBITED EXCEPT AS MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES OTHERWISE MAY AGREE IN WRITING.

THIS MASTER DOCUMENT IS CONTROLLED ELECTRONICALLY.
PRINTED OR DOWNLOADED COPIES ARE UNCONTROLLED.
DOCUMENT USERS ARE RESPONSIBLE FOR ENSURING THEY HAVE
THE LATEST REVISION PRIOR TO USE.

THE PART DIMENSIONS DEPICTED ARE THOSE WHICH HAVE GENERALLY BEEN FOUND TO BE FUNCTIONAL BASED ON INDUSTRY EXPERIENCE.
BECAUSE OF VARIABILITY IN CONTAINER FINISHES, EACH CLOSURE/FINISH SYSTEM SHOULD BE INDIVIDUALLY EVALUATED AND TESTED TO
ENSURE IT MEETS APPLICABLE PERFORMANCE CRITERIA.

MOLD-RITE PLASTICS AND ITS SUBSIDIARIES RESERVE THE RIGHT TO REVISE ANY OR ALL SPECIFICATIONS AND REQUIREMENTS.

REFERENCE	DIMENSION	TOLERANCE	UNITS
Ø T	3.486 [88.54]	±0.017 [0.43]	in [mm]
Ø E	3.374 [85.70]	±0.017 [0.43]	in [mm]
Ø I	3.230 [82.04]	±0.015 [0.38]	in [mm]
OAH	2.520 [64.01]	±0.015 [0.38]	in [mm]
H	0.520 [13.21]	±0.015 [0.38]	in [mm]
Ø OD	3.506 [89.05]	±0.017 [0.43]	in [mm]
PART WEIGHT	32.90	±2.50	g
VOLUME	10.48 [310.0]	REFERENCE	fl oz [cc]

THREAD DETAIL INFORMATION:	5 THREADS PER INCH	0.200" [5.08] PITCH	450° FULL DEPTH THREADS
-------------------------------	-----------------------	---------------------	----------------------------

DRAWN BY:	DAS	11/21/2017
ENG APPR:	LES	3/14/2024
QA APPR:	HW	03/17/2024



DRAWING TITLE:

8oz 89mm Jar
REGULAR WALL PP

MATERIAL: POLYPROPYLENE

DRAWING TYPE: CUSTOMER DISTRIBUTION CODE: D

REPLACES DRAWINGS: J-101, CQA10025

MODEL NUMBER: PM 11072 8oz 89mm Jar

DWG SIZE: 8.5" x 11" DRAWING NUMBER: CQA 10705 REVISION: 00.AD

REVISION: 00.AD

Represented by






ILLINGTM
P A C K A G I N G


Product Specification Sheet

Illing Part#

3508N



SECTION A-A



STATIC TORQUE RECOMMENDATION: 40-70 in-lbs
REQUIREMENT. MAY VARY DEPENDING UPON CONTAINER MATERIAL,
NECK FINISH, AND CAPPING EQUIPMENT

DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS
AND NO TOLERANCE LIMITS ARE ESTABLISHED

DIMENSIONS PRECEDED BY AN *** INDICATE THE DIMENSION IS
PROCESS SENSITIVE. PROCESS SENSITIVE DIMENSIONS ARE
VERIFIED TO BE WITHIN THE TOLERANCE LIMITS DURING THE
PRODUCTION RUN. ALL REMAINING DIMENSIONS ARE VERIFIED AT
PRODUCTION VALIDATION.

PROPRIETARY AND CONFIDENTIAL

THIS DRAWING IS PROTECTED BY COPYRIGHT AND CONTAINS
INFORMATION PROPRIETARY TO MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES. ANY REPRODUCTION, DISCLOSURE, OR USE OF
ITS CONTENTS OR ANY PART THEREOF IS EXPRESSLY
PROHIBITED EXCEPT AS MOLD-RITE PLASTICS AND ITS
SUBSIDIARIES OTHERWISE MAY AGREE IN WRITING.

THIS MASTER DOCUMENT IS CONTROLLED ELECTRONICALLY.
PRINTED OR DOWNLOADED COPIES ARE UNCONTROLLED.
DOCUMENT USERS ARE RESPONSIBLE FOR ENSURING THEY HAVE
THE LATEST REVISION PRIOR TO USE.

THE PART DIMENSIONS DEPICTED ARE THOSE WHICH HAVE GENERALLY BEEN FOUND TO BE FUNCTIONAL BASED ON INDUSTRY EXPERIENCE.
BECAUSE OF VARIABILITY IN CONTAINER FINISHES, EACH CLOSURE/FINISH SYSTEM SHOULD BE INDIVIDUALLY EVALUATED AND TESTED TO
ENSURE IT MEETS APPLICABLE PERFORMANCE CRITERIA.

MOLD-RITE PLASTICS AND ITS SUBSIDIARIES RESERVE THE RIGHT TO REVISE ANY OR ALL SPECIFICATIONS AND REQUIREMENTS.

REFERENCE	DIMENSION	TOLERANCE	UNITS
Ø T	3.486 [88.54]	±0.017 [0.43]	in [mm]
Ø E	3.374 [85.70]	±0.017 [0.43]	in [mm]
Ø I	3.230 [82.04]	±0.015 [0.38]	in [mm]
OAH	2.520 [64.01]	±0.015 [0.38]	in [mm]
H	0.520 [13.21]	±0.015 [0.38]	in [mm]
Ø OD	3.506 [89.05]	±0.017 [0.43]	in [mm]
PART WEIGHT	32.90	±2.50	g
VOLUME	10.48 [310.0]	REFERENCE	fl oz [cc]
THREAD DETAIL INFORMATION:	5 THREADS PER INCH	0.200" [5.08] PITCH	450° FULL DEPTH THREADS
DRAWN BY:	DAS	11/21/2017	DWG SIZE: 8.5" x 11"
ENG APPR:	LES	3/14/2024	SCALE: 1 OF 3
QA APPR:	HW	03/17/2024	2.3 & NOTED



DRAWING TITLE:

8oz 89mm Jar
REGULAR WALL PP

MATERIAL: POLYPROPYLENE

DRAWING TYPE: CUSTOMER DISTRIBUTION CODE: D

REPLACES DRAWINGS: J-101, CQA10025

MODEL NUMBER: PM 11072 8oz 89mm Jar

DWG SIZE: 8.5" x 11" DRAWING NUMBER: CQA 10705 REVISION: 00.AD