

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet

Illing Part#

3604

100-400 WHT PLAS CAP LINERLESS 480-CARTON 7200-PLT

Part #: 3604

Size:	100-400
Color:	White
Material:	PP
Style:	Lids & Closures
Additional Info:	-
Case Pack:	480 each
Pallet Pack:	7,200 each



SHALLOW SKIRTED CLOSURES

100-400-9613 S



Specifications:

DIAMETER 100 mm

THREAD PROFILE 400

NECK FINISH 100-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	480	15	7,200	18 ⁽¹⁾	266 ⁽¹⁾	150 ⁽¹⁾
Stack	480	15	7,200	22 ⁽²⁾	330 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive, Industrial and Medical Products,
 Food, Food Service, Personal Care & Cosmetics,
 Pharmaceuticals, Nutraceuticals, Dressings &
 Sauces and Powdered Drinks.

OPTIONS

Available in white, standard, and custom colors.
 Can be embossed/debossed with custom message.
 Offset printing is available in up to three colors.


CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style



SHALLOW SKIRTED CLOSURES

100-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.


THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

1	03.12.15	Redefine Reference Dimensions			DN
REV	DATE	DESCRIPTION			BY
TOLERANCE	PITCH/TPI	.200 / 5	TURNS	1-3/16	MATL PP
X	±0.1	DRAWN	DMN	DATE	10.31.06
XX	±0.02	SCALE	1 : 1	REV	
XXX	±0.010	100 - 400 - 9613 S			1



SHALLOW SKIRTED CLOSURES

100-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	05.23.03	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	FITCH/TPI	.200 / 5	TURNS 1-1/4
X	± 0.1	DRAWN BEZ	DATE 05.23.03
XX	± 0.02	SCALE 8:1	REV
XXX	± 0.010	100 - 400 - FINISH	0