

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3618HSPET

70-400 WHITE PP TRI-TAB FOIL#3 FOR PET CAP

Part #: 3618HSPET

Size:	70-400 NECK
Color:	WHITE
Material:	PP
Style:	PLASTIC CAP
Additional Info:	TRI-TAB FOIL#3 FOR PET CAP
Case Pack:	1,150 / EACH
Pallet Pack:	17,250 / EACH



www.illingpackaging.com

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3618HSPET



SHALLOW SKIRTED CLOSURES

70-400-9613 S



Specifications:

DIAMETER 70 mm

THREAD PROFILE 400

NECK FINISH 70-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	1,150	15	17,250	23 ⁽¹⁾	338 ⁽¹⁾	125 ⁽¹⁾
Bulk	1,150	15	17,250	24 ⁽²⁾	362 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Dressings & Sauces, Food, Food Service, Industrial and Medical Products, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, Non-Dairy Creamer and Soup Base.

CLOSURE BENEFITS

- A great general-purpose closure
- Our most popular closure style

OPTIONS

Available in white, standard, and custom colors. Liners can be cut with a tri-tab easy-open feature. Can be embossed or debossed with your custom message. Offset printing is available on this closure in up to four colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Optional 25-30% food-contact PCR PP material available.



PHOENIXTM

PHXPKG.COM


P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

2024.04.26



SHALLOW SKIRTED CLOSURES

70-400-9613 S






NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	1	02.18.16	Re-define Reference Dimensions						DN
	REV	DATE	DESCRIPTION						BY
	TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1-1/8	MAT'L	PP		
	.X ±0.1	DRAWN	DMN	DATE	09.21.10	SCALE	3 : 2	REV	
	.XX ±0.02	70 - 400 - 9613 S							1
.XXX ±0.010									





SHALLOW SKIRTED CLOSURES

70-400-9613 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	2.7185	2.6245	± 0.0175
PET	2.726	2.632	± 0.010
GLASS	0.0000	0.0000	± 0.0000

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.		0	09.11.12	Released	DN
		REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/4
		.X ±0.1	DRAWN	DMN	DATE 09.11.12
		.XX ±0.02	SCALE 10 : 1		REV
		.XXX ±0.010	70 - 400 - FINISH		0

