

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3628WHTPP

83-400 WHITE PP MATTE TOP WITH FINE RIBBED SIDES UNLINED CAP

Part #: 3628WHTPP

Size:	83-400 NECK
Color:	WHITE
Material:	PP
Style:	MATTE TOP WITH FINE RIBBED SIDES
Additional Info:	UNLINED CAP
Case Pack:	550 / EACH
Pallet Pack:	8,250 / EACH



www.illingpackaging.com

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#



CLASSIC

SHALLOW SKIRTED CLOSURES

83-400-6213 S



Specifications:

DIAMETER 83 mm

THREAD PROFILE 400

NECK FINISH 83-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	550	15	8,250	21 ⁽¹⁾	322 ⁽¹⁾	125 ⁽¹⁾
Bulk	550	15	8,250	24 ⁽²⁾	355 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style

MARKETS

Dressings & Sauces, Food, Food Service, Agricultural, Automotive, Industrial, Medical, Personal Care, Cosmetics, Pharmaceuticals, Nutraceuticals, Non-Dairy Creamer, and Soup Base

OPTIONS

Available in white, standard colors and custom colors. Can be embossed or debossed with your custom message. Offset printing is available on this closure in up to three colors. Optional 25-30% food-contact PCR PP material available.



PHOENIXTM

PHXPKG.COM


P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

2024.01.09



SHALLOW SKIRTED CLOSURES

83-400-6213 S




NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	2	07.26.99	Updated "E" Dimension					BZ	
	REV	DATE	DESCRIPTION					BY	
	TOLERANCE		PITCH/TPI		.200 / 5	turns	1	MAT'L	PP
	.X	±0.1	DRAWN	DAA	DATE	03.11.10	SCALE	1-1/4 : 1	REV
	.XX	±0.02							
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	.XXX	±0.010	83 - 400 - 6213 S						2





SHALLOW SKIRTED CLOSURES

83-400-6213 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	3.2505	3.1305	± 0.0175
PET	3.2505	3.1305	± 0.012
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.		1	05.25.02	Updated Minimum "H" Dimension	DN
		REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		TOLERANCE	PITCH/TPI	200 / 5	TURNS 1-1/4
		.X ±0.1	DRAWN	DMN	DATE 05.20.00
		.XX ±0.02	SCALE	10 : 1	REV
		.XXX ±0.010	83 - 400 - FINISH		

