



**53-400 WHT PP CAP TOP FINE RIB
SIDES F217 LINER 2000/CTN
30000/PALLET**



Part #: 3633

Size:	53-400
Color:	WHITE
Material:	PP
Style:	FINE RIBBED STIPPLE CAP
Additional Info:	F217 LINER
Case Pack:	2000 EACH
Pallet Pack:	30,000 EACH


SHALLOW SKIRTED CLOSURES

53-400-6201 S



Specifications:

DIAMETER 53 mm

THREAD PROFILE 400

NECK FINISH 53-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,000	15	30,000	28 ⁽¹⁾	425 ⁽¹⁾	100 ⁽¹⁾
Bulk	2,000	15	30,000	32 ⁽²⁾	446 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Industrial, and Medical Products, Dressings & Sauces, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, and Non-Dairy Creamer.

OPTIONS

Available in white, standard, and custom colors.
 Liners can be cut with pull-tab easy-open feature.
 Can be embossed/debossed with custom message.
 Offset printing is available in up to three colors.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style


PHOENIX™


PHXPKG.COM

P 630 420 4750 **E** greatpkg@phxpkg.com
 1899 High Grove Lane Naperville, IL 60540



SHALLOW SKIRTED CLOSURES

53-400-6201 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.


4	07.27.05	Update "T" Dimension		DN
REV	DATE	DESCRIPTION		BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1
.X	±0.1	DRAWN	DMN	DATE 07.30.04
.XX	±0.02	SCALE	2 : 1	REV
.XXX	±0.010	53 - 400 - 6201 S		4





SHALLOW SKIRTED CLOSURES

53-400-6201 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	10.01.02	Released	BZ
REV	DATE	DESCRIPTION	BY
.X	± 0.1	PITCH/TPI .167 / 6	Turns 1-1/8
.XX	± 0.02	DRAWN BEZ	DATE 10.01.02
.XXX	± 0.010	SCALE 10 : 1	REV
53 - 400 - FINISH			0





SureSeal®

Product Name:	SureSeal®
Product Type:	One piece, three-ply coextruded liner.
Material:	Low density polyethylene skin top and bottom with foamed polyolefin core.
Composition:	Core and outer skin fusion. Closed cell foam core of LDPE is sandwiched within LDPE. This results in a chemically fused, single polymeric product.
Composition Benefits:	Symmetrical construction - either side serves as the liner face. Single polymeric product - no ply-separation.
Application:	Applications have provided positive sealing for foods, beverages, pharmaceuticals, cosmetics, industrial and household chemicals.
Compatibility:	SureSeal® is chemically inert, odorless, tasteless and dust-free. Good resistance to acids, alkalies, slow solvents, alcohols, oils and aqueous products. Poor resistance to active hydrocarbon solvents.
Performance Values:	Excellent sealability, resiliency and compression recovery. Excellent torque retention.
Thickness/Width:	Available in thickness of .030" (+/- .005") Widths from 1" to 36" (+/- .031")
Density:	24 < 28 lbs/ft ³
Color:	FDA approved white. Custom colors available upon request.
FDA Status:	Drug Master File #12831. This material complies with FDA regulation 177.1520(c)3.1 for food contact application.